WEIGHTS AND MEASURES	33 AA	37 BA	38 KA
DIMENSIONS			
Overall Length (approx.) 1	35' 2"	38' 6"	39' 6"
Wheel Base	198"	234"	252"
Overall Width 1	101"	101"	101"
Overall Height	12' 10"	12' 10"	12' 10"
Minimum Garage Height	14'	14'	14'
Interior Height	84"	84"	84"
Interior Width	96"	96"	96"
Square Footage (approx.) ²	335	375	390
Basement Storage (cubic feet, approx.)	84	119	119
WEIGHT LIMITS			
GAWR-Front (pounds)	14,320	14,320	14,320
GAWR-Rear (pounds)	24,000	24,000	24,000
GVWR (pounds)	38,320	38,320	38,320
Maximum Trailer Weight (pounds) ³	10,000	10,000	10,000
Hitch Rating (pounds)	10,000	10,000	10,000
GCWR (pounds)	48,320	48,320	48,320
CAPACITIES			
Fuel Tank (gallons)	100	100	100
DEF Tank (gallons) ⁴	13	13	13
Fresh Water (gallons)	90	90	90
Grey Water (gallons)	70	70	70
Black Water (gallons)	50	50	50
LPG Tank (gallons) ⁵	36	36	36
QUANTITIES			
Number of Slideouts	4	3	3
Sleeping Capacity ⁶	4 to 6	2 to 6	4 to 8
Sleeping Areas ⁶	2 to 4	1 to 5	3 to 6
Seat Belts ⁶	5 to 7	4 to 9	4 to 7
Seating Capacity ⁶	7 to 10	7 to 11	6 to 9

- 1 The approximated coach width and length does not include side-view mirrors and rear ladders.
- Square footage was calculated with the slide-outs fully extended.
- ³ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.
- 4 Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to
- ⁵ LPG tank can only be filled to 80% capacity.
- ⁶ Dependent on furniture and dinette options

CHASSIS AND DRIVETRAIN

- Freightliner® XCM Modular Rail Rear Engine Diesel Chassis or Freightliner® XCR Raised Rail Rear Engine Diesel Chassis
- Cummins® L9 380 HP Diesel Engine with 1,150 lb-ft Torque 1
- 160-Amp Alternator
- Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter
- · Aluminum Wheels
- Front and Rear 295/80R 22.5 Tires

- (2) 12-Volt Flooded Lead-Acid Chassis Batteries
- Hvdraulic Leveling Jacks with Control Panel
- Freightliner® V-Series VFS I-beam Front Suspension
- Freightliner® V-Series V-Ride Rear Suspension
- · Custom Tuned Sachs® Shock Absorbers
- Rear Radiator
- · Front Disc Brakes and Rear Drum Brakes

- · Full Air Brake System with Automatic Slack Adjusters
- Single Stage Variable Geometry Turbocharger (VGT) Engine Brake
- · Manual Parking Brake
- · Driver and Passenger Side Fuel Fill
- · Tire Pressure Monitoring
- Adaptive Cruise Control
- Automatic Traction Control
- · Collision Mitigation with Forward Warning and Active Braking
- · Electronic Stability Control
- 1 Peak horsepower achieved at 2,200 RPM. Peak torque achieved at 1,200 RPM. Cummins® B6.7 360 HP Diesel Engine is no longer available.

CONSTRUCTION

- · Seamless One-piece Gel-coat Fiberglass Molded Roof Cap
- 5 1/4" Formed Roof Insulation
- Tubular Aluminum Roof Skeleton Frames
- Extraordinaire™ Ducted Air Cooling System

CONSTRUCTION OPTIONS Slide-out Mechanisms

- · One-piece Molded Gel-coat Fiberglass Front and Rear Caps
- · Steel Cockpit Overhead Support Frame
- · Crane® Composites Noble® Select All-Composite Exterior Sidewalls
- Tubular Aluminum Wall Skeleton Frames
- · High-performance Thermal Insulation in Sidewalls
- · Steel Floor Skeleton
- · Engineered Wood Sub-flooring
- 11/2" Thick Thermal Insulation in Floor
- Steel Basement Construction a Duat Protective Undergoting

	* Rust Protecti	ıg	
S	33 AA	37 BA	38 KA
Combination Hydraulic and Electric Slide-out Mechanisms ¹	S	-	-
Hydraulic Slide-out Mechanisms	-	S	S

1 The 33 AA's vanity slide features a electrically powered rack and pinion system

ELECTRICAL

- Spyder Controls Multiplex System
- · Firefly Integrations Mira Module
- · Centralized 7.5" Spyder System Main Monitor
- · Interior Entryway Spyder System Color Touchscreen
- · Additional Spyder Color Touchscreens Throughout Coach
- · 8.0-Kilowatt Onan® Quiet Diesel Generator
- · Generator Slide Tray

- 2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control 2
- · Battery Slide-out Tray
- 50-Amp Shore Power
- · Auxiliary Solar Port
- · HD Over-the-air Antenna
- · Park Cable and Ground Satellite Hook-up
- · Prep for In-motion Satellite
- Blu-ray™ Player

- Satellite Receiver ³
- 12-Volt Breaker Panel
- 12-Volt Disconnect Switch
- Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter
- · Ground Fault Circuit Interrupter (GFCI) Outlets at Galley Lavatories, and Sewer Bay
- 110-Volt Exterior Receptacle
- · Surge Guard® Transfer Switch
- a LISP Pagantagles Throughout Coach

Generator one	deficiator olide fray		USB Receptacles Throughout Coach			
ELECTRICAL OP	TIONS	33 AA	37 BA	38 KA		
Heating and	Liquid Propane (LP) Coach ⁴	S	S	S		
Power Source	ower Source Hydronic Heating & Electronic Appliance Equipped Coach 5		0	0		
House	Batteries		S	S		
Air	(6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries	0	0	0		
	Conditioning (27 16,666 216 7 iii eenationere with meat 1 amps		S	S		
Cooktop	(2) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains	0	0	0		
Space (1) 3 Heating (1) 3	(1) 35,000-BTU and (1) 30,000-BTU Ducted Furnaces $^{\rm 6}$	D	-	-		
Heating	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces ⁶	-	D	-		
	(2) 30,000-BTU Ducted Furnaces ⁶	-	-	D		
	Aqua-Hot® 250D Heat Exchanger 7	D	D	D		
Solar Panels	Prep for Solar Panels ⁸	0	0	0		
	(1) 200-Watt Solar Panel with (1) 30-Amp Controller	0	0	0		
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller	0	0	0		
In-motion Sate	llite Dish ⁹	0	0	0		
Prewiring for W	/inegard® Trav'ler™ Satellite ¹⁰	0	0	0		
Wi-Fi Booster		0	0	0		
Starlink Prep in	Sewer Compartment NEW	0	0	0		

- Download the accompanying Vegatouch app to control your coach locally within Bluetooth range.
- ² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- 3 Requires subscription. (Only available with in-motion satellite option.)
- 4 Propane is used to power the ducted furnaces, the water heater, and liquid propane cooktops.
- ⁸ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops, Removes LPG tank, Formerly known as "All-Electric Coach"
- 6 Standard with LP coach option
- 7 Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.
- 8 Includes docking ports for aftermarket solar panels.
- 9 High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®. In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA.
- ¹o In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA.

PLUMBING

- Aqua View Showermiser™
- Water Filter
- · Water Pump Switch Access from Spyder System and Sewer Bay Board
- · Low-point Water Drain Lines
- · Black Holding Tank Flush System
- Gravity Water Fill
- · Heated Fresh and Holding Tank Compartment via Heat Duct
- · Tank Level Monitor System
- · Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports
- · Exterior Rinse Hose with Shower Head
- · Sewer Bay Hand Sanitizer and Paper Towel Holders

ELECTRICAL OPTIONS		33 AA	37 BA	38 KA
Water Heater	Truma AquaGo™ Comfort Instant Water Heater¹	D	D	D
	Aqua-Hot® 250D Heat Exchanger ²	D	D	D
Water Heater Bypass	System ³	D	D	D

- 1 Now controllable through the Truma control panel and the Spyder System control panels. Standard with LP coach option.
- ² Replaces Truma AquaGo™ Comfort instant water heater when all-electric coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water
- 3 Standard with LP coach option. Not necessary with all-electric coach option.

EXTERIOR

- · Full-body Paint with (3) Layers of Clear Coat
- · Single-colored Slide-out Endwalls
- · High Performance Protective Film on Front Cap and Select Areas
- (1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting
- Girard® Powered Door Awning with Integrated LED Lighting
- · Girard® Slide-out Toppers

EXTERIOR OPTIONS

- · Side-swinging Exterior Storage Doors with Gas Shocks
- · Lockable Handles on Compartment Doors
- · Motion-sensor Lights in Cargo Bay

- · 120-Volt and 12-Volt Outlets Inside Cargo Bays
- · Pass-through Basement Storage
- Charcoal Carpet Cargo Walls
- · Fiberglass Reinforced Plastic Basement Floor
- · Frameless, Single-Pane Windows
- · Exterior Patio Light
- · Daytime Running Lights
- · Docking Lights
- · Chrome Power Heated Side-View Mirrors with Integrated Cameras
- · Exterior TV with Soundbar

- · Fast Charge USB ports within Exterior TV Compartment
- · Lightweight Entry Door with Integrated Screen
- · Entry Door Grab Handle
- · Deadbolt Front Entrance Lock
- · Automatic Double Entry Step
- Front Door Entry System via Key Fob
- Mud Flaps

0

- Custom Rock Guard
- Lippert™ On-The-Go™ Telescoping Ladder ³ UPDATED
- 33 AA 37 BA 38 KA 0

0

- (1) Manual Storage Compartment Slide-out Tray 2 1 Entry system does not include exterior Spyder keypad.
- ² Trays slide out on both sides of motorhome.
- 3 All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR

- Handcrafted Overhead Cabinetry
- Carpeted Step Well with Composite Steps
- · Powered Step Well Cover
- · Living Area TV
- · Solid Surface Galley Countertop
- · Handcrafted Slide-out Fascia
- Soft Touch Vinyl Ceiling

- · Dimmable LED Lighting
- · Prep for Washer and Dryer
- · Carbon Monoxide Detector
- · LPG Leak Detector
- Smoke Detector Fire Extinguisher
- Solar and Privacy Shades

OPTIONS		33 AA	37 BA	38 KA
Interior Décor Packages	Stoney Creek	0	0	0
	Solstice	0	0	0
Upholstery Fabrics	Ultrafabrics® Montage Landscape ¹	D	D	D
	Ultrafabrics® Montage Alpaca ²	D	D	D
Cabinetry Stain	Shadow	0	0	0
	Sandstone	0	0	0
	White Linen	0	0	0
	Platinum	0	0	0
Floor Tiles	Marble Obsess Polished Porcelain Tile	0	0	0
	Marble Obsess Matte Porcelain Tile NEW	0	0	0
Standalone Living Area Firep	place	0	-	0
Stacked Washer and Dryer		0	0	0
Gold Heat® Dual Zones Heated Tile Floor		0	0	0
Central Vacuum System		0	0	0

- Always paired with Stoney Creek Fabric Suite.
- ² Always paired with Solstice Fabric Suite.

DRIVER'S COMPARTMENT

- · Ultrafabrics® Montage Power Driver and Passenger Seats
- Dual Driver And Passenger Seat Armrests
- · Swivel Bases for Driver and Passenger Seats
- · Adjustable Seatbelt Brackets
- · Powered Passenger Seat Footrest
- · Tilt and Telescoping Steering Wheel with Integrated Controls
- · Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Matte Gray Accents
 Automatic LED Headlights
- Mounted Dash Fans
- · Cupholders on Driver and Passenger Side
- Digital Dash Cluster
- (1) Center Storage Drawer

- · Generator Start & Stop Rocker Switch
- · USB Dash Receptacles
- 12-Volt Dash Receptacle
- · Backlit Dash Rocker Switches · Passenger Console Controls for Map
- Light, Fan, and Step Well Cover · Driver and Passenger Map Lights
- · One-piece Panoramic Windshield
- Single-motor Intermittent Windshield Wipers
- Side-view Cameras
- · Color Back-up Camera
- 7" High Definition LED Multichannel Monitor for Sideview and Back-up Cameras

- · Stereo with AM & FM Radio, CD Player, and Satellite Radio
- · Ceiling Mounted Speakers
- · Overhead Cabinetry with Wooden Panel Doors

· Soft-closing Drawers

· Powered Roof Vents

· Interior Grab Handle at Entry Door

· Egress Windows Throughout Coach

- · Auxiliary Start Switch
- · Concealed Air Horn
- · Manual Opening Driver Side Window
- · Solid, Non-opening Passenger Side Window
- · Powered Solar and Privacy Windshield Shade
- · Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	33 AA	37 BA	38 KA
In-dash Navigation System	0	0	0
Front Overhead TV	0	0	0
Electric Front Overhead Drop-Down Bunk ³	0	0	0

- Integrated within side-view mirrors and activated by turn signals.
- ² Subscription required for satellite radio.
- ³ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping

Allegro Red Specifications, Features, and Options

KEY: S: Standard Feature: | O: Optional Feature; Additional costs may apply | D: Dependent; Availability is dependent on selection of another option | -: Not Available

Allegie	ned opecifications, i eathres	, and o	Ptions	NE I	1:5:5tand	dard Featu	re O
DINETTE .	AND LIVING AREA OPTIONS	SLEEPS	SEATS	SEATBELTS	33 AA	37 BA	38 KA
Drivers	75" Booth Dinette-Sleeper ¹	1	4	2	-	S	-
Side Dinette	75" Dinette with Chairs ²	-	2	-	-	0	-
	75" U-shaped Dinette	-	4	2	-	0	-
	72" Booth Dinette-Sleeper ³	1	4	2	-	-	S
	72" Dinette with Chairs ²	-	2	-	-	-	0
	72" U-shaped Dinette	-	4	2	-	-	0
Drivers Side Furniture	85" Air Coil Sofa Bed with Recliner ⁴	2	4	3	S	-	-
	114" Super Sofa ⁵	2	3	3	0	-	-
	74" Air Coil Sofa Bed ⁶	1	3	3	-	S	-
	74" Theater Seating	-	2	2	-	0	-
	85" Air Coil Sofa Bed ⁴	2	3	3	-	-	S
	83" Theater Seating UPDATED	-	2	2	0	-	0
Passenger	72" Booth Dinette-Sleeper ³	1	4	2	S	-	-
Side Dinette	72" Dinette Bar with Lift TV 7	-	2	-	0	-	-
	72" Dinette with Chairs ²	-	2	-	0	-	-
	72" U-shaped Dinette	-	4	2	0	-	-
Passenger	64" DE Sofa Bed with Lift TV 8	1	2	2	-	S	-
Side Furniture	Recliner and Lift TV with Fireplace UPDATED	-	1	-	-	0	-
Passenger	Side Bunk Beds (28" x 70") 9	2	-	-	-	-	S

- Piece of furniture converts to 72" x 45" sleeping area.
- ² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- ³ Piece of furniture converts to 69" x 45" sleeping area.
- ⁴ Mattress measures 72" x 59" and includes internal pump.
- ⁶ Consists of a flip and fold sofa bed, a 37" single theater seat, and a center console. Flip and fold sofa bed converts to 70" x 59" sleeping area.
- ⁶ Mattress measures 72" x 52" and includes internal pump.
- Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- ⁸ Piece of furniture converts to 57" x 49" sleeping area.
- 9 Now includes tablet holders in bunk areas.

v	ITC	ш	ENI
1	ıιυ	ш	-17

- 1.7-Cubic Foot Smart Convection Microwave with Air Fry
- · Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- · Galley Overhead Cabinets

- Task Lighting
- · Panoramic Galley Window

- Full Tile Backsplash
- · Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS		33 AA	37 BA	38 KA
Refrigerator	20-Cubic Foot Stainless Steel Residential Refrigerator with Top Freezer ¹	S	S	-
	23-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	-	S
Cooking Appliances	Three-Burner Liquid Propane Cooktop ²	D (S)	D (S)	D (S)
	Oven Range with Liquid Propane Cooktop ³	D (O)	D (O)	D (O)
	Two-Burner Induction Cooktop ⁴	D	D	D
Drawer-style Dishwasher 5		0	0	0
Extendable Countertops	Flip and Fold Countertop Extension	S	-	-
	Manual Release Expand-An-Island	-	S	S

- Refrigerator volume is approximated.
- ² Standard with LP coach option. Not available with hydronic heating & electronic appliance equipped coach option.
- ³ Option with LP coach option. Replaces three-burner liquid propane cooktop when selected. Not available with hydronic heating & electronic appliance equipped coach option. Cannot option dishwasher and oven with cooktop together.
- ⁴ Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.
- ⁶ Cannot option dishwasher and oven with cooktop together.

BEDROOM					
Under Bed Storage		Handcrafted Privacy Door	Centralize	d Entertainment	Center 1
Bedside Windows		 LED Reading Lights 	 Ceiling Far 	n	
 Overhead Cabinets with Head 	lboard	 Nightstand with Solid Surface Tops 	 Laundry H 	amper	
 Bed Comforter with Throw Pill 	lows	 Mounted Bedroom TV 			
BEDROOM OPTIONS			33 AA	37 BA	38 KA
Mattress	Memo	ry Foam King Mattress (72" x 80")	S	S	S
	Memo	ry Foam Queen Mattress (60" x 80")	-	0	0
Bedroom Storage	Floor-	to-ceiling Closet Space	S	-	-
	Wardr	obe with Drawers Underneath	-	S	S
Bedroom Egress Door			0	0	0

¹ Houses Blu-ray™ player, satellite receiver, and cable TV hook-up.

BATHROOM

- (1) Porcelain Master Bathroom Sink
- Shower Skylight
- · Shower LED Light with Sliding Cover
- · Mirrored Medicine Cabinet · Roof Vent Fan

- Solid Surface Lavatory Top • Handheld Shower Head with Slide Bar
- · Towel and Toilet Paper Holders
- Base Cabinet

BATHROOM OPTIONS		33 AA	37 BA	38 KA
Number of Bathrooms	(1) Bathroom	S	-	-
	(1) Bathroom and (1) Half-bath ¹	-	S	S
Shower	One-Piece Molded Fiberglass Shower (34.5" x 34.5")	S	-	-
	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	-	S	S
Toilet	(1) Gravity Flush Toilet	S	-	-
	(1) Gravity Flush Toilet and (1) Macerator Toilet	-	S	S

¹ All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.

Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation. For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.