Allegro Bus Specifications, Features, and Options

KEY: S : Standard Feature	O : Optional Feature; Additional costs may apply	D : Dependent; Availability is dependent on selection of another option	I — : Not Available
---------------------------	--	---	---------------------

WEIGHTS AND MEASURES	35 CP	40 IP	45 FP	45 OPP
HORSEPOWER	450 HP (S)	450 HP (S)	450 HP (S)	450 HP (S)
DIMENSIONS				
Overall Length (approx.) ¹	37' 5"	41'	45'	45'
Wheel Base 2	232"	276"	323"	323"
Overall Width 1	101"	101"	101"	101"
Overall Height	13' 3"	13' 3"	13' 3"	13' 3"
Minimum Garage Height	14'	14'	14'	14'
Interior Height	83"	83"	83"	83"
Interior Width	96"	96"	96"	96"
Basement Storage (cubic feet, approx.)	180	229	257	257
Square Footage (approx.) ³	365	405	440	440
VEIGHT LIMITS				
GAWR-Front (pounds)	17,000	17,000	18,000	18,000
GAWR-Rear (pounds)	24,000	24,000	23,000	23,000
GAWR- Tag (pounds) NEW	-	-	11,000	11,000
GVWR (pounds)	41,000	41,000	52,000	52,000
Maximum Trailer Weight (pounds) ⁴	10,000	10,000	15,000	15,000
Hitch Rating (pounds)	10,000	10,000	15,000	15,000
GCWR (pounds)	51,000	51,000	67,000	67,000
CAPACITIES				
Fuel Tank (gallons)	150	150	150	150
DEF Tank (gallons) ⁵	10	10	10	10
Fresh Water (gallons)	100	100	100	100
Grey Water (gallons)	100	100	100	100
Black Water (gallons)	55	55	55	55
QUANTITIES				
Number of Slideouts	3	4	3	4
Sleeping Capacity 6	2 to 3	2 to 4	3 to 5	2 to 5
Sleeping Areas ⁶	1 to 2	1 to 3	2 to 3	1 to 3
Seat Belts ⁶	4	4 to 8	7 to 10	4 to 9
Seating Capacity 6	6	7 to 10	9 to 12	7 to 11

1 The approximated coach width and length does not include side-view mirrors and rear ladders.

² On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.

³ Square footage was calculated with the slide-outs fully extended.

⁴ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

⁵ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.

6 Dependent on furniture and dinette options.

 PowerGlide® Rear Engine Diesel Chassis (35 CP, 45 OPP, 45 FP) Freightliner® PowerGlide XC Raised Rail Rear Engine Diesel Chassis (40 IP) Two-wheel Drive Aluminum Wheels Front and Rear 315/80R 22.5 Tires Combination Valid™ Air Leveling System with Hydraulic Leveling Jacks Integrated Leveling Controls Through ZI Independent Front Suspension Cation Chassis (40 IP) Two-wheel Drive Custom Tuned Koni Shock Abs Side-mounted Radiator Front and Rear Disc Brakes 1 Full Air Brake System with Automatic Slack Adjusters 		Valid™ Instrument Cluster	 Three-stage Compression Brake 			
		 ZF Independent Front Suspens 	ion	 Manual Parking Brake 		
		 Air Force One Tow Vehicle Brake Dual Fuel Fill Capable Tire Pressure Monitoring 			prward	
		Automatic Slack Adjusters		 Electronic Stability Control 		
CHASSIS OPTIONS			35 CP	40 IP	45 FP	45 OPP
Engine UPDATED	Cummins® L9 Ib-ft Torque ¹	Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque ¹		S	S	S
Alternator UPDATED	210-Amp Alternator		S	S	S	S
Transmission UPDATED	Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter		S	s	S	s
Chassis Batteries UPDATED	(2) 12-Volt Flooded Lead-Acid Chassis Batteries		S	S	S	S
Steerable Tag Axle			-	-	S	S

¹ Peak horsepower achieved at 2,100 RPM. Peak torgue achieved at 1,400 RPM.

Tag Axle Drum Brakes

CONSTRUCTION

Service Brakes UPDATED

CHASSIS AND DRIVETRAIN

- · Seamless One-piece Gel-coat Fiberglass Front and Rear Caps Fiberglass Molded Roof Cap Steel Cockpit Overhead Support Frame 5 1/4" Formed Roof Insulation Crane[®] Composites Noble[®] Select • Tubular Aluminum Roof Skeleton Frames All-Composite Exterior Sidewalls Extraordinaire[™] Ducted Tubular Aluminum Wall Skeleton Frames Air Cooling System · High-performance Thermal One-piece Molded Gel-coat Insulation in Sidewalls ¹ Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area. ELECTRICAL Hydronic Heating & Electronic Appliance Equipped Coach
 - Spyder Controls Multiplex System • Firefly Integrations Eclipse Module ²
 - · Centralized 10" Spyder System Main Monitor
 - · Passenger Console Spyder System Color Touchscreen Interior Entryway Spyder
 - System Color Touchscreen Exterior Spyder System Color Touchscreen
 - Additional Spyder Color Touchscreens Throughout Coach
 - 10.0-Kilowatt Onan[®] Quiet
 - Diesel Generator
 - Generator Slide Tray

- 2.800-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control 3
- (3) 15.000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains
- Agua-Hot[®] 450D Heat Exchanger ⁴
- 50-Amp Shore Power with
- Powered Retract Reel Prep for Solar Panels ⁵
- Auxiliary Solar Port
- · Energy Management System
- · HD Over-the-air Antenna · Park Cable and Ground
- Satellite Hook-up
- · Prep for In-motion Satellite
- Blu-ray[™] Player

. (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter

S

Engineered Wood Sub-flooring

Steel Basement Construction

Rust Protective Undercoating

Prewiring for Winegard[®]

Trav'ler™ Satellite

• Satellite Receiver 6

12-Volt Breaker Panel

• 12-Volt Disconnect Switch

Hydraulic Slide-out Mechanisms

Extra Storage Chassis Construction 1

Laminated Elevated Sub-Flooring

with 2 3/4" Thick Thermal Insulation

S

- · Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay
- 110-Volt Exterior Receptacle
- Surge Guard® Transfer Switch
- · USB Receptacles Throughout Coach
- Starlink[®] Pro ⁶

UPDATED

ELECTRICAL OPTIONS		35 CP	40 IP	45 FP	45 OPP
House Batteries	(6) 6-Volt, 300-Amp Hours Extended Cycle AGM	0	0	0	0
	(3) 12-Volt, 270-Amp Hours Lithium	0	0	0	0
	Battery Slide-out Tray 7	D	D	D	D
Solar Panels	(3) 200-Watt Solar Panels with (1) 30-Amp Controller	0	0	0	0
	(6) 200-Watt Solar Panels with (2) 30-Amp Controllers	-	0	0	0

¹ Space heating, water heating, and cooking appliances are electrically powered. Formerly known as "All-Electric Coach".

- ² Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach
- module (Local control only for slides and awning). Includes a free 90-day remote access trial.
- ³ Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- 4 Aqua-Hot® heat exchanger provides both heated air and water.
- ⁸ Includes docking ports for aftermarket solar panels.
- ⁶ Requires subscription.
- 7 Standard with flooded and extended cycle AGM batteries. Not available with lithium batteries.

All options may not be available in every model. Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation.

For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.

Allegro Bus Spec	ifications, Features,	and Options	KE
------------------	-----------------------	-------------	----

Gravity Water Fill

Tank Compartment

PLUMBING

- Agua-Hot[®] 450D Heat Exchanger
- Aqua View Showermiser™ Water Filter
- Water Pump Switch Access from Spyder System and Sewer Bay Board
- · Low-point Water Drain Lines
- 1 Aqua-Hot® heat exchanger provides both heated air and water.

EXTERIOR · Full-body Paint with (4) Inside Cargo Bays Exterior TV with Soundbar Layers of Clear Coat · Pass-through Basement Storage · Fast Charge USB ports within · Striped Slide-out Endwalls Exterior TV Compartment · Charcoal Carpet Cargo Walls · High Performance Protective Film Lightweight Entry Door with · Fiberglass Reinforced Plastic on Front Cap and Select Areas Integrated Screen Basement Floor · Girard[®] Powered Door Awning Deadbolt Front Entrance Lock · Frameless, Dual-Pane Windows with Integrated LED Lighting · Lighted Entry Door Grab Handle Exterior Patio Light Girard[®] Slide-out Toppers Automatic Stainless Steel Fog Lights · Side-swinging Exterior Storage Double Entry Step · Daytime Running Lights Doors with Gas Shocks · Keyless Entry System for Front Docking Lights · Lockable Handles on Entrance and Component Doors Exterior Ground Effects Lighting Compartment Doors Mud Flaps · Chrome Power Heated Side-View · Motion-sensor Lights in Cargo Bay · Custom Rock Guard Mirrors with Integrated Cameras · 120-Volt and 12-Volt Outlets

· Black Holding Tank Flush System

· Centralized Exterior Sewer Bay with

Gravity Black and Grey Evacuation Ports

· Heated Water and Holding

SeeLeveL[™] Tank Monitor

EXTERIOR OPTIONS		35 CP	40 IP	45 FP	45 OPP
Patio Awnings UPDATED	(2) Girard [®] Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature	S	S	S	S
Window Awnings UPDATED	Girard [®] Powered Window Awning Package	S	S	S	S
Cargo Door Stainless Steel Rocl	ker Trim UPDATED	S	S	S	S
Slide Trays	(1) Powered Storage Compartment Slide-out Tray	0	0	0	0
	(2) Powered Storage Compartment Slide-out Trays	-	0	0	0
Basement Freezer UPDATED			S	S	S
Exterior Lighting under Slide-out UPDATED			S	S	S
Lippert™ On-The-Go™ Telescor	Ding Ladder ⁴ UPDATED	S	S	S	S

¹ Trays slide out on both sides of motorhome.

² Trays slide out on both sides of motorhome.

^a Outdoor electric grill is installed on a manual slide-out tray. Not combinable with (2) powered storage compartment slide-out trays option.

⁴ All units will ship with a Lippert[™] On-The-Go[™] Prepped Receiver installed.

INTERIOR

• Exterior Rinse Hose with Shower Head

· Sewer Bay Hand Sanitizer and

Paper Towel Holders

Fresh Water Hose with

Power Retract Reel

· Sewer Hose Storage

- Handcrafted Overhead Cabinetry
- Solid Surface Step Well with Tile Inserts
- · Powered Step Well Cover
- Storage Compartment Within Entry Steps
- Recessed Step Well Lighting
- Living Area TV
- Solid Surface Galley Countertop
- Soft Touch Vinyl Ceiling
- Dimmable LED Lighting
- · Prep for Washer and Dryer

Handcrafted Slide-out Fascia

- Carbon Monoxide Detector
- LPG Leak Detector
- Smoke Detector

- Fire Extinguisher
- · Powered Solar and Privacy Shades
- Soft-closing Drawers
- · Powered Roof Vents
- · Central Vacuum System with VacPan® Automatic Dustpan
- · Interior Grab Handle at Entry Door · Egress Windows Throughout Coach

INTERIOR OPTIONS		35 CP	40 IP	45 FP	45 OPP
Interior Décor Packages	Chai	0	0	0	0
	Picasso	0	0	0	0
	Silver Lake	0	0	0	0
	Great Smokey Mountains NEW	-	-	-	-
Upholstery Fabrics	Ultrafabrics® Tottori Tatami Mat	0	0	0	0
	Ultrafabrics® Tottori Rice Paper	0	0	0	0
Cabinetry Stain	White Linen	0	0	0	0
	Glazed Canyon Cherry	0	0	0	0
	Glazed Honey Natural Cherry	0	0	0	0
	Black Truffle	0	0	0	0
	Platinum	0	0	0	0
Floor Tiles	Catalina Maple Glazed Porcelain Tile	0	0	0	0
	Positano II Blanco Glazed Porcelain Tile	0	0	0	0
	Native Birch Matte Porcelain Tile NEW	0	0	0	0
	Savoir Porcelain Tile NEW	-	-	-	-
Slide-out Flooring	Tile Slide-out Floors	-	-	S	S
Standalone Living Area Fireplace 1		0	-	-	-
Stacked Washer and Dryer UPDATED			0	0	0
Gold Heat® Dual Zones Heat	ted Tile Floor UPDATED	0	0	0	0

Not compatible with beverage center on 35 CP.

DRIVER'S COMPARTMENT

- Ultrafabrics[®] Tottori Power Driver and Passenger Seats • Dual Driver And Passenger
- Seat Armrests · Swivel Bases for Driver and
- Passenger Seats
- Powered Passenger Seat Footrest · Integrated Seat Belts on Driver and Passenger Seats
- · Lumbar Support on Driver and Passenger Seats
- · Tilt and Telescoping Steering
- Wheel with Integrated Controls · Adjustable Accelerator and Brake Pedals
- · Ergonomic Dash with
- Carbon Fiber Accents
- Mounted Dash Fans Cupholders on Driver and
- Passenger Side
- Valid[™] Liquid Crystal Display Instrument Cluster with Integrated Leveling Controls

 In-dash Navigation System via Advanced Monitor System's 10"

· Ceiling Mounted Speakers

Blind Spot Monitoring System

Media Center, Bluetooth®, and

AM, FM, and Satellite Radio 2

Advanced Monitor System featuring

Glass Panel Touchscreen · Overhead Cabinetry with

JBL[®] Sound System ³

- Wooden Panel Doors · Auxiliary Start Switch
- · Concealed Air Horn
- · Powered Opening Driver Side Window
- Solid, Non-opening
- Passenger Side Window
- · Powered Solar and Privacy
- Windshield Shade
- · Powered Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	35 CP	40 IP	45 FP	45 OPP
360° View Camera	0	0	0	0
Front Overhead TV	0	0	0	0

¹ Integrated within side-view mirrors and activated by turn signals.

² Includes a 10" Touchscreen LCD monitor for navigation system and entertainment, a 10" camera monitor, and a 7" passenger monitor. Subscription required for satellite radio. Now standard for all floorplans

³ Includes amplifier and (2) subwoofers. Now standard for all floorplans.

- · USB Dash Receptacles · 12-Volt Dash Receptacle · Backlit Dash Rocker Switches
 - Passenger Console Wireless

• (2) Center Storage Drawers

- Phone Charger
- 7" Passenger Console Advanced Monitor System Touchscreen

· Generator Start & Stop Rocker Switch

- · Driver Console Stationary
- Mount Phone Charger
- · Driver and Passenger Map Lights
- · One-piece Panoramic Windshield Single-motor Intermittent
- Windshield Wipers
- Automatic LED Headlights
- Side-view Cameras¹
- 10" Glass Panel Camera
- · Color Back-up Camera
- Monitor for Side-view, Backup, and 360° View Cameras

Allegro Bus Specifications, Features, and Options

KEY : S : Standard Feature O : Optional Feature; Additional costs may apply D : Dependent; Availability is dependent on selection of another option - : Not Avai	ailable
--	---------

DINETTE	AND LIVING AREA	SLEEPS	SEATS	SEATBELTS	35 CP	40 IP	45 FP	45 OPP
Driver	74" Air Coil Sofa Bed	1	2	2	S	S	-	-
Side	74" Theater Seating	-	2	2	0	0	-	-
Furniture	80" Air Coil Sofa Bed with Lift TV 1	1	3	3	-	-	S	-
	80" DE Sofa Bed with Lift TV 2	1	3	3	-	-	0	-
	83" Air Coil Sofa Bed 3	2	3	3	-	-	-	S
	83" Theater Seating	-	2	2	-	-	-	0
	Ottoman with Internal Storage 4	-	-	-	D	D	D	D
Passenger	75" Dinette with Chairs and Lift TV 5	-	2	-	S	-	-	-
Side	75" Dinette Bar with Lift TV 6	-	2	-	0	-	-	-
Dinette	75" Dinette with Chairs 7	-	2	-	-	S	S	S
	75" U-shaped Dinette	-	4	2	-	0	0	0
	75" Dinette Bar 8	-	2	-	-	-	0	-
Passenger	68" DE Sofa Bed with Lift TV 9	1	2	2	-	S	-	-
Side	68" Air Coil Sofa Bed with Lift TV 1	1	2	2	-	0	-	-
Furniture	Recliner and Lift TV 10	-	1	-	-	0	-	-
	88" DE Sofa Bed 11	1	3	3	-	-	S	-
	88" Air Coil Sofa Bed 3	2	3	3	-	-	0	-
	88" Theater Seating	-	2	2	-	-	0	-
	Ottoman with Internal Storage 12	-	-	-	-	-	D	-
	70" DE Sofa Bed with Lift TV 10	1	2	2	-	-	-	S
	70" Air Coil Sofa Bed with Lift TV 1	1	2	2	-	-	-	0
	Recliner and Lift TV with Fireplace 10	-	1	-	-	0	-	0

¹ Mattress measures 72" x 52" and includes internal pump. Lift TV deletes cabinetry over furniture.

² Piece of furniture converts to 73" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

³ Mattress measures 72" x 59" and includes internal pump.

⁴ Standard unless theater seating option is chosen. Only one ottoman per motorhome.

- ⁵ Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.
- ⁶ Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.
- ⁷ Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- 8 Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- ⁹ Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- ¹⁰ Lift TV deletes cabinetry over furniture.

Built-in Soap Dispenser

· Galley Overhead Cabinets

- ¹¹ Piece of furniture converts to 81" x 49" sleeping area.
- ¹² Standard unless theater seating option is chosen. Only one ottoman per motorhome.

KITCHEN

 1.7-Cubic Foot Smart Convection 	with Pull-out Drawers
Microwave with Air Fry	 Panoramic Galley Window
Double Bowl Kitchen Sink with Single	 Task Lighting
Lever Faucet and Pull-down Sprayer	 Too Kick Lighting

- Toe Kick Lighting
 - Under Counter LED Accent Lighting
- Pantry Lighting · Full Tile Backsplash
- Solid Surface Galley Countertop,
 - Sink, and Cooktop Cover
 - Pull-out Utility Box Located Under Sink

KITCHEN OPTIONS		35 CP	40 IP	45 FP	45 OPP
Refrigerator	22-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	S	_	S	-
	25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	S	-	S
Decorative Wooden Refrigerator Panel		0	0	0	0
Cooking Appliances	Two-Burner Induction Cooktop	S	S	S	S
	Wolf [®] Induction Cooktop	0	0	0	0
InSinkErator® Instant Hot Water Faucet		0	0	0	0
Drawer-style Dishwasher UPDATED		S	S	S	S
12" Beverage Center ²		0	-	0	0
Electronic Release Expand-An-Island		_	S	S	S

¹ Refrigerator volume is approximated.

² Not compatible with fireplace on 35 CP.

BEDROOM							
 Under Bed Storage 		 LED Reading Ligit 	 LED Reading Lights 		 Ceiling Fan 		
Bedside Windows		 Nightstand with \$ 	Solid Surface Tops	 Decor 	ative Handcrafted		
 Bed Comforter with Throw Pillows 		 Mounted Bedroo 	 Mounted Bedroom TV 		Wood Ceiling Ring		
 Handcrafted Privacy Door 		 Centralized Enter 	 Centralized Entertainment Center 1 		• Safe		
BEDROOM OPTIONS			35 CP	40 IP	45 FP	45 OPP	
Mattress UPDATED	Memory Foam King with Power Smart L	Mattress (72" x 80") ift	S	S	S	S	
Bed Slide	Overhead Cabinet with Headboard		S	S	S	S	
	Window at Head of Bed 2		0	0	0	0	
Shoe Rack			-	-	S	S	
Bedroom Storage	Floor-to-ceiling Clo	oset Space	S	S	S	-	
	Walk-in Closet		-	-	-	S	
	Solid Surface Countertops within Storage Spaces		-	-	S	S	
Laundry Hamper			S	S	S	-	
Bedroom Fireplace			0	0	0	0	
Bedroom Egress Door ³		D (O)	D (O)	_	D (O)		

¹ Houses Blu-ray[™] player, satellite receiver, and cable TV hook-up. ² Window option removes overhead cabinets.

^a Available as an add-on option when combined with overhead cabinet with headboard. Not available with window at head of bed.

BATHROOM

 Solid Surface Lavato Teak Folding Shower Shower Head with D 	Solid Surface Lavatory Top • Sh reak Folding Shower Seat • To Shower Head with Detachable • Me		 Shower Skylight Shower LED Light with Sliding Cover Towel and Toilet Paper Holders Medicine Cabinet with Tri view Vanity Mirror 		 Roof Vent Fan Base Cabinet 		
BATHROOM OPTIONS			35 CP	40 IP	45 FP	45 OPP	
Number of Bathrooms	(1) Bathroom		S	-	-	-	
	(1) Bathroom and (1) Half-bath ¹	-	S	S	S	
Shower		ver Walls with Inlaid Tile ss Door (32" x 40")	S	S	-	-	
	Solid Surface Show and Residential Gla	ver Walls with Inlaid Tile ss Door (32" x 48")	-	-	-	s	
		ver Walls with Inlaid Tile ss Door (34" x 52.5")	-	-	S	-	
Toilet	(1) Macerator Toilet		S	-	-	-	
	(1) Electric Gravity Macerator Toilet	Flush Toilet and (1)	-	S	S	S	
Bathroom Egress Door			-	-	S	-	

¹ All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.