

Phaeton Specifications, Features, and Options

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | - : Not Available

| WEIGHTS AND MEASURES | 35 CH | 37 BH | 40 IH | 44 OH |
|---|--------|--------|--------|--------|
| DIMENSIONS | | | | |
| Overall Length (approx.) ¹ | 37' 9" | 38' 2" | 41' 4" | 45" |
| Wheel Base ² | 222" | 234" | 266" | 310" |
| Overall Width ¹ | 101" | 101" | 101" | 101" |
| Overall Height ³ | 13' 3" | 13' 3" | 13' 3" | 13' 3" |
| Minimum Garage Height | 14' | 14' | 14' | 14' |
| Interior Height | 83" | 83" | 83" | 83" |
| Interior Width | 96" | 96" | 96" | 96" |
| Square Footage (approx.) ⁴ | 375 | 375 | 405 | 440 |
| Basement Storage (cubic feet, approx.) ⁵ | 131 | 162 | 232 | 232 |

| | | | | |
|--|--------|--------|--------|--------|
| WEIGHT LIMITS | | | | |
| GAWR—Front (pounds) | 15,660 | 15,660 | 15,660 | 15,660 |
| GAWR— Tag Axle (pounds) | - | - | - | 10,000 |
| GAWR—Rear (pounds) | 24,000 | 24,000 | 24,000 | 20,000 |
| GVWR (pounds) | 39,660 | 39,660 | 39,660 | 45,660 |
| Maximum Trailer Weight (pounds) ⁶ | 10,000 | 10,000 | 10,000 | 10,000 |
| Hitch Rating (pounds) | 10,000 | 10,000 | 10,000 | 10,000 |
| GCWR (pounds) | 49,660 | 49,660 | 49,660 | 55,660 |

| | | | | |
|---|------|------|------|-----|
| CAPACITIES | | | | |
| Fuel Tank (gallons) | 100 | 100 | 100 | 100 |
| DEF Tank (gallons) - PowerGlide® Chassis ⁷ | 10 | 10 | 10 | 10 |
| DEF Tank (gallons) - Freightliner® Chassis ⁷ | 13 | 13 | 13 | 13 |
| Fresh Water (gallons) | 100 | 100 | 100 | 100 |
| Grey Water (gallons) | 100 | 100 | 100 | 100 |
| Black Water (gallons) | 55 | 55 | 55 | 55 |
| LPG Tank (gallons) ⁸ | 35.7 | 35.7 | 35.7 | - |

| | | | | |
|--------------------------------|--------|---------|---------|---------|
| QUANTITIES | | | | |
| Number of Slideouts | 3 | 3 | 4 | 4 |
| Sleeping Capacity ⁹ | 2 to 4 | 2 to 6 | 2 to 6 | 2 to 8 |
| Sleeping Areas ⁹ | 1 to 3 | 1 to 5 | 1 to 5 | 1 to 5 |
| Seat Belts ⁹ | 4 | 4 to 8 | 4 to 8 | 4 to 10 |
| Seating Capacity ⁹ | 6 | 7 to 10 | 7 to 10 | 7 to 12 |

¹ The approximated coach width and length does not include side view mirrors and rear ladders.

² On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.

³ 37 BH's overall height increased from 12' 7" to 13' 3" due to new XSH Chassis.

⁴ Square footage was calculated with the slide-outs fully extended.

⁵ 37 BH's basement storage increased from 122 to 162 cubic feet due to new XSH Chassis.

⁶ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

⁷ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.

⁸ LPG tank can only be filled to 80% capacity.

⁹ Dependent on furniture and dinette options.

| CHASSIS AND DRIVETRAIN | | | | | |
|---|---|-------|-------|-------|-------|
| <ul style="list-style-type: none"> Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque ¹ Two-wheel Drive Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter Front and Rear 295/80R 22.5 Tires (2) 12-Volt Flooded Lead-Acid Chassis Batteries Hydraulic Leveling Jacks with Control Panel ZF Independent Front Suspension Rear Radiator Front Disc Brakes and Rear Drum Brakes Full Air Brake System with Automatic Slack Adjusters Three-stage Compression Brake Manual Parking Brake Driver and Passenger Side Fuel Fill Tire Pressure Monitoring Adaptive Cruise Control Automatic Traction Control Collision Mitigation with Forward Warning and Active Braking Electronic Stability Control | | | | | |
| CHASSIS AND DRIVETRAIN OPTIONS | | | | | |
| Chassis | Freightliner PowerGlide® XC Raised Rail Rear Engine Diesel Chassis UPDATED | 35 CH | 37 BH | 40 IH | 44 OH |
| Alternator | 240-Amp Alternator UPDATED | S | S | S | S |
| Wheels | Aluminum Wheels ² | D | D | D | D |
| | Black Aluminum Wheels ³ | D | D | D | D |
| Rear Suspension | Freightliner® V-Series V-Ride Rear Suspension | S | S | S | S |
| Shocks | Custom Tuned Sachs® Shock Absorbers | S | S | S | S |
| Steerable Tag Axle | | - | - | - | S |

¹ Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400 RPM. Now standard on all floorplans.

³ Standard with Midnight Edition exterior color package. Not available with other exterior color packages.

² Standard with all exterior color packages, excluding Midnight Edition.

| | | | | |
|--|--|--|--|--|
| CONSTRUCTION | | | | |
| <ul style="list-style-type: none"> Seamless One-piece Gel-coat Fiberglass Molded Roof Cap 5 1/4" Formed Roof Insulation Tubular Aluminum Roof Skeleton Frames Extraordinaire™ Ducted Air Cooling System One-piece Molded Gel-coat Fiberglass Front and Rear Caps Steel Cockpit Overhead Support Frame Crane® Composites Noble® Select All-Composite Exterior Sidewalls Tubular Aluminum Wall Skeleton Frames High-performance Thermal Insulation in Sidewalls Engineered Wood Sub-flooring Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation Steel Basement Construction Rust Protective Undercoating Hydraulic Slide-out Mechanisms Extra Storage Chassis Construction ¹ | | | | |

¹ Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area. Now available on 37 BH.

Phaeton Specifications, Features, and Options (Cont'd)

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | - : Not Available

| ELECTRICAL | | | | | |
|---|--|--|--|--|--|
| <ul style="list-style-type: none"> • Spyder Controls Multiplex System • Firefly Integrations Eclipse Module ¹ • Centralized 10" Spyder System Main Monitor • Passenger Console Spyder System Color Touchscreen • Interior Entryway Spyder System Color Touchscreen • Exterior Spyder System Color Touchscreen • Additional Spyder Color Touchscreens Throughout Coach • 10.0-Kilowatt Onan® Quiet Diesel Generator • Generator Slide Tray | <ul style="list-style-type: none"> • 2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control ² • (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains • 50-Amp Shore Power with Powered Retract Reel • Auxiliary Solar Port • Energy Management System • HD Over-the-air Antenna • Park Cable and Ground Satellite Hook-up • Prep for In-motion Satellite • Blu-ray™ Player • Satellite Receiver ³ | <ul style="list-style-type: none"> • 12-Volt Breaker Panel • 12-Volt Disconnect Switch • (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries • Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter • Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay • 110-Volt Exterior Receptacle • Surge Guard® Transfer Switch • USB Receptacles Throughout Coach • Prewiring for Winegard® Trav'ler™ Satellite • Starlink Roof Prep NEW | | | |

| ELECTRICAL OPTIONS | | 35 CH | 37 BH | 40 IH | 44 OH |
|--|---|-------|-------|-------|-------|
| Heating and Cooktop Power Source | Liquid Propane (LP) Coach ⁴ | S | S | S | - |
| | Hydronic Heating & Electronic Appliance Equipped Coach ⁵ | O | O | O | S |
| House Batteries | (6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries | O | O | O | O |
| | (3) 12-Volt, 270-Amp Hours Lithium House Batteries | O | O | O | O |
| | Battery Slide-out Tray ⁶ | D | D | D | D |
| Space Heating | (1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces ⁷ | D | D | - | - |
| | (2) 30,000-BTU Ducted Furnaces ⁷ | - | - | D | - |
| | Aqua-Hot® 450D Heat Exchanger ⁸ | D | D | D | S |
| Solar Panels | Prep for Solar Panels ⁹ | O | O | O | O |
| | (3) 200-Watt Solar Panels with (1) 30-Amp Controller ¹⁰ | O | O | O | O |
| | (6) 200-Watt Solar Panels with (2) 30-Amp Controllers ¹¹ | - | - | O | O |
| In-motion Satellite Dish ¹² | O | O | O | O | |
| Internet & Phone | Prep for Wi-Fi Booster ¹³ | D | D | D | D |
| | Wi-Fi Booster ¹⁴ | O | O | O | O |
| | Starlink® Pro ¹⁵ | O | O | O | O |

¹ Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.

² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.

³ Requires subscription. (Only available with in-motion satellite option)

⁴ Propane is used to power the ducted furnaces, the water heater, and the liquid propane cooktop.

⁵ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach".

⁶ Standard with flooded and extended cycle AGM batteries. Not available with lithium batteries.

⁷ Standard with LP coach option.

⁸ Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.

⁹ Includes docking ports for aftermarket solar panels.

¹⁰ Not combinable with Starlink Pro option on 44 OH.

¹¹ Not combinable with Starlink Pro option on 37 BH or 40 IH.

¹² High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.

¹³ Standard unless Starlink Pro is optioned.

¹⁴ Not combinable with Starlink Pro option.

¹⁵ Not combinable with Wi-Fi Booster option. Requires subscription.

| EXTERIOR | | |
|--|--|---|
| <ul style="list-style-type: none"> • Full-body Paint with (4) Layers of Clear Coat • Single-colored Slide-out Endwalls • High Performance Protective Film on Front Cap and Select Areas • Girard® Powered Door Awning with Integrated LED Lighting • Girard® Manual Window Awning Package • Girard® Slide-out Toppers • Side-swinging Exterior Storage Doors with Gas Shocks • Lockable Handles on Compartment Doors • Motion-sensor Lights in Cargo Bay • 120-Volt and 12-Volt Outlets Inside Cargo | <ul style="list-style-type: none"> • Bays • Pass-through Basement Storage • Charcoal Carpet Cargo Walls • Fiberglass Reinforced Plastic Basement Floor • Frameless, Dual-Pane Windows • Exterior Patio Light • Daytime Running Lights • Docking Lights • Chrome Power Heated Side-View Mirrors with Integrated Cameras • Exterior TV with Soundbar • Fast Charge USB ports within Exterior TV | <ul style="list-style-type: none"> • Compartment • Lightweight Entry Door with Integrated Screen • Deadbolt Front Entrance Lock • Lighted Entry Door Grab Handle • Automatic Stainless Steel Double Entry Step • Keyless Entry System for Front Entrance and Component Doors • Mud Flaps • Custom Rock Guard • Lippert™ On-The-Go™ Telescoping Ladder ³ |

| EXTERIOR OPTIONS | | 35 CH | 37 BH | 40 IH | 44 OH |
|-------------------------------------|--|-------|-------|-------|-------|
| Patio Awnings | (1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting | S | S | S | S |
| | (2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature | O | O | O | O |
| Slide Trays ¹ | (1) Manual Storage Compartment Slide-out Tray | O | O | O | O |
| | (2) Manual Storage Compartment Slide-out Trays | - | - | O | O |
| Outdoor Electric Grill ² | | - | - | D (O) | D (O) |

¹ Trays slide out on both sides of motorhome.

² Option requires at least (1) storage compartment slide-out tray.

³ All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

| INTERIOR | | |
|--|---|--|
| <ul style="list-style-type: none"> • Handcrafted Overhead Cabinetry • Solid Surface Step Well • Powered Step Well Cover • Storage Compartment Within Entry Steps • Recessed Step Well Lighting • Living Area TV • Solid Surface Galley Countertop | <ul style="list-style-type: none"> • Handcrafted Slide-out Fascia • Soft Touch Vinyl Ceiling • Dimmable LED Lighting • Prep for Washer and Dryer • Carbon Monoxide Detector • LPG Leak Detector • Smoke Detector | <ul style="list-style-type: none"> • Fire Extinguisher • Solar and Privacy Shades • Soft-closing Drawers • Powered Roof Vents • Central Vacuum System with VacPan® Automatic Dustpan • Interior Grab Handle at Entry Door • Egress Windows Throughout Coach |

| INTERIOR OPTIONS | | 35 CH | 37 BH | 40 IH | 44 OH |
|--|---|---|-------|-------|-------|
| Interior Décor Packages | Capri | O | O | O | O |
| | Tide Pool | O | O | O | O |
| | Stallion | O | O | O | O |
| Upholstry Fabrics | Ultrafabrics® Tottori Tatami Mat ² | D | D | D | D |
| | Ultrafabrics® Tottori Rice Paper ³ | D | D | D | D |
| Cabinetry Color | Shadow | O | O | O | O |
| | Sandstone | O | O | O | O |
| | White Linen | O | O | O | O |
| | Platinum | O | O | O | O |
| | Black Truffle | O | O | O | O |
| | Floor Tiles | Modern Peak Matte Porcelain Tile NEW | O | O | O |
| | Editorial Volakas Glazed Porcelain Tile | O | O | O | O |
| Standalone Living Area Fireplace | | O | O | O | O |
| Stacked Washer & Dryer | | O | O | O | O |
| Gold Heat® Dual Zones Heated Tile Floor ⁴ | | O | O | O | O |

¹ Located in living area and bedroom.

² Always paired with Capri Interior Fabric Suite.

³ Always paired with Tide Pool or Stallion Interior Fabric Suites.

⁴ No heated tile in rear bath on 37 BH.

Phaeton Specifications, Features, and Options (Cont'd)

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

DRIVER'S COMPARTMENT

- Power Driver and Passenger Seats
- Dual Driver And Passenger Seat Armrests
- Swivel Bases for Driver and Passenger Seats
- Powered Passenger Seat Footrest
- Integrated Seat Belts on Driver and Passenger Seats
- Tilt and Telescoping Steering Wheel with Integrated Controls
- Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Graphite Accents
- Mounted Dash Fans
- Cupholders on Driver and Passenger Side
- Digital Dash Cluster
- (1) Center Storage Drawer
- Generator Start & Stop Rocker Switch
- USB Dash Receptacles
- 12-Volt Dash Receptacle
- Backlit Dash Rocker Switches
- Passenger Console Wireless Phone Charger
- Driver and Passenger Map Lights
- One-piece Panoramic Windshield
- Single-motor Intermittent Windshield Wipers
- Automatic LED Headlights
- Side-view Cameras ¹
- Color Back-up Camera
- 10" High Definition LED Multichannel Camera Monitor
- Stereo with AM & FM Radio, CD Player, and Satellite Radio ²
- Ceiling Mounted Speakers
- Overhead Cabinetry with Wooden Panel Doors
- Auxiliary Start Switch
- Concealed Air Horn
- Manual Opening Driver Side Window
- Solid, Non-opening Passenger Side Window
- Powered Solar and Privacy Windshield Shade
- Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS

| | 35 CH | 37 BH | 40 IH | 44 OH |
|---|-------|-------|-------|-------|
| Blind Spot Monitoring System | O | O | O | O |
| In-dash Navigation System | O | O | O | O |
| Front Overhead TV | O | O | O | O |
| Electric Front Overhead Drop-Down Bunk ³ | O | O | O | O |

¹ Integrated within side-view mirrors and activated by turn signals.

² Subscription required for satellite radio.

³ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

BEDROOM

- Under Bed Storage
- Bedside Windows
- Overhead Cabinets with Headboard
- Bed Comforter with Throw Pillows
- Handcrafted Privacy Door
- LED Reading Lights
- Nightstand with Solid Surface Tops
- Mounted Bedroom TV
- Centralized Entertainment Center ¹
- Ceiling Fan
- Laundry Hamper

BEDROOM OPTIONS

| | 35 CH | 37 BH | 40 IH | 44 OH |
|---------------------|--|-------|-------|-------|
| Mattress | Memory Foam King Mattress (72" x 80") with Power Smart Lift | S | — | — |
| | Memory Foam Queen Mattress (60" x 80") with Power Smart Lift | O | — | — |
| | Memory Foam King Mattress (72" x 80") | — | S | S |
| | Memory Foam Queen Mattress (60" x 80") | — | O | O |
| Bedroom Storage | Floor-to-ceiling Closet Space | S | — | S |
| | Wardrobe with Drawers Underneath | — | S | — |
| | Walk-in Closet | — | — | S |
| Safe | O | O | O | O |
| Bedroom Egress Door | O | O | O | O |

¹ Houses Blu-ray™ player, satellite receiver, and cable TV hook-up.

KITCHEN

- 17-Cubic Foot Smart Convection Microwave with Air Fry
- Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- Built-in Soap Dispenser
- Galley Overhead Cabinets with Pull-out Drawers
- Panoramic Galley Window
- Task Lighting
- Toe Kick Lighting
- Full Tile Backsplash
- Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS

| | 35 CH | 37 BH | 40 IH | 44 OH |
|---------------------------------|--|-------|-------|-------|
| Refrigerator | 22-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹ | S | — | — |
| | 25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹ | — | S | S |
| Cooking Appliances | Three-Burner Liquid Propane Cooktop ² | D | D | D |
| | Two-Burner Induction Cooktop ³ | D | D | S |
| Drawer-style Dishwasher | O | O | O | O |
| Manual Release Expand-An-Island | — | S | S | S |

¹ Refrigerator volume is approximated.

² Standard with LP Coach option.

³ Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

BATHROOM

- Solid Surface Lavatory Top
- Handheld Shower Head with Slide Bar
- Shower Skylight
- Shower LED Light with Sliding Cover
- Towel and Toilet Paper Holders
- Roof Vent Fan
- Base Cabinet

BATHROOM OPTIONS

| | | 35 CH | 37 BH | 40 IH | 44 OH |
|----------------------------------|--|-------|-------|-------|-------|
| Number of Bathrooms | (1) Bathroom | S | — | — | — |
| | (1) Bathroom and (1) Half-bath ¹ | — | S | S | S |
| Master Bathroom Sink | (1) Porcelain Master Bathroom Sink | — | S | — | — |
| | (2) Porcelain Master Bathroom Sinks | S | — | S | S |
| Shower | One-Piece Molded Fiberglass Shower (28.5" x 40.5") | S | — | S | S |
| | One-Piece Molded Fiberglass Shower (31.75" x 40") | — | S | — | — |
| Toilet | (1) Macerator Toilet | S | — | — | — |
| | (1) Gravity Flush Toilet and (1) Macerator Toilet | — | S | S | S |
| Master Bathroom Medicine Cabinet | Medicine Cabinet with Tri-view Vanity Mirror | S | — | S | S |
| | Mirrored Medicine Cabinet | — | S | — | — |

¹ All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.

DINETTE AND LIVING AREA

| | | SLEEPS | SEATS | SEATBELTS | 35 CH | 37 BH | 40 IH | 44 OH |
|--------------------------|---|--------|-------|-----------|-------|-------|-------|-------|
| Driver Side Dinette | 75" Booth Dinette-Sleeper ¹ | 1 | 4 | 2 | — | S | — | — |
| | 75" U-shaped Dinette | — | 4 | 2 | — | O | — | — |
| | 75" Dinette with Chairs ² | — | 2 | — | — | O | — | — |
| Driver Side Furniture | 74" Air Coil Sofa Bed ³ | 1 | 2 | 2 | S | S | S | — |
| | 74" Theater Seating | — | 2 | 2 | O | O | O | — |
| | 89" Air Coil Sofa Bed ⁴ | 1 | 3 | 3 | — | — | — | S |
| | 89" Theater Seating | — | 2 | 2 | — | — | — | O |
| Passenger Side Dinette | 75" Dinette with Chairs and Lift TV ² | — | 2 | — | S | — | — | — |
| | 75" Dinette Bar with Lift TV ⁵ | — | 2 | — | O | — | — | — |
| | 72" Booth Dinette-Sleeper ⁶ | 1 | 4 | 2 | — | — | S | — |
| | 72" Dinette with Chairs ² | — | 2 | — | — | — | O | — |
| | 72" U-shaped Dinette | — | 4 | 2 | — | — | O | — |
| | 75" Booth Dinette-Sleeper ⁷ | 1 | 4 | 2 | — | — | — | S |
| | 75" U-shaped Dinette | — | 4 | 2 | — | — | — | O |
| | 75" Dinette with Chairs ² | — | 2 | — | — | — | — | O |
| Passenger Side Furniture | 64" DE Sofa Bed with Lift TV ⁸ | 1 | 2 | 2 | — | S | — | — |
| | 68" DE Sofa Bed with Lift TV ⁹ | 1 | 2 | 2 | — | — | S | — |
| | 68" Air Coil Sofa Bed with Lift TV ¹⁰ | 1 | 2 | 2 | — | — | O | — |
| | 84" DE Sofa Bed with Lift TV ¹¹ | 1 | 3 | 3 | — | — | — | S |
| | 84" Air Coil Sofa Bed with Lift TV ¹² | 2 | 3 | 3 | — | — | — | O |
| | Recliner and Lift TV ¹³ | — | 1 | — | — | O | O | O |
| | Recliner and Lift TV with Fireplace ¹³ | — | 1 | — | — | O | O | O |

¹ Piece of furniture converts to 72" x 45" sleeping area.

² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.

³ Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.

⁴ Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.

⁵ Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.

⁶ Piece of furniture converts to 69" x 45" sleeping area.

⁷ Piece of furniture converts to 72" x 45" sleeping area.

⁸ Piece of furniture converts to 57" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

⁹ Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

¹⁰ Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.

¹¹ Piece of furniture converts to 77" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

¹² Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.

¹³ Lift TV deletes cabinetry over furniture.