Phaeton Specifications, Features, and Options

KFY · S	Standard	Feature	1 0

O: Optional Feature; Additional costs may apply | D: Dependent; Availability is dependent on selection of another option | -: Not Available

Priaetori opecifications, reatures,	and Options		KEY: S: Standard Feature 0		
WEIGHTS AND MEASURES	35 CH	37 BH	40 IH	44 OH	
DIMENSIONS					
Overall Length (approx.) 1	37' 9"	38' 2"	41' 4"	45"	
Wheel Base ²	222"	234"	266"	310"	
Overall Width ¹	101"	101"	101"	101"	
Overall Height ³	13' 3"	13' 3"	13' 3"	13' 3"	
Minimum Garage Height	14'	14'	14'	14'	
Interior Height	83"	83"	83"	83"	
Interior Width	96"	96"	96"	96"	
Square Footage (approx.) ⁴	375	375	405	440	
Basement Storage (cubic feet, approx.) ⁵	131	162	232	232	
WEIGHT LIMITS					
GAWR-Front (pounds)	15,660	15,660	15,660	15,660	
GAWR- Tag Axle (pounds)	-	-	-	10,000	
GAWR-Rear (pounds)	24,000	24,000	24,000	20,000	
GVWR (pounds)	39,660	39,660	39,660	45,660	
Maximum Trailer Weight (pounds) ⁶	10,000	10,000	10,000	10,000	
Hitch Rating (pounds)	10,000	10,000	10,000	10,000	
GCWR (pounds)	49,660	49,660	49,660	55,660	
CAPACITIES					
Fuel Tank (gallons)	100	100	100	100	
DEF Tank (gallons) - PowerGlide® Chassis ⁷	10	10	10	10	
DEF Tank (gallons) - Freightliner® Chassis 7	13	13	13	13	
Fresh Water (gallons)	100	100	100	100	
Grey Water (gallons)	100	100	100	100	
Black Water (gallons)	55	55	55	55	
LPG Tank (gallons) ⁸	35.7	35.7	35.7	-	
QUANTITIES					
Number of Slideouts	3	3	4	4	
Sleeping Capacity 9	2 to 4	2 to 6	2 to 6	2 to 8	
Sleeping Areas ⁹	1 to 3	1 to 5	1 to 5	1 to 5	
Seat Belts 9	4	4 to 8	4 to 8	4 to 10	
Seating Capacity 9	6	7 to 10	7 to 10	7 to 12	

The approximated coach width and length does not include side view mirrors and rear ladders.

CHASSIS AND DRIVETRAIN

- Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque
- Two-wheel Drive
- Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter
- Front and Rear 295/80R 22.5 Tires
- (2) 12-Volt Flooded Lead-Acid Chassis Batteries
- Hydraulic Leveling Jacks with Control Panel
- ZF Independent Front Suspension
- Rear Radiator
- . Front Disc Brakes and Rear Drum Brakes
- · Full Air Brake System with Automatic Slack Adjusters
- Three-stage Compression Brake
- · Manual Parking Brake
- · Driver and Passenger Side Fuel Fill
- · Tire Pressure Monitoring
- · Adaptive Cruise Control
- · Automatic Traction Control
- Collision Mitigation with Forward Warning and Active Braking
- · Electronic Stability Control

CHASSIS AND DRIVET	RAIN OPTIONS	35 CH 37 BH 40 IH 44		44 OH	
Chassis	Freightliner PowerGlide® XC Raised Rail Rear Engine Diesel Chassis UPDATED	S	S	S	S
Alternator	240-Amp Alternator UPDATED	S	S	S	S
Wheels	Aluminum Wheels ²	D	D	D	D
	Black Aluminum Wheels ³	D	D	D	D
Rear Suspension	Freightliner® V-Series V-Ride Rear Suspension	S	S	S	S
Shocks	Custom Tuned Sachs® Shock Absorbers	S	S	S	S
Steerable Tag Axle		_	_	_	S

¹ Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400

³ Standard with Midnight Edition exterior color package. Not available with other exterior color packages.

CONSTRUCTION

- Molded Roof Cap
- 5 1/4" Formed Roof Insulation
- Tubular Aluminum Roof Skeleton Frames
- One-piece Molded Gel-coat Fiberglass Front and Rear Caps
- Seamless One-piece Gel-coat Fiberglass
 Steel Cockpit Overhead Support Frame
 - · Crane® Composites Noble® Select All-Composite Exterior Sidewalls
 - Tubular Aluminum Wall Skeleton Frames
- Extraordinaire™ Ducted Air Cooling System
 High-performance Thermal Insulation in Sidewalls
 - · Engineered Wood Sub-flooring
- · Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation
- Steel Basement Construction
- Rust Protective Undercoating
- · Hydraulic Slide-out Mechanisms
- Extra Storage Chassis Construction ¹
- 1 Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area. Now available on 37 BH.

² On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.

³ 37 BH's overall height increased from 12' 7" to 13' 3" due to new XSH Chassis.

⁴ Square footage was calculated with the slide-outs fully extended.

⁵ 37 BH's basement storage increased from 122 to 162 cubic feet due to new XSH Chassis.

⁶ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

⁷ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.

⁸ LPG tank can only be filled to 80% capacity.

⁹ Dependent on furniture and dinette options.

Standard with all exterior color packages, excluding Midnight Edition.

ELECTRICAL

- Spyder Controls Multiplex System
- Firefly Integrations Mira Module ¹
- Centralized 10" Spyder System Main Monitor
- · Passenger Console Spyder System Color
- · Interior Entryway Spyder System Color Touchscreen
- · Exterior Spyder System Color Touchscreen
- Additional Spyder Color Touchscreens Throughout Coach
- 10.0-Kilowatt Onan® Quiet Diesel Generator
- · Generator Slide Tray

- . 2.000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control ²
- (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains
- 50-Amp Shore Power with Powered
- · Auxiliary Solar Port
- · Energy Management System
- · HD Over-the-air Antenna
- Park Cable and Ground Satellite Hook-up
- · Prep for In-motion Satellite
- Blu-rav™ Plaver
- Satellite Receiver³

- 12-Volt Breaker Panel
- 12-Volt Disconnect Switch
- (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries
- · Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter
- Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer
- 110-Volt Exterior Receptacle
- · Surge Guard® Transfer Switch
- · USB Receptacles Throughout Coach
- Prewiring for Winegard® Trav'ler™ Satellite
- Starlink Roof Prep NEW

0

0

0

0

ELECTRICAL OPTIO	NS	35 CH	37 BH	40 IH	44 OH
Heating and Cooktop Power	Liquid Propane (LP) Coach ⁴	S	S	S	_
Source	Hydronic Heating & Electronic Appliance Equipped Coach ⁵	0	0		S
House Batteries	(6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries	0	0	0	0
	(3) 12-Volt, 270-Amp Hours Lithium House Batteries	0	0	0	0
	Battery Slide-out Tray ⁶	D	D	S O O O O O O D	D
Space Heating	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces 7	D		-	
	(2) 30,000-BTU Ducted Furnaces 7	_	-	D	-
	Aqua-Hot® 450D Heat Exchanger ⁸	D	D	D	S
Solar Panels	Prep for Solar Panels 9	0	O O O O O O O O O O O O O O O O O O O	0	
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller 10	0	0	0	0
	(6) 200-Watt Solar Panels with (2) 30-Amp Controllers ¹¹	_	_	0	0
In-motion Satellite	Dish ¹²	0	0	0	0
Internet & Phone	Prep for Wi-Fi Booster ¹³	D	D	D	D
Solar Panels	Wi-Fi Booster ¹⁴	0	0	0	0

- 1 Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.
- ² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- ³ Requires subscription. (Only available with in-motion satellite option)

Starlink® Pro 15

- ⁴ Propane is used to power the ducted furnaces, the water heater, and the liquid propane cooktop.
- ⁵ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach".
- ⁶ Standard with flooded and extended cycle AGM batteries. Not available with lithium batteries.
- 7 Standard with LP coach option.
- 8 Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.
- ⁹ Includes docking ports for aftermarket solar panels.
- 10 Not combinable with Starlink Pro option on 44 OH.
- Not combinable with Starlink Pro option on 37 BH or 40 IH.
- ¹² High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.
- 13 Standard unless Starlink Pro is optioned.
- 14 Not combinable with Starlink Pro option
- ¹⁶ Not combinable with Wi-Fi Booster option. Requires subscription

EXTERIOR

- Full-body Paint with (4) Layers of Clear Coat
- · Single-colored Slide-out Endwalls
- · High Performance Protective Film on Front Cap and Select Areas
- · Girard® Powered Door Awning with Integrated LED Lighting
- · Girard® Manual Window Awning Package
- · Girard® Slide-out Toppers
- · Side-swinging Exterior Storage Doors with Gas Shocks
- Lockable Handles on Compartment Doors
- · Motion-sensor Lights in Cargo Bay
- 120-Volt and 12-Volt Outlets Inside Cargo

- · Pass-through Basement Storage
- Charcoal Carpet Cargo Walls
- · Fiberglass Reinforced Plastic Basement
- Frameless, Dual-Pane Windows
- Exterior Patio Light
- Daytime Running Lights
- Docking Lights
- · Chrome Power Heated Side-View Mirrors with Integrated Cameras
- · Exterior TV with Soundbar
- Fast Charge USB ports within Exterior TV

- Compartment
- · Lightweight Entry Door with Integrated
- · Deadbolt Front Entrance Lock
- · Lighted Entry Door Grab Handle
- · Automatic Stainless Steel Double Entry
- . Keyless Entry System for Front Entrance and Compartment Doors
- Mud Flaps
- · Custom Rock Guard

Lippert™ On-The-Go™ Telescoping

EXTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Patio Awnings	(1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting	S	S	S	S
	(2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature	0	0	0	0
Slide Trays ¹	(1) Manual Storage Compartment Slide-out Tray	0	0	0 0 0	
	(2) Manual Storage Compartment Slide-out Trays	_	-	0	0
Outdoor Electric (tdoor Electric Grill ²		-	D (O)	D (O)

- 1 Trays slide out on both sides of motorhome.
- ² Option requires at least (1) storage compartment slide-out tray.
- 3 All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR

- Handcrafted Overhead Cabinetry
- · Solid Surface Step Well
- · Powered Step Well Cover
- Storage Compartment Within Entry Steps
- · Recessed Step Well Lighting · Living Area TV
- Solid Surface Galley Countertop
- · Handcrafted Slide-out Fascia
- · Soft Touch Vinyl Ceiling
- Dimmable LED Lighting
- · Prep for Washer and Dryer
- · Carbon Monoxide Detector
- · LPG Leak Detector
- · Smoke Detector

- · Fire Extinguisher
- · Solar and Privacy Shades
- · Soft-closing Drawers
- · Powered Roof Vents
- · Central Vacuum System with VacPan® Automatic Dustpan
- · Interior Grab Handle at Entry Door
- · Egress Windows Throughout Coach

INTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Interior Décor Packages	Capri	0	0	0	0
	Tide Pool	0	0	0	0
	Stallion	0	0	0	0
Upholstry Fabrics	Ultrafabrics® Tottori Tatami Mat ²	D	D	D	D
	Ultrafabrics® Tottori Rice Paper ³	D	D	D	D
Cabinetry Color	Shadow	0	0	0	0
	Sandstone	0	0	0	0
	White Linen	0	0		0
	Platinum	0	0	0	0
	Black Truffle	0	0	0	0
Floor Tiles	Modern Peak Matte Porcelain Tile NEW	0	0	0	0
	Editorial Volakas Glazed Porcelain Tile	0	0	0	0
Standalone Living Area	Fireplace	0	0	0	0
Stacked Washer & Dryer		0	0	0	0
Gold Heat® Dual Zones	Heated Tile Floor ⁴	0	0	0	0

- Located in living area and bedroom.
- ² Always paired with Capri Interior Fabric Suite.
- ³ Always paired with Tide Pool or Stallion Interior Fabric Suites.
- 4 No heated tile in rear bath on 37 BH.

Base Cabinet

DRIVER'S COMPARTMENT

- · Power Driver and Passenger Seats
- Dual Driver And Passenger Seat Armrests USB Dash Receptacles
- · Swivel Bases for Driver and Passenger Seats
- · Powered Passenger Seat Footrest
- Integrated Seat Belts on Driver and Passenger Seats
- Tilt and Telescoping Steering Wheel with Integrated Controls
- Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Graphite Accents
- Mounted Dash Fans
- · Digital Dash Cluster
- (1) Center Storage Drawer

- . Generator Start & Stop Rocker Switch
- 12-Volt Dash Receptacle
- · Backlit Dash Rocker Switches · Passenger Console Wireless Phone
- Charger
- Driver and Passenger Map Lights
- · One-piece Panoramic Windshield
- · Single-motor Intermittent Windshield
- · Automatic LED Headlights
- Side-view Cameras ¹
- 10" High Definition LED Multichannel

- . Stereo with AM & FM Radio, CD Player, and Satellite Radio 3
- · Ceiling Mounted Speakers
- Overhead Cabinetry with Wooden Panel Doors
- · Auxiliary Start Switch
- · Concealed Air Horn
- · Manual Opening Driver Side Window
- · Solid, Non-opening Passenger Side
- · Powered Solar and Privacy Windshield
- · Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	35 CH	37 BH	40 IH	44 OH
Blind Spot Monitoring System	0	0	0	0
In-dash Navigation System	0	0	0	0
Front Overhead TV	0	0	0	0
Electric Front Overhead Drop-Down Bunk ³	0	0	0	0

- Integrated within side-view mirrors and activated by turn signals.
- ² Subscription required for satellite radio.
- ³ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

BEDROOM

- Under Bed Storage
- · Bedside Windows
- a Rad Camfartar with Throw Dillawa
- · Overhead Cabinets with Headboard
- · Handcrafted Privacy Door

a Mauntad Radrages TV

- · LED Reading Lights
- Nightstand with Solid Surface Tops
- Centralized Entertainment Center
- · Ceiling Fan
- · Laundry Hamper

 Bed Comforter with Throw F 	* Mounted Bedroom IV				
BEDROOM OPTIONS		35 CH	37 BH	40 IH	44 OH
Mattress	Memory Foam King Mattress (72" x 80") with Power Smart Lift	S	_	-	_
	Memory Foam Queen Mattress (60" x 80") with Power Smart Lift	0	-	-	-
	Memory Foam King Mattress (72" x 80")	-	S	S	S
	Memory Foam Queen Mattress (60" x 80")	-	0	0	0
Bedroom Storage	Floor-to-ceiling Closet Space	S	-	S	-
	Wardrobe with Drawers Underneath	_	S		_
	Walk-in Closet	-	-	-	S
Safe		0	0	0	0
Bedroom Egress Door		0	0	0	0

¹ Houses Blu-ray™ player, satellite receiver, and cable TV hook-up.

KITCHEN

• 1.7-Cubic Foot Smart Convection Microwave with Air Fry

· Built-in Soap Dispenser

- · Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- · Galley Overhead Cabinets with Pull-out
 - Drawers
 - · Panoramic Galley Window
 - Task Lighting

- Toe Kick Lighting
- Full Tile Backsplash
- · Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS		35 CH	37 BH	40 IH	44 OH
Refrigerator	22-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	S	-	-	-
	25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	S	S	S
Cooking Appliances	Three-Burner Liquid Propane Cooktop ²	D	D	D	_
	Two-Burner Induction Cooktop ³	D	D		S
Drawer-style Dishwasher		0	0	0	0
Manual Release Expand-An-Isl	and	_	S	S	S

- Refrigerator volume is approximated.
- Standard with LP Coach option.
- 3 Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

BATHROOM

Shower Skylight

- · Solid Surface Lavatory Top
- Shower LED Light with Sliding Cover
- · Handheld Shower Head with Slide Bar
- . Towel and Toilet Paper Holders
- Roof Vent Fan

Onower Onlyngin	Noor vent run				
BATHROOM OPTIONS		35 CH	37 BH	40 IH	44 OH
Number of Bathrooms	(1) Bathroom	S	-	-	-
	(1) Bathroom and (1) Half-bath ¹	-	S	S	S
Master Bathroom Sink	(1) Porcelain Master Bathroom Sink	_	S	_	-
	(2) Porcelain Master Bathroom Sinks	S	_	S	S
Shower	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	S	-	- S -	S
	One-Piece Molded Fiberglass Shower (31.75" x 40")	-	S		-
Toilet	(1) Macerator Toilet	S	-	_	_
	(1) Gravity Flush Toilet and (1) Macerator Toilet	-	S	-	S
Master Bathroom Medicine Cabinet	Medicine Cabinet with Tri-view Vanity Mirror	Macerator Toilet S Gravity Flush Toilet and (1) Macerator Toilet - S S	S	S	
Wedienie Gabinet	Mirrored Medicine Cabinet	_	S	_	_

1 All half-haths contain a toilet and a solid surface counterton with a single persolain sink

DINETTE A	ND LIVING AREA	SLEEPS	SEATS	SEATBELTS	35 CH	37 BH	40 IH	44 OH
Driver Side Dinette	75" Booth Dinette-Sleeper 1	1	4	2	-	S	-	-
Directe	75" U-shaped Dinette	-	4	2	-	0	-	-
	75" Dinette with Chairs ²	-	2	-	-	0	-	-
Driver Side Furniture	74" Air Coil Sofa Bed ³	1	2	2	S	S	S	-
rumture	74" Theater Seating	-	2	2	0	0	0	-
	89" Air Coil Sofa Bed ⁴	1	3	3	-	-	-	S
	89" Theater Seating	-	2	2	-	-	-	0
Passenger Side - Dinette	75" Dinette with Chairs and Lift TV ²	-	2	-	S	-	-	_
	75" Dinette Bar with Lift TV 5	-	2	-	0	_	_	_
	72" Booth Dinette-Sleeper ⁶	1	4	2			S	_
	72" Dinette with Chairs 2	-	2	-	-	-	0	_
	72" U-shaped Dinette	-	4	2	-	_	0	-
	75" Booth Dinette-Sleeper 7	1	4	2	-	_		S
	75" U-shaped Dinette	-	4	2	-	-	-	0
	75" Dinette with Chairs ²	-	2	-	-	-	-	0
Passenger Side	64" DE Sofa Bed with Lift TV 8	1	2	2	-	S	S O O O O O O O O O O O O O O O O O O O	-
Furniture	68" DE Sofa Bed with Lift TV 9	1	2	2	-	-	S	-
	68" Air Coil Sofa Bed with Lift TV 10	1	2	2	-	-	0	-
	84" DE Sofa Bed with Lift TV 11	1	3	3	-	-	-	S
	84" Air Coil Sofa Bed with Lift TV 12	2	3	3	-	-	-	0
	Recliner and Lift TV 13	-	1	-	-	0	0	0
	Recliner and Lift TV with Fireplace 13	-	1	-	-	0	0	0

- Piece of furniture converts to 72" x 45" sleeping area.
- ² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
- ⁴ Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
- ⁵ Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.
- ⁶ Piece of furniture converts to 69" x 45" sleeping area.
- Piece of furniture converts to 72" x 45" sleeping area.
- ⁸ Piece of furniture converts to 57" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 9 Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 10 Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
- ¹¹ Piece of furniture converts to 77" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 12 Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
- 13 Lift TV deletes cabinetry over furniture.