| WEIGHTS AND MEASURES | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|--|---------|---------|---------|---------|---------|
| DIMENSIONS | | | | | |
| Overall Length (approximately) 1 | 34' 3" | 34' 3" | 36' 1" | 37' 6" | 38' |
| Wheel Base | 228" | 228" | 252" | 252" | 252" |
| Overall Width ¹ | 101" | 101" | 101" | 101" | 101" |
| Overall Height | 12' 10" | 12' 10" | 12' 10" | 12' 10" | 12' 10" |
| Minimum Garage Height | 14' | 14' | 14' | 14' | 14' |
| Interior Height | 84" | 84" | 84" | 84" | 84" |
| Interior Width | 96" | 96" | 96" | 96" | 96" |
| Square Footage (approx.) ² | 315 | 300 | 355 | 330 | 355 |
| Basement Storage (cubic feet, approx.) | 140 | 140 | 203 | 203 | 203 |
| WEIGHT LIMITS | | | | | |
| GAWR-Front (pounds) | 9,000 | 9,000 | 9,000 | 9,000 | 9,000 |
| GAWR-Rear (pounds) | 15,500 | 15,500 | 17,500 | 17,500 | 17,500 |
| GVWR (pounds) | 24,000 | 24,000 | 26,000 | 26,000 | 26,000 |
| Maximum Trailer Weight (pounds) ³ | 5,000 | 5,000 | 4,000 | 5,000 | 4,000 |
| Hitch Rating (pounds) | 5,000 | 5,000 | 5,000 | 5,000 | 5,000 |
| GCWR (pounds) | 30,000 | 30,000 | 30,000 | 30,000 | 30,000 |
| CAPACITIES | | | | | |
| Fuel Tank (gallons) | 80 | 80 | 80 | 80 | 80 |
| Fresh Water (gallons) | 70 | 70 | 70 | 70 | 70 |
| Grey Water (gallons) | 66 | 66 | 66 | 66 | 66 |
| Black Water (gallons) | 50 | 50 | 50 | 50 | 50 |
| LPG Tank (gallons) ⁴ | 20.3 | 20.3 | 20.3 | 20.3 | 20.3 |
| QUANTITIES | | | | | |
| Number of Slideouts | 2 | 2 | 4 | 2 | 2 |
| Sleeping Capacity ⁵ | 5 to 7 | 4 to 6 | 3 to 6 | 4 to 6 | 5 to 7 |
| Sleeping Areas ⁵ | 4 to 6 | 2 to 4 | 2 to 4 | 2 to 4 | 4 to 6 |
| Seat Belts ⁵ | 4 to 6 | 5 to 7 | 5 to 7 | 5 to 7 | 4 to 6 |
| Seating Capacity ⁵ | 6 to 8 | 7 to 9 | 7 to 9 | 8 to 10 | 6 to 8 |

- Square footage was calculated with the slide-outs fully extended.
- 3 Maximum Trailer Weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.
- 4 LPG tank can only be filled to 80% capacity.
- ⁵ Dependent on furniture and dinette options.

CHASSIS AND DRIVETRAIN

- Ford® F-53 Super Duty® Class A Motorhome Chassis
- Ford® V8 7.3L 350 HP Gas Engine with 468 lb-ft Torque
- Two-wheel Drive
- 210-Amp Alternator
- · TorqShift® 6-speed Automatic Overdrive with Tow/Haul Mode
- · Aluminum Wheels
- Front and Rear 255/80R 22.5 Tires
- (1) 12-Volt Flooded Lead-Acid Chassis Batteries
- · Hydraulic Leveling Jacks with Control Panel
- · Rear Sway Bar

- · Custom Tuned Sachs® Shock Absorbers
- Front Radiator
- · Front and Rear Disc Brakes
- · Manual Parking Brake
- Rear Fuel Fill
- · Automatic Traction Control
- · Cruise Control

| CHASSIS SPE | ECIFICATIONS | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|-------------|---|-------|-------|-------|-------|-------|
| Suspension | Front and Rear Tapered Multi-leaf Suspension | S | S | S | S | S |
| | Front Tapered Multi-leaf Suspension with LiquidSprings® Rear Suspension | - | - | 0 | 0 | 0 |

¹ Peak horsepower achieved at 3,900 RPM. Peak torque achieved at 3,900 RPM

CONSTRUCTION

- Seamless One-piece Gel-coat Fiberglass Molded Roof Cap
- 5 1/4" Formed Roof Insulation
- Tubular Aluminum Roof Skeleton Frames
- Extraordinaire™ Ducted Air Cooling System
- · One-piece Molded Gel-coat Fiberglass Front and Rear Caps
- Crane® Composites Noble® Select All-Composite Exterior Sidewalls
- Tubular Aluminum Wall Skeleton Frames
- · High-performance Thermal Insulation in
- · Steel Floor Skeleton
- · Engineered Wood Sub-flooring
- 1 1/2" Thick Thermal Insulation in Floor
- · Steel Basement Construction
- Rust Protective Undercoating
- · Hydraulic Slide-out Mechanisms

ELECTRICAL

- Liquid Propane (LP) Coach¹
- Spyder Controls Multiplex System
- Firefly Integrations Mira Module ²
- · Centralized 7.5" Spyder System Main Monitor
- · Interior Entryway Spyder System Color Touchscreen
- · Conveniently Located Spyder Switch Panels Throughout Coach
- . 2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control³

- (4) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries
- 50-Amp Shore Power
- · Auxiliary Solar Port
- · HD Over-the-air Antenna
- · Park Cable and Ground Satellite Hook-up
- · Prep for In-motion Satellite
- Blu-ray™ Player
- Satellite Receiver 4 UPDATED
- · Prep for Wi-Fi Booster

- 12-Volt Breaker Panel
- 12-Volt Disconnect Switch
- · Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter
- · Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay
- 110-Volt Exterior Receptacle
- · Surge Guard® Transfer Switch
- · USB Receptacles Throughout Coach

| ELECTRICAL OPT | IONS | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|--------------------|---|-------|-------|-------|-------|-------|
| Generators and | 5.5-Kilowatt Onan® Quiet Gas Generator | S | S | S | - | - |
| Power Systems | 7.0-Kilowatt Onan® Quiet Gas Generator | 0 | 0 | 0 | S | S |
| Battery Slide Out | Tray ⁵ | S | S | S | _ | S |
| Air Conditioning | (2) 13,500-BTU Air Conditioners | S | S | S | S | S |
| | (1) 13,500-BTU Air Conditioner and (1) 15,000-BTU Air Conditioner with Heat Pump ⁶ | D (O) | D (O) | D (O) | 0 | 0 |
| Space Heating | (1) 35,000-BTU and (1) 30,000-BTU Ducted Furnaces | S | - | - | - | - |
| | (1) 35,000-BTU Ducted Furnace | - | S | - | - | - |
| | (1) 35,000-BTU and (1) 20,000-BTU Ducted Furnaces | - | - | S | - | - |
| | (1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces | - | - | - | S | S |
| Solar Panels | Prep for Solar Panels 9 | 0 | 0 | 0 | 0 | 0 |
| | (1) 200-Watt Solar Panel with (1) 30-Amp Controller | 0 | 0 | 0 | 0 | 0 |
| | (2) 200-Watt Solar Panels with (1) 30-Amp Controller | 0 | 0 | 0 | 0 | 0 |
| In-motion Satellit | e Dish ⁷ | 0 | 0 | 0 | 0 | 0 |
| Prewiring for Win | egard® Trav'ler™ Satellite® | 0 | 0 | 0 | 0 | |
| Wi-Fi Booster | | 0 | 0 | 0 | 0 | 0 |
| Starlink Prep in S | Sewer Compartment NEW | 0 | 0 | 0 | 0 | 0 |

- Propane is used to power the ducted furnaces, the water heater, and liquid propane cooktops.
- ² Download the accompanying Vegatouch app to control your coach locally within Bluetooth range.
- ³ Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- ⁴ Requires subscription. (Only available with in-motion satellite option)
- $^{\rm 5}$ Due to 36 LA's batteries being located under the entry steps, they do not get a slide tray.
- 6 Option only available with 7.0-Kilowatt Onan® Quiet Gas Generator. 15,000-BTU air conditioner replaces the front 13,500-BTU air conditioner. Only the 15,000-BTU air conditioner has a heat pump.
- ⁷ In-motion Satellite Dish and Prewiring for Winegard® Travler™ Satellite cannot be optioned together on 32 FA, 32 SA, or 34 PA. High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.
- ⁸ In-motion Satellite Dish and Prewiring for Winegard® Trav'ler™ Satellite cannot be optioned together on 32 FA, 32 SA, or 34 PA.
- ⁹ Includes docking ports for aftermarket solar panels.

PLUMBING

- Truma AquaGo™ Comfort Instant Water Heater
- · Water Heater Bypass System
- Aqua View Showermiser™
- Water Filter
- Water Pump Switch Access from Spyder System and Sewer Bay Board
- · Low-point Water Drain Lines
- · Black Holding Tank Flush System
- Gravity Water Fill
- · Heated Fresh and Holding Tank Compartment via Heat Duct
- · Tank Level Monitor System
- · Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports
- Exterior Rinse Hose with Shower Head
- · Sewer Bay Hand Sanitizer and Paper Towel Holders

EXTERIOR

- Full-body Paint with (3) Layers of Clear
- · Single-colored Slide-out Endwalls
- · High Performance Protective Film on Front Cap and Select Areas
- (1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting
- · Girard® Slide-out Toppers
- · Side-swinging Exterior Storage Doors with Gas Shocks

- · Motion-sensor Lights in Cargo Bay
- 120-Volt and 12-Volt Outlets Inside Cargo
- · GatorHyde-lined Cargo Walls and Floor
- Framed, Single-Pane Windows
- . Exterior Patio Light
- · Daytime Running Lights
- · Chrome Power Heated Side-View Mirrors with Integrated Cameras

- Lockable Handles on Compartment Doors
 Exterior TV with Soundbar
 - Compartment

 - · Entry Door Grab Handle

 - · Automatic Double Entry Step
 - Mud Flaps

1 All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR

- · Handcrafted Overhead Cabinetry
- Living Area TV ¹
- Solid Surface Galley Countertop
- · Handcrafted Slide-out Fascia · Soft Touch Vinyl Ceiling

- . LPG Leak Detector
- · Smoke Detector
- · Fire Extinguisher
- · Solar and Privacy Shades

- · Fast Charge USB ports within Exterior TV
- · Lightweight Entry Door with Integrated
- · Deadbolt Front Entrance Lock
- Lippert[™] On-The-Go Ladder

Controllable through the Truma control panel and the Spyder System control panels.

- · Dimmable LED Lighting · Soft-closing Drawers
 - Powered Roof Vents
 - · Interior Grab Handle at Entry Door
 - · Egress Windows Throughout Coach

| INTERIOR O | PTIONS | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|-----------------------|---|-------|-------|-------|-------|-------|
| Interior Decor | Moondance | 0 | 0 | 0 | 0 | 0 |
| Packages | Iron Mountain | 0 | 0 | 0 | 0 | 0 |
| Upholstery Fabrics | Snowhill Sand Furniture Coverings and Ultrafabrics® Montage Alpaca Driver and Passenger Seats ² | D | D | D | D | D |
| | Snowhill Dove Furniture Coverings and Ultrafabrics® Montage Landscape Driver and Passenger Seats ³ | D | D | D | D | D |
| Cabinetry | Sandstone ⁴ | 0 | 0 | 0 | 0 | 0 |
| Colors | White Linen ⁵ NEW | 0 | 0 | 0 | 0 | 0 |
| Floor Tiles | Monteano Luxury Vinyl Tile | 0 | 0 | 0 | 0 | 0 |
| | Sea Grass Luxury Vinyl Tile | 0 | 0 | 0 | 0 | 0 |
| Storage Cor | mpartment Within Entry Steps ⁶ NEW | S | S | S | - | S |
| Recessed S | tep Well Lighting | - | S | S | S | S |
| Standalone | Living Area Fireplace | - | 0 | 0 | 0 | 0 |
| Washer & | Prep for Washer and Dryer | _ | S | S | S | S |
| Dryer | Combo Washer-Dryer | _ | 0 | - | - | - |
| | Stacked Washer and Dryer | _ | - | 0 | 0 | 0 |
| Central Vac | uum System | 0 | 0 | 0 | 0 | 0 |

- 1 All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.
- ² Always paired with Moondance Fabric Suite.
- 3 Always paired with Iron Mountain Fabric Suite.
- ⁴ Sandstone Cabinetry always paired with Monteano Tile. ⁵ White Linen Cabinetry always paired with Sea Grass Tile.
- ⁶ 36 LA's batteries are located under entry steps.

DRIVER'S COMPARTMENT

- Ultrafabrics® Montage Power Driver and Passenger Seats
- Dual Driver And Passenger Seat Armrests
- · Swivel Bases for Driver and Passenger
- Adjustable Seathelt Brackets
- . Tilt and Telescoping Steering Wheel with Integrated Controls
- Ergonomic Dash with Graphite Accents
- · Mounted Dash Fans
- · Backlit Instrument Cluster
- Center Storage Compartments
- · Generator Start & Stop Rocker Switch

- USB Dash Receptacles
- 12-Volt Dash Receptacle
- · Backlit Dash Rocker Switches
- · Retractable Lap Desk
- Passenger Console Controls for Map Light and Fan
- Driver and Passenger Map Lights
- · One-piece Panoramic Windshield
- · Single-motor Intermittent Windshield Wipers
- - Side-view Cameras
 - · Color Back-up Camera

- 7" High Definition LED Multichannel Monitor for Side-view and Back-up Cameras
- · Stereo with AM & FM Radio, CD Player, and Satellite Radio 2
- · Ceiling Mounted Speakers
- · Overhead Cabinetry with Honeycombpatterned Glass
- · Auxiliary Start Switch
- · Concealed Electric Horn
- · Manual, Horizontal Opening Driver and Passenger Side Windows
- · Powered Solar and Privacy Windshield Shade

| DRIVER'S COMPARTMENT OPTIONS | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|---|-------|-------|-------|-------|-------|
| Passenger Seat Footrest | 0 | 0 | 0 | 0 | 0 |
| In-dash Navigation System | 0 | 0 | 0 | 0 | 0 |
| Front Overhead TV | 0 | 0 | 0 | 0 | 0 |
| Electric Front Overhead Drop-Down Bunk ³ | 0 | 0 | 0 | 0 | 0 |

Integrated within side-view mirrors and activated by turn signals.

- ² Subscription required for satellite radio.
- a Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder

KITCHEN

BEDROOM

• Overhead Cabinets

Mattress

Bed Slide

· Under Bed Storage

Bedside Windows

BEDROOM OPTIONS

| DINETTE AN | ND LIVING AREA | SLEEPS | SEATS | SEATBELTS | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA |
|--------------------------|---|--------|-------|-----------|-------|-------|-------|-------|-------|
| Driver Side Dinette | 72" Booth Dinette-Sleeper 1 | 1 | 4 | 2 | S | S | - | _ | S |
| Dinette | 72" Dinette with Chairs ² | - | 2 | - | 0 | 0 | - | - | 0 |
| | 72" Dinette Bar ³ | _ | 2 | - | 0 | - | - | _ | - |
| | 72" Booth Dinette-Sleeper and Recliner 1 | 1 | 5 | 2 | - | - | - | S | - |
| | 72" Dinette with Chairs and Recliner ² | _ | 3 | - | - | - | - | 0 | - |
| | 96" U-Shaped Dinette-Sleeper ⁴ | 1 | 5 | 2 | _ | - | - | 0 | - |
| Driver Side Furniture | 89" Flip and Fold Sofa Bed ⁵ | 2 | 3 | 3 | - | S | - | S | - |
| Furniture | 89" Air Coil Sofa Bed ⁶ | 2 | 3 | 3 | _ | 0 | - | 0 | - |
| | 95" Flip and Fold Sofa Bed ⁷ | 2 | 3 | 3 | _ | - | S | - | - |
| | 95" Air Coil Sofa Bed ⁶ | 2 | 3 | 3 | _ | - | 0 | - | - |
| | 95" Super Sofa ⁸ | 1 | 3 | 3 | _ | _ | 0 | - | - |
| | 66" Flip and Fold Sofa Bed 7 | 1 | 2 | 2 | _ | - | - | - | S |
| | 66" Air Coil Sofa Bed ⁹ | 1 | 2 | 2 | - | - | - | _ | 0 |
| | 66" Theatre Seating NEW | - | 2 | 2 | _ | _ | - | - | 0 |
| | 89" Theatre Seating NEW | - | 2 | 2 | _ | 0 | - | - | - |
| | 95" Theatre Seating NEW | - | 2 | 2 | _ | - | 0 | - | - |
| Driver Side B | unk Beds (28" x 70") ¹⁰ | 2 | _ | - | S | _ | - | - | S |
| Passenger | 72" Dinette Bar with Lift TV ³ | - | 2 | - | _ | - | S | - | - |
| Side Dinette | 72" Dinette with Chairs ² | - | 2 | - | _ | - | 0 | - | - |
| | 72" Booth Dinette-Sleeper 1 | 1 | 4 | 2 | _ | _ | 0 | _ | _ |
| Passenger Side | 66" Flip and Fold Sofa Bed 9 | 1 | 2 | 2 | S | _ | _ | - | _ |
| Furniture | 66" Theatre Seating NEW | 0 | 2 | 2 | _ | _ | _ | _ | - |

- ¹ Piece of furniture converts to 69" x 45" sleeping area.
- ² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- ⁴ Piece of furniture converts to 46" x 88" sleeping area.
- $^{\rm 5}$ Piece of furniture converts to 74" x 70" sleeping area.
- ⁶ Mattress measures 72" x 59" and requires external pump.

- $^{7}\,\,$ Piece of furniture converts to 80" x 70" sleeping area.
- 8 Consists of a flip and fold sofa bed, a 27" single theater seat, and a center console. Flip and fold sofa bed converts to 70" X 51" sleeping area
- $^{\rm g}$ $\,$ Piece of furniture converts to 51" x 70" sleeping area.
- 10 Mattress measures 72" x 52" and requires external pump.
- Now includes tablet holders in each bunk. Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.

| 1.7-Cubic Foot Smart Convection Microwave with Air Fry | | Galley Overhead CabinetsPanoramic Galley Window | | Full Tile BacksplashSolid Surface Galley Countertop, Sinl | | | | |
|---|--|--|-------|--|------------|-------|---|--|
| | ll Kitchen Sink with Single et and Pull-down Sprayer | Task Lighting | | and | Cooktop Co | over | | |
| KITCHEN OPT | TIONS | | 32 SA | 32 SA 34 PA 36 LA 36 U | | | | |
| Refrigerator | 20-Cubic Foot Stainless Steel Residential Refrigerator with Top Freezer ¹ | | S | S | - | S | S | |
| | 23-Cubic Foot Stainless St with French Doors and Bot | teel Residential Refrigerator tom Freezer ¹ | - | - | S | - | - | |
| Cooking | Three-Burner Liquid Propa | ne Cooktop | S | S | S | S | S | |
| Appliances | Oven Range with Liquid Pr | onane Cookton | 0 | 0 | 0 | 36 LA | 0 | |

Centralized Entertainment Center

· Wardrobe with Drawers Underneath

36 LA

S

S

36 UA

S

0

· Laundry Hamper

S

0

34 PA

0

S

S

· Handcrafted Privacy Door

· Nightstand with Solid Surface Tops

32 FA

S

0

S

· LED Reading Lights

Memory Foam King Mattress (72" x 80")

Mounted Headboard

Memory Foam Queen Mattress (60" x 80")

Mounted Bedroom TV

· Bed Comforter with Throw Pillows

| | Window at Head of E | Bed | - | S | - | - | S | |
|----------------------------------|--------------------------------------|--|--------------|-----------------------------------|--------------|-----------|-------|--|
| Ceiling Fan | | | 0 | 0 0 0 | | | | |
| 1 Houses Blu-ra | y™ player, satellite receiver, and c | able TV hook-up. | | | | | | |
| BATHROOM | | | | | | | | |
| • (1) Porcelain | Master Bathroom Sink | Shower Skylight | | • Mirre | ored Medicin | e Cabinet | | |
| Solid Surfac | e Lavatory Top | Shower LED Light with S | liding Cover | Roof Vent Fan | | | | |
| Handheld Sh | nower Head with Slide Bar | Towel and Toilet Paper H | olders | Base Cabinet | | | | |
| BATHROOM O | PTIONS | | 32 FA | 32 SA | 34 PA | 36 LA | 36 UA | |
| Number of | (1) Bathroom | | S | S | S | - | - | |
| Bathrooms | (1) Bathroom and (1) Half | -bath 1 | - | - | - | S | S | |
| Shower | One-Piece Molded Fiber | glass Shower (34.5" x 34.5") | S | - | - | - | - | |
| | One-Piece Molded Fiber | glass Shower (28.5" x 40.5") | _ | S | S | S | S | |
| Toilet | (1) Gravity Flush Toilet | | S | S | S | - | - | |
| | | | | | | | | |

¹ All half-baths contain a toilet and a solid surface countertop with a single porcelain sink

(1) Gravity Flush Toilet and (1) Macerator Toilet

Refrigerator volume is approximated.