Allegro Red Specifications, Features, and Options

KEY: S : Standard Feature	O : Optional Feature; Additional costs may apply	 I 	D : Dependent; Availability is dependent on selection of another option		- : Not Available
---------------------------	--	-----------------------	---	--	-------------------

WEIGHTS AND MEASURES	33 AA	37 BA	38 KA
DIMENSIONS			
Overall Length (approx.) 1	35' 2"	38' 6"	39' 6"
Wheel Base	198"	234"	252"
Overall Width ¹	101"	101"	101"
Overall Height	12' 10"	12' 10"	12' 10"
Minimum Garage Height	14'	14'	14'
Interior Height	84"	84"	84"
Interior Width	96"	96"	96"
Square Footage (approx.) ²	335	375	390
Basement Storage (cubic feet, approx.)	84	119	119
WEIGHT LIMITS			
GAWR-Front (pounds)	14,320	14,320	14,320
GAWR-Rear (pounds)	24,000	24,000	24,000
GVWR (pounds)	38,320	38,320	38,320
Maximum Trailer Weight (pounds) ³	10,000	10,000	10,000
Hitch Rating (pounds)	10,000	10,000	10,000
GCWR (pounds)	48,320	48,320	48,320
CAPACITIES			
Fuel Tank (gallons)	100	100	100
DEF Tank (gallons) ⁴	13	13	13
Fresh Water (gallons)	90	90	90
Grey Water (gallons)	70	70	70
Black Water (gallons)	50	50	50
LPG Tank (gallons) ⁵	36	36	36
QUANTITIES			
Number of Slideouts	4	3	3
Sleeping Capacity ⁶	4 to 6	2 to 6	4 to 8
Sleeping Areas ⁶	2 to 4	1 to 5	3 to 6
Seat Belts ⁶	5 to 7	4 to 9	4 to 7
Seating Capacity 6	7 to 10	7 to 11	6 to 9

¹ The approximated coach width and length does not include side-view mirrors and rear ladders.

² Square footage was calculated with the slide-outs fully extended.

^a Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

⁴ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to

- meet FPA standards
- ⁶ LPG tank can only be filled to 80% capacity.
- ⁶ Dependent on furniture and dinette options

CHASSIS AND DRIVETRAIN

- Freightliner[®] XCR Raised Rail Rear Engine Diesel Chassis
- Cummins[®] L9 380 HP Diesel Engine with 1,150 lb-ft Torque 1
- 160-Amp Alternator
- Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter
- Front and Rear 295/80R 22.5 Tires
- (2) 12-Volt Flooded Lead-Acid Chassis Batteries
- Rear Radiator · Front Disc Brakes and Rear Drum Brakes · Full Air Brake System with
 - Automatic Slack Adjusters

Hydraulic Leveling Jacks

Freightliner[®] V-Series VFS

I-beam Front Suspension

Freightliner[®] V-Series V-Ride

with Control Panel

Rear Suspension

- Single Stage Variable Geometry Turbocharger (VGT) Engine Brake
- Manual Parking Brake
- · Driver and Passenger Side Fuel Fill
- Tire Pressure Monitoring
- Adaptive Cruise Control Automatic Traction Control
- Collision Mitigation with Forward
- Warning and Active Braking
- · Electronic Stability Control

¹ Peak horsepower achieved at 2,200 RPM. Peak torgue achieved at 1,200 RPM. Cummins® B67 360 HP Diesel Engine is no longer available.

WHEEL OPTIONS	33 AA	37 BA	38 KA
Aluminum Wheels	S	S	S
American Racing Octane Wheels in Satin Black	0	0	0

Custom Tuned Sachs® Shock Absorbers

CONSTRUCTION						
 Seamless One-piece G Fiberglass Molded Roo 		 One-piece Molded Gel-coat Fiberglass Front and Rear Caps 	 High-perform Insulation in 			
• 5 1/4" Formed Roof Ins	ulation	 Steel Cockpit Overhead Support Frame 	 Steel Floor S 	 Steel Floor Skeleton 		
 Tubular Aluminum Roof Skeleton Frames Extraordinaire™ Ducted Air Cooling System 		 Crane® Composites Noble® Select All-Composite Exterior Sidewalls Tubular Aluminum Wall Skeleton Frames 	 Engineered Wood Sub-flooring 			
			 1 1/2" Thick Thermal Insulation in Floor Steel Basement Construction 			
CONSTRUCTION OPTION	S		33 AA	37 BA	38 KA	
Slide-out Mechanisms Combination Hy		draulic and Electric Slide-out Mechanisms ¹	S	-	-	
	Hydraulic Slide-o	out Mechanisms	-	S	S	

1 The 33 AA's vanity slide features a electrically powered rack and pinion system

ELECTRICAL

Spyder Controls Multiplex System 2,000-Watt Pure Sine Wave Inverter Satellite Internet Prep in UPDATED Charger with Auto-Gen Start and Sewer Compartment · Firefly Integrations Mira Module Interior Remote Control 2 12-Volt Breaker Panel · Centralized 7.5" Spyder · Battery Slide-out Tray System Main Monitor · 12-Volt Disconnect Switch 50-Amp Shore Power • Rotary Disconnect Switches for House · Interior Entryway Spyder System Color Touchscreen Auxiliary Solar Port Batteries, Chassis Batteries, and Inverter · Additional Spyder Color • HD Over-the-air Antenna · Ground Fault Circuit Interrupter Touchscreens Throughout Coach (GFCI) Outlets at Galley, · Park Cable and Ground Satellite Hook-up Lavatories, and Sewer Bay 8.0-Kilowatt Onan® Quiet · Prep for In-motion Satellite Diesel Generator • 110-Volt Exterior Receptacle Blu-ray[™] Player · Generator Slide Tray Surge Guard® Transfer Switch Satellite Receiver ³ · USB Receptacles Throughout Coach ELECTRICAL OPTIONS 33 AA 37 BA 38 KA Heating and Liquid Propane (LP) Coach⁴ S S S Cooktop Hydronic Heating & Electronic Appliance Equipped Coach⁵ 0 0 0 Power Source House (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries S S S Batteries (6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries 0 0 0 Air S S (2) 15,000-BTU Air Conditioners with Heat Pumps S

a				
Conditioning	(2) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains	0	0	0
Space	(1) 35,000-BTU and (1) 30,000-BTU Ducted Furnaces 6	D	-	-
Heating	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces 6	-	D	-
	(2) 30,000-BTU Ducted Furnaces ⁶	-	-	D
	Aqua-Hot® 250D Heat Exchanger 7	D	D	D
Solar Panels	Prep for Solar Panels ⁸	0	0	0
	(1) 200-Watt Solar Panel with (1) 30-Amp Controller	0	0	0
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller	0	0	0
In-motion Satellite Dish ⁹		0	0	0
Prewiring for Winegard® Trav'ler™ Satellite [™]		0	0	0

0

0

0

¹ Download the accompanying Vegatouch app to control your coach locally within Bluetooth range.

- ² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- ³ Requires subscription. (Only available with in-motion satellite option.)
- ⁴ Propane is used to power the ducted furnaces, the water heater, and liquid propane cooktops.
- ⁸ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach".
- 6 Standard with LP coach option.

Wi-Fi Booster

- 7 Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water
- 8 Includes docking ports for aftermarket solar panels.
- ⁹ High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®. In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA
- ¹⁰ In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA.

Allegro Red Specifications, Features, and Options

KEY: S : Standard Feature O : Optional Feature; Addit	ional costs may apply D : Dependent; Availability	y is dependent on selection of another option - : Not A	wailable
---	---	---	----------

PLUMBING						
 Aqua View Showermiser™ Water Filter Water Pump Switch Access from Spyder System and Sewer Bay Board Low-point Water Drain Lines 		 Black Holding Tank Flush System Gravity Water Fill 	 Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports Exterior Rinse Hose with Shower Head Sewer Bay Hand Sanitizer and Paper Towel Holders 			
		 Heated Fresh and Holding Tank Compartment via Heat Duct 				
		Tank Level Monitor System				
ELECTRICAL OPTIONS			33 A A	37 BA	38 KA	
Water Heater Truma AquaGo™ Comfort Instant Water Heater 1 Aqua-Hot® 250D Heat Exchanger 2		D	D	D		
		250D Heat Exchanger ²	D	D	D	
Water Heater Bypass System ³		D	D	D		

¹ Now controllable through the Truma control panel an

² Replaces Truma AquaGo™ Comfort instant water he

³ Standard with LP coach option. Not necessary with

water.

Full-body Paint with (3) Layers of Clear Coat	 120-Volt and 12-Volt Outlets Inside Cargo Bays 		ge USB ports wit / Compartment	thin
Single-colored Slide-out Endwalls High Performance Protective Film on Front Cap and Select Areas	 Pass-through Basement Storage Charcoal Carpet Cargo Walls Fiberglass Reinforced Plastic 	Integrated • Entry Doo	r Grab Handle	
(1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting Girard® Powered Door Awning with Integrated LED Lighting	Basement Floor • Frameless, Single-Pane Windows • Exterior Patio Light	 Automatic Front Doo 	Front Entrance L Double Entry Si r Entry System v	tep
Girard® Slide-out Toppers Side-swinging Exterior Storage Doors with Gas Shocks Lockable Handles on Compartment Doors	 Daytime Running Lights Docking Lights Chrome Power Heated Side-View Mirrors with Integrated Cameras 	• Mud Flaps • Custom Re • Lippert™ Ladder ³		lescoping
Motion-sensor Lights in Cargo Bay	 Exterior TV with Soundbar and Swivel Mount 	33 AA	37 BA	38 KA
(1) Manual Storage Compartment Slide-out	Tray ²	0	0	0

¹ Entry system does not include exterior Spyder keypad.

² Trays slide out on both sides of motorhome.

³ All units will ship with a Lippert[™] On-The-Go[™] Prepped Receiver installed.

 Black Holding Tank Flush System Gravity Water Fill Heated Fresh and Holding Tank Compartment via Heat Duct Tank Level Monitor System 	Gravity Bl • Exterior R • Sewer Ba	ed Exterior Sewe ack and Grey Ev inse Hose with S y Hand Sanitizer vel Holders	vacuation Ports Shower Head	 Handcrafted Overhead Cabinet Carpeted Step Well with Comp Powered Step Well Cover Living Area TV Solid Surface Galley Counterto 	osite Steps	 Dimmable LED Lighting Prep for Washer and D Carbon Monoxide Dete LPG Leak Detector Smoke Detector
	33 A A	37 BA	38 KA	 Handcrafted Slide-out Fascia 		 Fire Extinguisher
[™] Comfort Instant Water Heater ¹	D	D	D	 Soft Touch Vinyl Ceiling 		 Solar and Privacy Shace
DD Heat Exchanger ²	D	D	D	OPTIONS		
	D	D	D	Interior Décor Packages	Vapor	NEW
					Morocco	NEW
and the Spyder System control panels. Standard					Adobe P	endleton National Parks C
heater when all-electric coach option is selected	. Aqua-Hot® heat e	changer provides	both heated air and	Driver/Passenger Seats	Mineral L	ifestyle Leather 1 NE
h all-electric coach option.				White Sand Lifestyle Leather ²		
					Ore Lifes	style Leather ³ NEW
 120-Volt and 12-Volt Outlets 	East Char	ae USB ports wi	ithin	Dipette/Living Eurpiture	Dove Life	estyle Leather ⁴ NEW

	Morocco NEW	0	0	0
	Adobe Pendleton National Parks Collection NEW	0	0	0
Driver/Passenger Seats	Mineral Lifestyle Leather 1 NEW	D	D	D
	White Sand Lifestyle Leather ² NEW	D	D	D
	Ore Lifestyle Leather ³ NEW	D	D	D
Dinette/Living Furniture	Dove Lifestyle Leather ⁴ NEW	D	D	D
	Stucco Belgium Lifestyle Leather ⁵ NEW	D	D	D
Cabinetry Stain	Shadow	0	0	0
	Sandstone	0	0	0
	White Linen	0	0	0
	Platinum	0	0	0
Floor Tiles	Articulo White Polished Floor Tile 6 NEW	D	D	D
	Weathered Beige Matte Floor Tile 7 NEW	D	D	D
Standalone Living Area Firepl	ace	0	-	0
Stacked Washer and Dryer		0	0	0
Gold Heat® Dual Zones Heated Tile Floor		0	0	0
Central Vacuum System		0	0	0
 Required with Vapor Interior Decor. Required with Vapor and Morocco Interior Decor. Required with Adobe Pendleton National Parks 			l with Adobe Pendle ion Interior Decor.	eton National Parks

2

Collection Interior Decor.

INTERIOR

Collection Interior Decor.

⁶ Required with Vapor and Morocco Interior Decor.

DRIVER'S COMPARTMENT

³ Required with Adobe Pendleton National Parks

- Lifestyle Leather Power Driver
 NEW and Passenger Seats
- · Dual Driver And Passenger Seat Armrests
- · Swivel Bases for Driver and Passenger Seats
- · Adjustable Seatbelt Brackets
- Powered Passenger Seat Footrest
- · Tilt and Telescoping Steering Wheel with Integrated Controls

D

- · Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Matte Gray Accents
- Mounted Dash Fans
- Cupholders on Driver and Passenger Side
- Digital Dash Cluster
- (1) Center Storage Drawer

- · Passenger Console Controls for Map Light, Fan, and Step Well Cover
- Driver and Passenger Map Lights One-piece Panoramic Windshield
- Single-motor Intermittent
- Windshield Wipers
- · Automatic LED Headlights Side-view Cameras¹
- · Color Back-up Camera
- 7" High Definition LED Multichannel Monitor for Sideview and Back-up Cameras

- Stereo with AM & FM Radio, CD Player, and Satellite Radio 2
- · Ceiling Mounted Speakers
- Overhead Cabinetry with Wooden Panel Doors

Soft-closing Drawers

· Powered Roof Vents

33 A A

0

· Interior Grab Handle at Entry Door

· Egress Windows Throughout Coach

37 BA

0

38 KA

0

- · Auxiliary Start Switch
- · Concealed Air Horn
- Manual Opening Driver Side Window
- · Solid, Non-opening Passenger Side Window
- · Powered Solar and Privacy Windshield Shade
- · Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	33 A A	37 BA	38 KA
In-dash Navigation System	0	0	0
Front Overhead TV	0	0	0
Electric Front Overhead Drop-Down Bunk ³	0	0	0

¹ Integrated within side-view mirrors and activated by turn signals.

² Subscription required for satellite radio.

^a Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder

Allegro Red Specifications, Features, and Options

KEY: S: Standard Feature | O: Optional Feature; Additional costs may apply | D: Dependent; Availability is dependent on selection of another option | -: Not Available

DINETTE	AND LIVING AREA OPTIONS	SLEEPS	SEATS	SEATBELTS	33 AA	37 BA	38 KA
Drivers Side Dinette	75" Booth Dinette-Sleeper 1	1	4	2	-	S	-
	75" Dinette with Chairs 2	-	2	-	-	0	-
	75" U-shaped Dinette	-	4	2	-	0	-
	72" Booth Dinette-Sleeper ³	1	4	2	-	-	S
	72" Dinette with Chairs ²	-	2	-	-	-	0
	72" U-shaped Dinette	-	4	2	-	-	0
Drivers Side Furniture	85" Air Coil Sofa Bed with Recliner 4	2	4	3	S	-	-
	114" Super Sofa ⁵	2	3	3	0	-	-
	74" Air Coil Sofa Bed 6	1	3	3	-	S	-
	74" Theater Seating	-	2	2	-	0	-
	85" Air Coil Sofa Bed ⁴	2	3	3	-	-	S
	83" Theater Seating	-	2	2	0	-	0
Passenger Side Dinette	72" Booth Dinette-Sleeper ³	1	4	2	S	-	-
	72" Dinette Bar with Lift TV 7	-	2	-	0	-	-
	72" Dinette with Chairs ²	-	2	-	0	-	-
	72" U-shaped Dinette	-	4	2	0	-	-
Passenger Side Furniture	64" DE Sofa Bed with Lift TV ⁸	1	2	2	-	S	-
	Recliner and Lift TV with Fireplace	-	1	-	-	0	-
Passenger Side Bunk Beds (28" x 70") 9		2	-	-	-	-	S

BEDROOM						
Under Bed Storage		 Handcrafted Privacy Door 	 Centralized Entertainment Center ¹ 			
 Bedside Windows 		 LED Reading Lights 	 Ceiling Fan 			
 Overhead Cabinets with Headboard 		 Nightstand with Solid Surface Tops 	 Laundry Hamper 			
 Bed Comforter with Throw 	v Pillows	 Mounted Bedroom TV 				
BEDROOM OPTIONS			33 AA	37 BA	38 KA	
Mattress	King I	Mattress (72" x 80")	S	S	S	
	Queen Mattress (60" x 80")		-	0	0	
Bedroom Storage	Floor-to-ceiling Closet Space		S	-	-	
	Wardrobe with Drawers Underneath		-	S	S	
Bedroom Egress Door			0	0	0	

¹ Houses Blu-ray[™] player, satellite receiver, and cable TV hook-up.

• (1) Porcelain Master Bathroom Sink		 Shower Skylight 	 Mirrored Medicine Cabinet 			
 Solid Surface Lavatory Top 		 Shower LED Light with Sliding Cover 	 Roof Vent Fan 			
 Handheld Shower Head with Slide Bar 		 Towel and Toilet Paper Holders 	 Base Cabinet 			
BATHROOM OPTIONS			33 AA	37 BA	38 KA	
Number of Bathrooms	(1) Bathroom		S	-	-	
	(1) Bathroom and (1) Half-bath ¹		-	S	S	
Shower	One-Piece Molded Fiberglass Shower (34.5" x 34.5")		S	-	-	
	One-Piece Molded Fiberglass Shower (28.5" x 40.5")		-	S	S	
Toilet	(1) Gravity Flush Toilet		S	-	-	

-

S

S

¹ Piece of furniture converts to 72" x 45" sleeping area.

² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.

- $^{\scriptscriptstyle 3}$ $\,$ Piece of furniture converts to 69" x 45" sleeping area.
- 4 $\,$ Mattress measures 72" x 59" and includes internal pump.
- ⁵ Consists of a flip and fold sofa bed, a 37" single theater seat, and a center console. Flip and fold sofa bed converts to 70" x 59" sleeping area.
- ⁶ Mattress measures 72" x 52" and includes internal pump.
- 7 Includes (2) freestanding accent chairs.
- ⁸ Piece of furniture converts to 57" x 49" sleeping area.
- ⁹ Now includes tablet holders in bunk areas.

KITCHEN

 1.7-Cubic Foot Smart Convection Microwave with Air Fry Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer 		 Galley Overhead Cabinets Panoramic Galley Window Task Lighting 	 Full Tile Backsplash Solid Surface Galley Countertop, Sink, and Cooktop Cover 		
KITCHEN OPTIONS			33 A A	37 BA	38 KA
Refrigerator	20-Cubic Fe with Top Fre	oot Stainless Steel Residential Refrigerator ezer 1	S	S	-
	23-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹		-	-	S
Cooking Appliances	Three-Burne	er Liquid Propane Cooktop ²	D (S)	D (S)	D (S)
	Oven Range with Liquid Propane Cooktop ³		D (O)	D (O)	D (O)
	Two-Burner Induction Cooktop ⁴		D	D	D
Drawer-style Dishwasher 5			0	0	0
Extendable Countertops	Flip and Fold Countertop Extension		S	-	-
	Pull-Out Solid Surface Work Surface UPDATED		-	S	S

¹ Refrigerator volume is approximated.

² Standard with LP coach option. Not available with hydronic heating & electronic appliance equipped coach option.

^a Option with LP coach option. Replaces three-burner liquid propane cooktop when selected. Not available with hydronic heating & electronic appliance equipped coach option. Cannot option dishwasher and oven with cooktop together.

⁴ Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

⁶ Cannot option dishwasher and oven with cooktop together.

Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation. For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.

(1) Gravity Flush Toilet and (1) Macerator Toilet

1 All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.