WEIGHTS AND MEASURES	35 CH	37 BH	40 IH	44 OH
DIMENSIONS				
Overall Length (approx.) 1	37' 9"	38' 2"	41' 4"	45"
Wheel Base ²	222"	234"	266"	310"
Overall Width ¹	101"	101"	101"	101"
Overall Height ³	13' 3"	13' 3"	13' 3"	13' 3"
Minimum Garage Height	14'	14'	14'	14'
Interior Height	83"	83"	83"	83"
Interior Width	96"	96"	96"	96"
Square Footage (approx.) ⁴	375	375	405	440
Basement Storage (cubic feet, approx.) 5	131	162	232	232
VEIGHT LIMITS				
GAWR—Front (pounds) UPDATED	16,000	16,000	16,000	16,000
GAWR- Tag Axle (pounds)	-	-	-	10,000
GAWR-Rear (pounds)	24,000	24,000	24,000	20,000
GVWR (pounds) UPDATED	40,000	40,000	40,000	46,000
Maximum Trailer Weight (pounds) ⁶	10,000	10,000	10,000	10,000
Hitch Rating (pounds)	10,000	10,000	10,000	10,000
GCWR (pounds) UPDATED	50,000	50,000	50,000	56,000
CAPACITIES				
Fuel Tank (gallons)	100	100	100	100
DEF Tank (gallons) - PowerGlide® Chassis ⁷	10	10	10	10
DEF Tank (gallons) - Freightliner® Chassis ⁷	13	13	13	13
Fresh Water (gallons)	100	100	100	100
Grey Water (gallons)	100	100	100	100
Black Water (gallons)	55	55	55	55
LPG Tank (gallons) ⁸	35.7	35.7	35.7	-
QUANTITIES				
Number of Slideouts	3	3	4	4
Sleeping Capacity ⁹	2 to 4	2 to 6	2 to 6	2 to 8
Sleeping Areas ⁹	1 to 3	1 to 5	1 to 5	1 to 5
Seat Belts ⁹	4	4 to 8	4 to 8	4 to 10
Seating Capacity 9	6	7 to 10	7 to 10	7 to 12

- 1 The approximated coach width and length does not include side view mirrors and rear ladders.
- ² On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.
- ³ 37 BH's overall height increased from 12' 7" to 13' 3" due to new XSH Chassis.
- Square footage was calculated with the slide-outs fully extended.
- ⁵ 37 BH's basement storage increased from 122 to 162 cubic feet due to new XSH Chassis.
- 6 Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.
- ⁷ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA
- 8 LPG tank can only be filled to 80% capacity.
- 9 Dependent on furniture and dinette options.

CHASSIS AND DRIVETRAIN

- . Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque
- · Two-wheel Drive
- Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter
- Front and Rear 295/80R 22.5 Tires
- (2) 12-Volt Flooded Lead-Acid Chassis Batteries
- · Hydraulic Leveling Jacks with Control
- ZF Independent Front Suspension
- Rear Radiator
- . Front Disc Brakes and Rear Drum Brakes
- · Full Air Brake System with Automatic Slack Adjusters • Three-stage Compression Brake
- · Manual Parking Brake
- · Driver and Passenger Side Fuel Fill
- · Tire Pressure Monitoring
- Adaptive Cruise Control
- · Automatic Traction Control
- · Collision Mitigation with Forward Warning and Active Braking
- · Electronic Stability Control

CHASSIS AND DRIVETRAIN OPTIONS			37 BH	40 IH	44 OH
Chassis	Freightliner PowerGlide® XC Raised Rail Rear Engine Diesel Chassis	S	S	S	S
Alternator	240-Amp Alternator	S	S	S	S
Wheels	Aluminum Wheels ²	D	D	D	D
	Black Aluminum Wheels ³	D	D	D	D
Rear Suspension	Freightliner® V-Series V-Ride Rear Suspension	S	S	S	S
Shocks	Custom Tuned Koni® Shock Absorbers UPDATED	S	S	S	S
Steerable Tag Axle		_	-	_	S

- Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400 RPM. Now standard on all floorplans.
- Standard with all exterior color packages, excluding Midnight Edition.
- 3 Standard with Midnight Edition exterior color package. Not available with other exterior color packages.

CONSTRUCTION

- Seamless One-piece Gel-coat Fiberglass Molded Roof Cap
- 5 1/4" Formed Roof Insulation
- Tubular Aluminum Roof Skeleton Frames
- Extraordinaire™ Ducted Air Cooling System
- · One-piece Molded Gel-coat Fiberglass Front and Rear Caps
- Steel Cockpit Overhead Support Frame
- Crane® Composites Noble® Select All-Composite Exterior Sidewalls
- Tubular Aluminum Wall Skeleton Frames
- · High-performance Thermal Insulation in Sidewalls
- · Engineered Wood Sub-flooring
- · Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation
- · Steel Basement Construction
- · Rust Protective Undercoating · Hydraulic Slide-out Mechanisms
- Extra Storage Chassis Construction
- 1 Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area. Now available on 37 BH.

PLUMBING

- · Aqua View Showermiser
- Water Filter
- · Water Pump Switch Access from Spyder System and Sewer Bay Board
- · Low-point Water Drain Lines
- · Black Holding Tank Flush System
- Gravity Water Fill
- · Heated Fresh and Holding Tank Compartment via Heat Duct
- SeeLevel™ Tank Monitor
- · Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports
- . Exterior Rinse Hose with Shower Head
- · Sewer Bay Hand Sanitizer and Paper Towel Holders
- · Fresh Water Hose with Power Retract Reel
- · Grey Tank Flush System

PLUMBING OPTIONS	;	35 CH	37 BH	40 IH	44 OH
Water Heater	Truma AquaGo™ Comfort Instant Water Heater 1	D	D	D	-
	Aqua-Hot 450D Heat Exchanger 2	D	D	D	S
Water Heater Bypass System ³		D	D	D	-

- 1 Controllable through the Truma control panel and the Spyder System control panels. Standard with LP coach option.
- ² Replaces Truma AquaGo Comfort Instant Water Heater when hydronic heating and electronic appliance equipped coach option is selected. Aqua-Hot heat exchanger provides both heated air and water.
- 3 Standard with LP coach option. Not necessary with hydronic heating and electronic appliance equipped coach option.

ELECTRICAL

- · Spyder Controls Multiplex System
- · Firefly Integrations Mira Module
- · Centralized 10" Spyder System Main Monitor
- · Passenger Console Spyder System Color Touchscreer
- · Interior Entryway Spyder System Color Touchscreer
- Exterior Spyder System Color Touchscreer
- · Additional Spyder Color Touchscreens Throughout Coach • 10.0-Kilowatt Onan® Quiet Diesel
- · Generator Slide Tray

Generator

- (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and
 - Condensation Drains • 50-Amp Shore Power with Powered

. 2,000-Watt Pure Sine Wave Inverter

Charger with Auto-Gen Start and Interior

- Retract Reel
- · Auxiliary Solar Port

Remote Control

- · Energy Management System . HD Over-the-air Antenna
- Park Cable and Ground Satellite Hook-up
- · Prep for In-motion Satellite
- Blu-ray™ Player
- Satellite Receiver 3

- 12-Volt Breaker Panel
- 12-Volt Disconnect Switch
- (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries
- Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter
- Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer
- 110-Volt Exterior Receptacle
- · Surge Guard® Transfer Switch
- USB Receptacles Throughout Coach
- Prewiring for Winegard[®] Trav'ler[™] Satellite
- Starlink Roof Prep

ELECTRICAL OPTIO	NS	35 CH	37 BH	40 IH	44 OH
Heating and Cooktop Power	Liquid Propane (LP) Coach 4	S	S	S	-
Source	Hydronic Heating & Electronic Appliance Equipped Coach ⁵	0	0	0	S
House Batteries	(6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries	0	0	0	0
	(3) 12-Volt, 270-Amp Hours Lithium House Batteries	0	0	0	0
	Battery Slide-out Tray ⁶	D	D	D	D
Space Heating	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces 7	D	D	_	_
	(2) 30,000-BTU Ducted Furnaces 7	-	_	D	_
	Aqua-Hot® 450D Heat Exchanger ®	D	D	D	S
Solar Panels	Prep for Solar Panels ⁹	0	0	0	0
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller 10	0	0	0	0
	(6) 200-Watt Solar Panels with (2) 30-Amp Controllers ¹¹	-	_	0	0
In-motion Satellite	Dish ¹²	0	0	0	0
Internet & Phone	Prep for Wi-Fi Booster ¹³	D	D	D	D
	Wi-Fi Booster ¹⁴	0	0	0	0
	Starlink® Pro 15	0	0	0	0

- 1 Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.
- ² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
- 3 Requires subscription. (Only available with in-motion satellite option)
- ⁴ Propane is used to power the ducted furnaces, the water heater, and the liquid propane cooktop.
- ⁵ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach"
- ⁶ Standard with flooded and extended cycle AGM batteries. Not available with lithium batteries.
- 7 Standard with LP coach option
- 8 Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.
- 9 Includes docking ports for aftermarket solar panels.
- ¹⁰ Not combinable with Starlink Pro option on 44 OH.
- ¹¹ Not combinable with Starlink Pro option on 37 BH or 40 IH.
- ¹² High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.
- Standard unless Starlink Pro is optioned.
- Not combinable with Starlink Pro option.
- ¹⁶ Not combinable with Wi-Fi Booster option. Requires subscription.

EXTERIOR

- Full-body Paint with (4) Layers of Clear
- · Single-colored Slide-out Endwalls
- · High Performance Protective Film on Front Cap and Select Areas
- · Girard® Powered Door Awning with Integrated LED Lighting
- · Girard® Manual Window Awning Package
- · Girard® Slide-out Toppers
- · Side-swinging Exterior Storage Doors with Gas Shocks
 - Lockable Handles on Compartment Doors
 - · Motion-sensor Lights in Cargo Bay

 - 120-Volt and 12-Volt Outlets Inside Cargo

- Bays
- · Pass-through Basement Storage
- Charcoal Carpet Cargo Walls
- · Fiberglass Reinforced Plastic Basement
- · Frameless, Dual-Pane Windows
- · Exterior Patio Light
- · Daytime Running Lights
- · Docking Lights
- · Chrome Power Heated Side-View Mirrors with Integrated Cameras
- · Exterior TV with Soundbar
- · Fast Charge USB ports within Exterior TV

- Compartment
- · Lightweight Entry Door with Integrated Screen
- · Deadbolt Front Entrance Lock
- · Lighted Entry Door Grab Handle
- · Automatic Stainless Steel Double Entry
- · Keyless Entry System for Front Entrance and Compartment Doors
- Mud Flaps
- · Custom Rock Guard

Lippert™ On-The-Go™ Telescoping Ladder 3

EXTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Patio Awnings	(1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting	S	S	S	S
	(2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature	0	0	0	0
Slide Trays ¹	(1) Manual Storage Compartment Slide-out Tray	0	0	0	0
	(2) Manual Storage Compartment Slide-out Trays	_	_	0	0

¹ Trays slide out on both sides of motorhome.

³ All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIO

- · Handcrafted Overhead Cabinetry
- · Solid Surface Step Well
- · Powered Step Well Cover
- · Storage Compartment Within Entry Steps
- · Recessed Step Well Lighting
- · Living Area TV
- · Solid Surface Galley Countertop
- · Handcrafted Slide-out Fascia
- · Soft Touch Vinyl Ceiling
- · Dimmable LED Lighting
- · Prep for Washer and Dryer
- · Carbon Monoxide Detector
- · LPG Leak Detector
- Smoke Detector

- · Fire Extinguisher
- · Solar and Privacy Shades
- · Soft-closing Drawers
- · Powered Roof Vents · Central Vacuum System with VacPan® Automatic Dustpan
- · Interior Grab Handle at Entry Door
- Egress Windows Throughout Coach

INTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Interior Décor Packages	Gelato NEW	0	0	0	0
	Titanium NEW	0	0	0	0
	Mesa NEW	0	0	0	0
Furniture Covering	Bamboo Lifestyle Leather ¹ NEW	D	D	D	D
	Rice Wine Lifestyle Leather ² NEW	D	D	D	D
Cabinetry Color	Shadow	0	0	0	0
	White Linen	0	0	0	0
	Platinum	0	0	0	0
	Black Truffle	0	0	0	0
Floor Tiles	Articulo White Polished Tile ⁷ NEW	0	0	0	0
	Weathered Beige Tile ⁸ NEW	0	0	0	0
Standalone Living Area Fireplace		0	0	0	0
Stacked Washer & Drye	r	0	0	0	0
Gold Heat® Dual Zones	Heated Tile Floor ⁹	0	0	0	0

- ³ Recommended with Mesa Interior Décor. 4 Required with Gelato Interior Decor.
- 5 Required with Titanium Interior Decor.
- 6 Required with Mesa Interior Decor
- 7 Recommended with Gelato & Titanium Interior
- 8 Recommended with Mesa Interior Decor.
- 9 No heated tile in rear bath on 37 BH

Recommended with Gelato Interior Décor.

² Recommended with Titanium Interior Décor.

· Shower Skylight

Base Cabinet

DRIVER'S COMPARTMENT

- · Lifestyle Leather Power Driver and Passenger Seats UPDATED
- Dual Driver And Passenger Seat Armrests
- · Swivel Bases for Driver and Passenger Seats
- Powered Passenger Seat Footrest
- · Integrated Seat Belts on Driver and Passenger Seats
- Tilt and Telescoping Steering Wheel with Integrated Controls
- · Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Graphite Accents
- Mounted Dash Fans
- · Cupholders on Driver and Passenger Side
- · Digital Dash Cluster
- (1) Center Storage Drawer

- · Generator Start & Stop Rocker Switch
- · USB Dash Receptacles
- 12-Volt Dash Receptacle
- · Backlit Dash Rocker Switches
- · Passenger Console Wireless Phone Charger
- Driver and Passenger Map Lights · One-piece Panoramic Windshield
- · Single-motor Intermittent Windshield
- · Automatic LED Headlights
- Side-view Cameras
- · Color Back-up Camera
- 10" High Definition LED Multichannel Camera Monitor

- . Stereo with AM & FM Radio, CD Player, and Satellite Radio
- · Ceiling Mounted Speakers
- · Overhead Cabinetry with Wooden Panel Doors
- · Auxiliary Start Switch
- · Concealed Air Horn
- · Manual Opening Driver Side Window
- · Solid, Non-opening Passenger Side Window
- · Powered Solar and Privacy Windshield Shade
- · Manual Solar and Privacy Shades on Side

DRIVER'S COMPARTMENT OPTIONS	35 CH	37 BH	40 IH	44 OH
Blind Spot Monitoring System	0	0	0	0
In-dash Navigation System	0	0	0	0
Front Overhead TV	0	0	0	0
Pet Perks Package ³ NEW	0	0	0	0
Electric Front Overhead Drop-Down Bunk 4	0	0	0	0

- Integrated within side-view mirrors and activated by turn signals.
- ² Subscription required for satellite radio.

- 3 Includes pet dish holder and leash holder at entrance door
- 4 Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

Ceiling Fan

· Laundry Hamper

· Centralized Entertainment Center

BEDROOM

- Under Bed Storage
- Bedside Windows
- · Overhead Cabinets with Headboard
- · Bed Comforter with Throw Pillows
- · Handcrafted Privacy Door
- · LED Reading Lights
- · Nightstand with Solid Surface Tops
- · Mounted Bedroom TV

BEDROOM OPTIONS		35 CH	37 BH	40 IH	44 OH
Mattress	Memory Foam King Mattress (72" x 80") with Power Smart Lift	S	-	_	_
	Memory Foam Queen Mattress (60" x 80") with Power Smart Lift	0	-	-	_
	Memory Foam King Mattress (72" x 80")	-	S	S	S
	Memory Foam Queen Mattress (60" x 80")	-	0	0	0
Bedroom Storage	Floor-to-ceiling Closet Space	S	_	S	_
	Wardrobe with Drawers Underneath	-	S	-	_
	Walk-in Closet	-	_	-	S
Safe		0	0	0	0
Bedroom Egress Door		0	0	0	0

Houses Blu-ray™ player, satellite receiver, and cable TV hook-up.

KITCHEN

- 1.7-Cubic Foot Smart Convection Microwave with Air Frv
- · Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- · Built-in Soap Dispenser
- · Galley Overhead Cabinets with Pull-out Drawers
- · Panoramic Galley Window
- Task Lighting

- Toe Kick Lighting
- · Full Tile Backsplash
- · Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS		35 CH	37 BH	40 IH	44 OH
Refrigerator	22-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	S	-	-	-
	25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	S	S	S
Cooking Appliances	Three-Burner Liquid Propane Cooktop ²	D	D	D	-
	Two-Burner Induction Cooktop ³	D	D	D	S
Drawer-style Dishwasher		0	0	0	0
Manual Release Expand-An-Island		_	S	S	S

- ¹ Refrigerator volume is approximated.
- Standard with LP Coach option.
- ^a Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

BATHROOM

- Solid Surface Lavatory Top
- · Handheld Shower Head with Slide Bar
- · Shower LED Light with Sliding Cover
- · Towel and Toilet Paper Holders
- Roof Vent Fan

BATHROOM OPTIONS		35 CH	37 BH	40 IH	44 OH
Number of Bathrooms	(1) Bathroom	S	_	_	_
	(1) Bathroom and (1) Half-bath ¹	-	S	S	S
Master Bathroom Sink	(1) Porcelain Master Bathroom Sink	-	S	-	-
	(2) Porcelain Master Bathroom Sinks	S	-	S	S
Shower	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	S	-	S	S
	One-Piece Molded Fiberglass Shower (31.75" x 40")	-	S	-	_
Toilet	(1) Macerator Toilet	S	-	-	_
	(1) Gravity Flush Toilet and (1) Macerator Toilet	-	S	S	S
Master Bathroom Medicine Cabinet	Medicine Cabinet with Tri-view Vanity Mirror	S	-	S	S
modicino Cabillot	Mirrored Medicine Cabinet	_	S	_	_

All half-baths contain a toilet and a solid surface countertop with a single porcelain sink

INETTE A	ND LIVING AREA	SLEEPS	SEATS	SEATBELTS	35 CH	37 BH	40 IH	44 OH
Driver Side Dinette	75" Booth Dinette-Sleeper 1	1	4	2	_	S	-	-
Dirictic	75" U-shaped Dinette	-	4	2	_	0	_	-
-	75" Dinette with Chairs ²	-	2	-	_	0	-	_
Driver Side Furniture	74" Air Coil Sofa Bed ³	1	2	2	S	S	S	-
rumture	74" Theater Seating	-	2	2	0	0	0	-
	89" Air Coil Sofa Bed ⁴	1	3	3	-	-	-	S
	89" Theater Seating	-	2	2	-	-	-	0
Passenger Side	75" Dinette with Chairs and Lift TV ²	-	2	-	S	_	_	_
Dinette	75" Dinette Bar with Lift TV ⁵	-	2	-	0	_	_	_
	72" Booth Dinette-Sleeper ⁶	1	4	2			S	-
	72" Dinette with Chairs ²	-	2	-	_	-	0	-
	72" U-shaped Dinette	-	4	2	_	-	0	_
	75" Booth Dinette-Sleeper 7	1	4	2	-	-		S
	75" U-shaped Dinette	-	4	2	-	-	-	0
	75" Dinette with Chairs ²	-	2	-	-	-	-	0
Passenger Side	64" DE Sofa Bed with Lift TV 8	1	2	2	-	S	-	-
Furniture	68" DE Sofa Bed with Lift TV 9	1	2	2	-	-	S	-
	68" Air Coil Sofa Bed with Lift TV 10	1	2	2	-	-	0	-
	84" DE Sofa Bed with Lift TV 11	1	3	3	-	-	-	S
	84" Air Coil Sofa Bed with Lift TV 12	2	3	3	-	-	-	0
	Recliner and Lift TV 13	-	1	-	-	0	0	0
	Recliner and Lift TV with Fireplace 13	-	1	-	-	0	0	0

- ¹ Piece of furniture converts to 72" x 45" sleeping area.
- ² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
- 3 Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
- Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
- ⁵ Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.
- ⁶ Piece of furniture converts to 69" x 45" sleeping area.
- Piece of furniture converts to 72" x 45" sleeping area.
- ⁸ Piece of furniture converts to 57" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 9 Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 10 Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
- $^{\mbox{\tiny 11}}$ Piece of furniture converts to 77" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
- 12 Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
- 13 Lift TV deletes cabinetry over furniture.