

Phaeton Specifications, Features, and Options

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

WEIGHTS AND MEASURES	35 CH	37 BH	40 IH	44 OH
DIMENSIONS				
Overall Length (approx.) ¹	37' 9"	38' 2"	41' 4"	45"
Wheel Base ²	222"	234"	266"	310"
Overall Width ¹	101"	101"	101"	101"
Overall Height ³	13' 3"	13' 3"	13' 3"	13' 3"
Minimum Garage Height	14'	14'	14'	14'
Interior Height	83"	83"	83"	83"
Interior Width	96"	96"	96"	96"
Square Footage (approx.) ⁴	375	375	405	440
Basement Storage (cubic feet, approx.) ⁵	131	162	232	232

WEIGHT LIMITS	35 CH	37 BH	40 IH	44 OH
GAWR—Front (pounds) UPDATED	16,000	16,000	16,000	16,000
GAWR— Tag Axle (pounds)	-	-	-	10,000
GAWR—Rear (pounds)	24,000	24,000	24,000	20,000
GVWR (pounds) UPDATED	40,000	40,000	40,000	46,000
Maximum Trailer Weight (pounds) ⁶	10,000	10,000	10,000	10,000
Hitch Rating (pounds)	10,000	10,000	10,000	10,000
GCWR (pounds) UPDATED	50,000	50,000	50,000	56,000

CAPACITIES	35 CH	37 BH	40 IH	44 OH
Fuel Tank (gallons)	100	100	100	100
DEF Tank (gallons) - PowerGlide® Chassis ⁷	10	10	10	10
DEF Tank (gallons) - Freightliner® Chassis ⁷	13	13	13	13
Fresh Water (gallons)	100	100	100	100
Grey Water (gallons)	100	100	100	100
Black Water (gallons)	55	55	55	55
LPG Tank (gallons) ⁸	35.7	35.7	35.7	-

QUANTITIES	35 CH	37 BH	40 IH	44 OH
Number of Slideouts	3	3	4	4
Sleeping Capacity ⁹	2 to 4	2 to 6	2 to 6	2 to 8
Sleeping Areas ⁹	1 to 3	1 to 5	1 to 5	1 to 5
Seat Belts ⁹	4	4 to 8	4 to 8	4 to 10
Seating Capacity ⁹	6	7 to 10	7 to 10	7 to 12

¹ The approximated coach width and length does not include side view mirrors and rear ladders.
² On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.
³ 37 BH's overall height increased from 12' 7" to 13' 3" due to new XSH Chassis.
⁴ Square footage was calculated with the slide-outs fully extended.
⁵ 37 BH's basement storage increased from 122 to 162 cubic feet due to new XSH Chassis.
⁶ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.
⁷ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.
⁸ LPG tank can only be filled to 80% capacity.
⁹ Dependent on furniture and dinette options.

CHASSIS AND DRIVETRAIN	35 CH	37 BH	40 IH	44 OH
<ul style="list-style-type: none"> Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque ¹ Two-wheel Drive Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter Front and Rear 295/80R 22.5 Tires (2) 12-Volt Flooded Lead-Acid Chassis Batteries 	<ul style="list-style-type: none"> Hydraulic Leveling Jacks with Control Panel ZF Independent Front Suspension Rear Radiator Front Disc Brakes and Rear Drum Brakes Full Air Brake System with Automatic Slack Adjusters Three-stage Compression Brake 	<ul style="list-style-type: none"> Manual Parking Brake Driver and Passenger Side Fuel Fill Tire Pressure Monitoring Adaptive Cruise Control Automatic Traction Control Collision Mitigation with Forward Warning and Active Braking Electronic Stability Control 		

CHASSIS AND DRIVETRAIN OPTIONS	35 CH	37 BH	40 IH	44 OH
Chassis	Freightliner PowerGlide® XC Raised Rail Rear Engine Diesel Chassis	S	S	S
Alternator	240-Amp Alternator	S	S	S
Wheels	Aluminum Wheels ²	D	D	D
	Black Aluminum Wheels ³	D	D	D
Rear Suspension	Freightliner® V-Series V-Ride Rear Suspension	S	S	S
Shocks	Custom Tuned Koni® Shock Absorbers UPDATED	S	S	S
Steerable Tag Axle	—	—	—	S

¹ Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400 RPM. Now standard on all floorplans. ³ Standard with Midnight Edition exterior color package. Not available with other exterior color packages.
² Standard with all exterior color packages, excluding Midnight Edition.

CONSTRUCTION	35 CH	37 BH	40 IH	44 OH
<ul style="list-style-type: none"> Seamless One-piece Gel-coat Fiberglass Molded Roof Cap 5 1/4" Formed Roof Insulation Tubular Aluminum Roof Skeleton Frames Extraordinaire™ Ducted Air Cooling System One-piece Molded Gel-coat Fiberglass Front and Rear Caps 	<ul style="list-style-type: none"> Steel Cockpit Overhead Support Frame Crane® Composites Noble® Select All-Composite Exterior Sidewalls Tubular Aluminum Wall Skeleton Frames High-performance Thermal Insulation in Sidewalls Engineered Wood Sub-flooring 	<ul style="list-style-type: none"> Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation Steel Basement Construction Rust Protective Undercoating Hydraulic Slide-out Mechanisms Extra Storage Chassis Construction ¹ 		

¹ Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area. Now available on 37 BH.

PLUMBING	35 CH	37 BH	40 IH	44 OH
<ul style="list-style-type: none"> Aqua View Showermiser Water Filter Water Pump Switch Access from Spyder System and Sewer Bay Board Low-point Water Drain Lines Black Holding Tank Flush System 	<ul style="list-style-type: none"> Gravity Water Fill Heated Fresh and Holding Tank Compartment via Heat Duct SeeLevel™ Tank Monitor Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports 	<ul style="list-style-type: none"> Exterior Rinse Hose with Shower Head Sewer Bay Hand Sanitizer and Paper Towel Holders Fresh Water Hose with Power Retract Reel Grey Tank Flush System 		

PLUMBING OPTIONS	35 CH	37 BH	40 IH	44 OH
Water Heater	Truma AquaGo™ Comfort Instant Water Heater ¹	D	D	D
	Aqua-Hot 450D Heat Exchanger ²	D	D	S
Water Heater Bypass System ³	D	D	D	—

¹ Controllable through the Truma control panel and the Spyder System control panels. Standard with LP coach option.
² Replaces Truma AquaGo Comfort Instant Water Heater when hydronic heating and electronic appliance equipped coach option is selected. Aqua-Hot heat exchanger provides both heated air and water.
³ Standard with LP coach option. Not necessary with hydronic heating and electronic appliance equipped coach option.

Phaeton Specifications, Features, and Options (Cont'd)

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | - : Not Available

ELECTRICAL				
<ul style="list-style-type: none"> • Spyder Controls Multiplex System • Firefly Integrations Mira Module ¹ • Centralized 10" Spyder System Main Monitor • Passenger Console Spyder System Color Touchscreen • Interior Entryway Spyder System Color Touchscreen • Exterior Spyder System Color Touchscreen • Additional Spyder Color Touchscreens Throughout Coach • 10.0-Kilowatt Onan® Quiet Diesel Generator • Generator Slide Tray 	<ul style="list-style-type: none"> • 2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control ² • (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains • 50-Amp Shore Power with Powered Retract Reel • Auxiliary Solar Port • Energy Management System • HD Over-the-air Antenna • Park Cable and Ground Satellite Hook-up • Prep for In-motion Satellite • Blu-ray™ Player • Satellite Receiver ³ 	<ul style="list-style-type: none"> • 12-Volt Breaker Panel • 12-Volt Disconnect Switch • (6) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries • Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter • Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay • 110-Volt Exterior Receptacle • Surge Guard® Transfer Switch • USB Receptacles Throughout Coach • Prewiring for Winegard® Travler™ Satellite • Starlink Roof Prep 		

ELECTRICAL OPTIONS		35 CH	37 BH	40 IH	44 OH
Heating and Cooktop Power Source	Liquid Propane (LP) Coach ⁴	S	S	S	-
	Hydronic Heating & Electronic Appliance Equipped Coach ⁵	O	O	O	S
House Batteries	(6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries	O	O	O	O
	(3) 12-Volt, 270-Amp Hours Lithium House Batteries	O	O	O	O
	Battery Slide-out Tray ⁶	D	D	D	D
Space Heating	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces ⁷	D	D	-	-
	(2) 30,000-BTU Ducted Furnaces ⁷	-	-	D	-
	Aqua-Hot® 450D Heat Exchanger ⁸	D	D	D	S
Solar Panels	Prep for Solar Panels ⁹	O	O	O	O
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller ¹⁰	O	O	O	O
	(6) 200-Watt Solar Panels with (2) 30-Amp Controllers ¹¹	-	-	O	O
In-motion Satellite Dish ¹²	O	O	O	O	
Internet & Phone	Prep for Wi-Fi Booster ¹³	D	D	D	D
	Wi-Fi Booster ¹⁴	O	O	O	O
	Starlink® Pro ¹⁵	O	O	O	O

¹ Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.
² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
³ Requires subscription. (Only available with in-motion satellite option)
⁴ Propane is used to power the ducted furnaces, the water heater, and the liquid propane cooktop.
⁵ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach".
⁶ Standard with flooded and extended cycle AGM batteries. Not available with lithium batteries.
⁷ Standard with LP coach option.
⁸ Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.
⁹ Includes docking ports for aftermarket solar panels.
¹⁰ Not combinable with Starlink Pro option on 44 OH.
¹¹ Not combinable with Starlink Pro option on 37 BH or 40 IH.
¹² High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.
¹³ Standard unless Starlink Pro is optioned.
¹⁴ Not combinable with Starlink Pro option.
¹⁵ Not combinable with Wi-Fi Booster option. Requires subscription.

EXTERIOR				
<ul style="list-style-type: none"> • Full-body Paint with (4) Layers of Clear Coat • Single-colored Slide-out Endwalls • High Performance Protective Film on Front Cap and Select Areas • Girard® Powered Door Awning with Integrated LED Lighting • Girard® Manual Window Awning Package • Girard® Slide-out Toppers • Side-swinging Exterior Storage Doors with Gas Shocks • Lockable Handles on Compartment Doors • Motion-sensor Lights in Cargo Bay • 120-Volt and 12-Volt Outlets Inside Cargo 	<ul style="list-style-type: none"> • Bays • Pass-through Basement Storage • Charcoal Carpet Cargo Walls • Fiberglass Reinforced Plastic Basement Floor • Frameless, Dual-Pane Windows • Exterior Patio Light • Daytime Running Lights • Docking Lights • Chrome Power Heated Side-View Mirrors with Integrated Cameras • Exterior TV with Soundbar • Fast Charge USB ports within Exterior TV 	<ul style="list-style-type: none"> • Compartment • Lightweight Entry Door with Integrated Screen • Deadbolt Front Entrance Lock • Lighted Entry Door Grab Handle • Automatic Stainless Steel Double Entry Step • Keyless Entry System for Front Entrance and Compartment Doors • Mud Flaps • Custom Rock Guard • Lippert™ On-The-Go™ Telescoping Ladder ³ 		

EXTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Patio Awnings	(1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting	S	S	S	S
	(2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature	O	O	O	O
Slide Trays ¹	(1) Manual Storage Compartment Slide-out Tray	O	O	O	O
	(2) Manual Storage Compartment Slide-out Trays	-	-	O	O
Outdoor Electric Grill ²		-	-	D (O)	D (O)

¹ Trays slide out on both sides of motorhome.
² Option requires at least (1) storage compartment slide-out tray.
³ All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR				
<ul style="list-style-type: none"> • Handcrafted Overhead Cabinetry • Solid Surface Step Well • Powered Step Well Cover • Storage Compartment Within Entry Steps • Recessed Step Well Lighting • Living Area TV • Solid Surface Galley Countertop 	<ul style="list-style-type: none"> • Handcrafted Slide-out Fascia • Soft Touch Vinyl Ceiling • Dimmable LED Lighting • Prep for Washer and Dryer • Carbon Monoxide Detector • LPG Leak Detector • Smoke Detector 	<ul style="list-style-type: none"> • Fire Extinguisher • Solar and Privacy Shades • Soft-closing Drawers • Powered Roof Vents • Central Vacuum System with VacPan® Automatic Dustpan • Interior Grab Handle at Entry Door • Egress Windows Throughout Coach 		

INTERIOR OPTIONS		35 CH	37 BH	40 IH	44 OH
Interior Décor Packages	Gelato NEW	O	O	O	O
	Titanium NEW	O	O	O	O
	Mesa NEW	O	O	O	O
Driver/Passenger Seats	Bamboo Lifestyle Leather ¹ NEW	D	D	D	D
	Rice Wine Lifestyle Leather ² NEW	D	D	D	D
	Dune Lifestyle Leather ³ NEW				
Dinette/Living Furniture	Bamboo Lifestyle Leather ⁴ NEW				
	Rice Wine Lifestyle Leather ⁵ NEW				
	Dune Lifestyle Leather ⁶ NEW				
Cabinetry Color	Shadow	O	O	O	O
	White Linen	O	O	O	O
	Platinum	O	O	O	O
	Black Truffle	O	O	O	O
Floor Tiles	Articulo White Polished Tile ⁷ NEW	O	O	O	O
	Trace Creme Matte Tile ⁸ NEW	O	O	O	O
Standalone Living Area Fireplace	O	O	O	O	
Stacked Washer & Dryer	O	O	O	O	
Gold Heat® Dual Zones Heated Tile Floor ⁹	O	O	O	O	

¹ Recommended with Gelato Interior Décor. ⁶ Required with Titanium Interior Decor. ⁹ No heated tile in rear bath on 37 BH.
² Recommended with Titanium Interior Décor. ⁸ Required with Mesa Interior Decor
³ Recommended with Mesa Interior Décor. ⁷ Recommended with Gelato & Titanium Interior Decor.
⁴ Required with Gelato Interior Decor. ⁵ Recommended with Mesa Interior Decor.

Phaeton Specifications, Features, and Options (Cont'd)

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | - : Not Available

DRIVER'S COMPARTMENT

- Lifestyle Leather Power Driver and Passenger Seats **UPDATED**
- Dual Driver And Passenger Seat Armrests
- Swivel Bases for Driver and Passenger Seats
- Powered Passenger Seat Footrest
- Integrated Seat Belts on Driver and Passenger Seats
- Tilt and Telescoping Steering Wheel with Integrated Controls
- Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Graphite Accents
- Mounted Dash Fans
- Cupholders on Driver and Passenger Side
- Digital Dash Cluster
- (1) Center Storage Drawer
- Generator Start & Stop Rocker Switch
- USB Dash Receptacles
- 12-Volt Dash Receptacle
- Backlit Dash Rocker Switches
- Passenger Console Wireless Phone Charger
- Driver and Passenger Map Lights
- One-piece Panoramic Windshield
- Single-motor Intermittent Windshield Wipers
- Automatic LED Headlights
- Side-view Cameras ¹
- Color Back-up Camera
- 10" High Definition LED Multichannel Camera Monitor
- Stereo with AM & FM Radio, CD Player, and Satellite Radio ²
- Ceiling Mounted Speakers
- Overhead Cabinetry with Wooden Panel Doors
- Auxiliary Start Switch
- Concealed Air Horn
- Manual Opening Driver Side Window
- Solid, Non-opening Passenger Side Window
- Powered Solar and Privacy Windshield Shade
- Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	35 CH	37 BH	40 IH	44 OH
Blind Spot Monitoring System	O	O	O	O
In-dash Navigation System	O	O	O	O
Front Overhead TV	O	O	O	O
Pet Perks Package ³ NEW	O	O	O	O
Electric Front Overhead Drop-Down Bunk ⁴	O	O	O	O

¹ Integrated within side-view mirrors and activated by turn signals. ² Includes pet dish holder and leash holder at entrance door.
³ Subscription required for satellite radio. ⁴ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

BEDROOM

- Under Bed Storage
- Bedside Windows
- Overhead Cabinets with Headboard
- Bed Comforter with Throw Pillows
- Handcrafted Privacy Door
- LED Reading Lights
- Nightstand with Solid Surface Tops
- Mounted Bedroom TV
- Centralized Entertainment Center ¹
- Ceiling Fan
- Laundry Hamper

BEDROOM OPTIONS	35 CH	37 BH	40 IH	44 OH	
Mattress	Memory Foam King Mattress (72" x 80") with Power Smart Lift	S	-	-	-
	Memory Foam Queen Mattress (60" x 80") with Power Smart Lift	O	-	-	-
	Memory Foam King Mattress (72" x 80")	-	S	S	S
	Memory Foam Queen Mattress (60" x 80")	-	O	O	O
Bedroom Storage	Floor-to-ceiling Closet Space	S	-	S	-
	Wardrobe with Drawers Underneath	-	S	-	-
	Walk-in Closet	-	-	-	S
Safe	O	O	O	O	
Bedroom Egress Door	O	O	O	O	

¹ Houses Blu-ray™ player, satellite receiver, and cable TV hook-up.

KITCHEN

- 1.7-Cubic Foot Smart Convection Microwave with Air Fry
- Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- Built-in Soap Dispenser
- Galley Overhead Cabinets with Pull-out Drawers
- Panoramic Galley Window
- Task Lighting
- Toe Kick Lighting
- Full Tile Backsplash
- Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS	35 CH	37 BH	40 IH	44 OH	
Refrigerator	22-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	S	-	-	-
	25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	S	S	S
Cooking Appliances	Three-Burner Liquid Propane Cooktop ²	D	D	D	-
	Two-Burner Induction Cooktop ³	D	D	D	S
Drawer-style Dishwasher	O	O	O	O	
Manual Release Expand-An-Island	-	S	S	S	

¹ Refrigerator volume is approximated. ² Standard with LP Coach option. ³ Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

BATHROOM

- Solid Surface Lavatory Top
- Handheld Shower Head with Slide Bar
- Shower Skylight
- Shower LED Light with Sliding Cover
- Towel and Toilet Paper Holders
- Roof Vent Fan
- Base Cabinet

BATHROOM OPTIONS	35 CH	37 BH	40 IH	44 OH	
Number of Bathrooms	(1) Bathroom	S	-	-	-
	(1) Bathroom and (1) Half-bath ¹	-	S	S	S
Master Bathroom Sink	(1) Porcelain Master Bathroom Sink	-	S	-	-
	(2) Porcelain Master Bathroom Sinks	S	-	S	S
Shower	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	S	-	S	S
	One-Piece Molded Fiberglass Shower (31.75" x 40")	-	S	-	-
Toilet	(1) Macerator Toilet	S	-	-	-
	(1) Gravity Flush Toilet and (1) Macerator Toilet	-	S	S	S
Master Bathroom Medicine Cabinet	Medicine Cabinet with Tri-view Vanity Mirror	S	-	S	S
	Mirrored Medicine Cabinet	-	S	-	-

¹ All half-all-baths contain a toilet and a solid surface countertop with a single porcelain sink.

DINETTE AND LIVING AREA

	SLEEPS	SEATS	SEATBELTS	35 CH	37 BH	40 IH	44 OH
Driver Side Dinette	75" Booth Dinette-Sleeper ¹	1	4	2	-	S	-
	75" U-shaped Dinette	-	4	2	-	O	-
	75" Dinette with Chairs ²	-	2	-	-	O	-
Driver Side Furniture	74" Air Coil Sofa Bed ³	1	2	2	S	S	S
	74" Theater Seating	-	2	2	O	O	O
	89" Air Coil Sofa Bed ⁴	1	3	3	-	-	-
	89" Theater Seating	-	2	2	-	-	-
Passenger Side Dinette	75" Dinette with Chairs and Lift TV ²	-	2	-	S	-	-
	75" Dinette Bar with Lift TV ⁵	-	2	-	O	-	-
	72" Booth Dinette-Sleeper ⁶	1	4	2	-	-	S
	72" Dinette with Chairs ²	-	2	-	-	-	O
	72" U-shaped Dinette	-	4	2	-	-	O
	75" Booth Dinette-Sleeper ⁷	1	4	2	-	-	S
	75" U-shaped Dinette	-	4	2	-	-	-
	75" Dinette with Chairs ²	-	2	-	-	-	-
	64" DE Sofa Bed with Lift TV ⁸	1	2	2	-	S	-
	68" DE Sofa Bed with Lift TV ⁹	1	2	2	-	-	S
Passenger Side Furniture	68" Air Coil Sofa Bed with Lift TV ¹⁰	1	2	2	-	-	O
	84" DE Sofa Bed with Lift TV ¹¹	1	3	3	-	-	-
	84" Air Coil Sofa Bed with Lift TV ¹²	2	3	3	-	-	-
	Recliner and Lift TV ¹³	-	1	-	-	O	O
	Recliner and Lift TV with Fireplace ¹³	-	1	-	-	O	O

¹ Piece of furniture converts to 72" x 45" sleeping area. ² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.
³ Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
⁴ Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.
⁵ Includes (2) freestanding accent chairs and (2) wooden folding chairs. Lift TV deletes cabinetry over dinette.
⁶ Piece of furniture converts to 69" x 45" sleeping area.
⁷ Piece of furniture converts to 72" x 45" sleeping area.
⁸ Piece of furniture converts to 57" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
⁹ Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
¹⁰ Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
¹¹ Piece of furniture converts to 77" x 49" sleeping area. Lift TV deletes cabinetry over furniture.
¹² Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.
¹³ Lift TV deletes cabinetry over furniture.