

Allegro Red Specifications, Features, and Options

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

WEIGHTS AND MEASURES	33 AA	37 BA	38 KA
DIMENSIONS			
Overall Length (approx.) ¹	35' 2"	38' 6"	39' 6"
Wheel Base	198"	234"	252"
Overall Width ¹	101"	101"	101"
Overall Height	12' 10"	12' 10"	12' 10"
Minimum Garage Height	14'	14'	14'
Interior Height	84"	84"	84"
Interior Width	96"	96"	96"
Square Footage (approx.) ²	335	375	390
Basement Storage (cubic feet, approx.)	84	119	119
WEIGHT LIMITS			
GAWR-Front (pounds)	14,320	14,320	14,320
GAWR-Rear (pounds)	24,000	24,000	24,000
GVWR (pounds)	38,320	38,320	38,320
Maximum Trailer Weight (pounds) ³	10,000	10,000	10,000
Hitch Rating (pounds)	10,000	10,000	10,000
GCWR (pounds)	48,320	48,320	48,320
CAPACITIES			
Fuel Tank (gallons)	100	100	100
DEF Tank (gallons) ⁴	13	13	13
Fresh Water (gallons)	90	90	90
Grey Water (gallons)	70	70	70
Black Water (gallons)	50	50	50
LPG Tank (gallons) ⁵	36	36	36
QUANTITIES			
Number of Slideouts	4	3	3
Sleeping Capacity ⁶	4 to 6	2 to 6	4 to 8
Sleeping Areas ⁶	2 to 4	1 to 5	3 to 6
Seat Belts ⁶	5 to 7	4 to 9	4 to 7
Seating Capacity ⁶	7 to 10	7 to 11	6 to 9
¹ The approximated coach width and length does not include side-view mirrors and rear ladders.			
² Square footage was calculated with the slide-outs fully extended.			
³ Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.			
⁴ Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.			
⁵ LPG tank can only be filled to 80% capacity.			
⁶ Dependent on furniture and dinette options.			
CHASSIS AND DRIVETRAIN			
- Freightliner® XCM Raised Rail Rear Engine Diesel Chassis ★ Cummins® L9 380 HP Diesel Engine with 1,150 lb-ft Torque¹ 160-Amp Alternator - Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter - Front and Rear 295/80R 22.5 Tires (2) 12-Volt Flooded Lead-Acid Chassis Batteries	- Hydraulic Leveling Jacks with Control Panel - Freightliner® V-Series VFS I-beam Front Suspension - Freightliner® V-Series V-Ride Rear Suspension - Custom Tuned Sachs® Shock Absorbers - Rear Radiator - Front Disc Brakes and Rear Drum Brakes - Full Air Brake System with Automatic Slack Adjusters	- Single Stage Variable Geometry Turbocharger (VGT) Engine Brake - Manual Parking Brake - Driver and Passenger Side Fuel Fill - Tire Pressure Monitoring - Adaptive Cruise Control - Automatic Traction Control - Collision Mitigation with Forward Warning and Active Braking - Electronic Stability Control	
¹ Peak horsepower achieved at 2,200 RPM. Peak torque achieved at 1,200 RPM. Cummins® B67 360 HP Diesel Engine is no longer available.			
WHEEL OPTIONS	33 AA	37 BA	38 KA
Aluminum Wheels	S	S	S
American Racing Octane Wheels in Satin Black	O	O	O

CONSTRUCTION			
- Seamless One-piece Gel-coat Fiberglass Molded Roof Cap 5 1/4" Formed Roof Insulation - Tubular Aluminum Roof Skeleton Frames - Extraordinaire™ Ducted Air Cooling System	- One-piece Molded Gel-coat Fiberglass Front and Rear Caps - Steel Cockpit Overhead Support Frame - Valto Engineered Materials® Select All-Composite Exterior Sidewalls - Tubular Aluminum Wall Skeleton Frames	- High-performance Thermal Insulation in Sidewalls - Steel Floor Skeleton - Engineered Wood Sub-flooring 1 1/2" Thick Thermal Insulation in Floor - Steel Basement Construction - Rust Protective Undercoating	
CONSTRUCTION OPTIONS			
Slide-out Mechanisms	Combination Hydraulic and Electric Slide-out Mechanisms ¹	S	-
	Hydraulic Slide-out Mechanisms	-	S
¹ The 33 AA's vanity slide features a electrically powered rack and pinion system.			
ELECTRICAL			
★ Spyder Controls Multiplex System - Firefly Integrations Mira Module¹ - Centralized 75" Spyder System Main Monitor - Interior Entryway Spyder System Color Touchscreen - Additional Spyder Color Touchscreens Throughout Coach 8.0-Kilowatt Onan® Quiet Diesel Generator - Generator Slide Tray	2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control² - Battery Slide-out Tray 50-Amp Shore Power - Auxiliary Solar Port - HD Over-the-air Antenna - Park Cable and Ground Satellite Hook-up - Prep for In-motion Satellite - Satellite Receiver³	- Satellite Internet Prep in Sewer Compartment 12-Volt Breaker Panel 12-Volt Disconnect Switch - Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter - Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay 110-Volt Exterior Receptacle - Surge Guard® Transfer Switch - USB Receptacles Throughout Coach	UPDATED
ELECTRICAL OPTIONS			
Heating and Cooktop Power Source	Liquid Propane (LP) Coach ⁴	S	S
	Hydronic Heating & Electronic Appliance Equipped Coach ⁵	O	O
Air Conditioning	(6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries	S	S
	(2) 15,000-BTU Air Conditioners with Heat Pumps	S	S
	(2) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains	O	O
Space Heating	(1) 35,000-BTU and (1) 30,000-BTU Ducted Furnaces ⁶	D	-
	(1) 30,000-BTU and (1) 20,000-BTU Ducted Furnaces ⁶	-	D
	(2) 30,000-BTU Ducted Furnaces ⁶	-	D
	Aqua-Hot® 250D Heat Exchanger ⁷	D	D
Solar Panels	Prep for Solar Panels ⁸	O	O
	(1) 200-Watt Solar Panel with (1) 30-Amp Controller	O	O
	(3) 200-Watt Solar Panels with (1) 30-Amp Controller	O	O
In-motion Satellite Dish ⁹		O	O
Prewiring for Winegard® Trav'ler™ Satellite ¹⁰		O	O
Wi-Fi Booster		O	O

¹ Download the accompanying Vegatouch app to control your coach locally within Bluetooth range.

² Automatic generator start capabilities controlled through Spyder Controls Multiplex System.

³ Requires subscription. (Only available with in-motion satellite option.)

⁴ Propane is used to power the ducted furnaces, the water heater, and liquid propane cooktops.

⁵ Replaces the ducted furnaces, the Truma AquaGo™ water heater, and the liquid propane cooktop with an Aqua-Hot® heat exchanger and induction cooktops. Removes LPG tank. Formerly known as "All-Electric Coach".

⁶ Standard with LP coach option.

⁷ Replaces ducted furnaces when hydronic heating & electronic appliance equipped coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.

⁸ Includes docking ports for aftermarket solar panels.

⁹ High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®. In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA.

¹⁰ In-motion satellite dish and prewiring for Winegard® Trav'ler™ satellite cannot be optioned together on the 33 AA.

PLUMBING				
- Aqua View Showermiser™ - Water Filter - Water Pump Switch Access from Spyder System and Sewer Bay Board - Low-point Water Drain Lines - Black Holding Tank Flush System - Gravity Water Fill - Heated Fresh and Holding Tank Compartment via Heat Duct - Tank Level Monitor System - Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports - Exterior Rinse Hose with Shower Head - Sewer Bay Hand Sanitizer and Paper Towel Holders				
ELECTRICAL OPTIONS		33 AA	37 BA	38 KA
Water Heater	Truma AquaGo™ Comfort Instant Water Heater ¹	D	D	D
	Aqua-Hot® 250D Heat Exchanger ²	D	D	D
Water Heater Bypass System ³		D	D	D

¹ Now controllable through the Truma control panel and the Spyder System control panels. Standard with LP coach option.

² Replaces Truma AquaGo™ Comfort instant water heater when all-electric coach option is selected. Aqua-Hot® heat exchanger provides both heated air and water.

³ Standard with LP coach option. Not necessary with all-electric coach option.

EXTERIOR				
- Full-body Paint with (3) Layers of Clear Coat - Single-colored Slide-out Endwalls - High Performance Protective Film on Front Cap and Select Areas (1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting - Girard® Powered Door Awning with Integrated LED Lighting - Girard® Slide-out Toppers - Side-swinging Exterior Storage Doors with Gas Shocks - Lockable Handles on Compartment Doors - Motion-sensor Lights in Cargo Bay 120-Volt and 12-Volt Outlets Inside Cargo Bays - Pass-through Basement Storage - Charcoal Carpet Cargo Walls - Fiberglass Reinforced Plastic Basement Floor - Frameless, Single-Pane Windows - Exterior Patio Light - Daytime Running Lights - Docking Lights - Chrome Power Heated Side-View Mirrors with Integrated Cameras - Exterior TV with Soundbar and Swivel Mount - Fast Charge USB ports within Exterior TV Compartment - Lightweight Entry Door with Integrated Screen - Entry Door Grab Handle - Deadbolt Front Entrance Lock - Automatic Double Entry Step - Front Door Entry System via Key Fob ¹ - Mud Flaps - Custom Rock Guard - Lippert™ On-The-Go™ Telescoping Ladder ³				

EXTERIOR OPTIONS	33 AA	37 BA	38 KA
(1) Manual Storage Compartment Slide-out Tray ²	O	O	O

¹ Entry system does not include exterior Spyder keypad.

² Trays slide out on both sides of motorhome.

³ All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR				
- Handcrafted Overhead Cabinetry - Carpeted Step Well with Composite Steps - Powered Step Well Cover - Living Area TV - Solid Surface Galley Countertop - Handcrafted Slide-out Fascia - Soft Touch Vinyl Ceiling - Dimmable LED Lighting - Prep for Washer and Dryer - Carbon Monoxide Detector - LPG Leak Detector - Smoke Detector - Fire Extinguisher - Solar and Privacy Shades - Soft-closing Drawers - Powered Roof Vents - Interior Grab Handle at Entry Door ★ Stacked Washer and Dryer - Egress Windows Throughout Coach				
OPTIONS		33 AA	37 BA	38 KA
Interior Décor Packages	Vapor	O	O	O
	Arrowhead NEW	O	O	O
Furniture	Mineral Lifestyle Leather ¹	D	D	D
	White Sand Lifestyle Leather ²	D	D	D
	Sandstone	O	O	O
	White Linen	O	O	O
	Platinum	O	O	O
	White Linen Upper Cabinets NEW	O	O	O
Floor Tiles	Articulo White Polished Floor Tile ³	D	D	D
	Palermo Slate Matte Floor Tile ⁴ NEW	D	D	D
Standalone Living Area Fireplace		O	—	O
Gold Heat® Dual Zones Heated Tile Floor		O	O	O
Central Vacuum System		O	O	O

¹ Required with Vapor Interior Decor.

² Required with Arrowhead Interior Decor.

³ Recommended with Vapor Interior Decor

⁴ Recommended with Arrowhead Interior Decor.

DRIVER'S COMPARTMENT				
- Mitchell Lifestyle Leather Power Driver and Passenger Seats - Dual Driver And Passenger Seat Armrests - Swivel Bases for Driver and Passenger Seats - Adjustable Seatbelt Brackets - Powered Passenger Seat Footrest - Tilt and Telescoping Steering Wheel with Integrated Controls - Adjustable Accelerator and Brake Pedals - Wraparound Dash with Matte Gray Accents - Mounted Dash Fans - Cupholders on Driver and Passenger Side - Digital Dash Cluster (1) Center Storage Drawer - Generator Start & Stop Rocker Switch - USB Dash Receptacles 12-Volt Dash Receptacle - Backlit Dash Rocker Switches - Passenger Console Controls for Map Light, Fan, and Step Well Cover - Driver and Passenger Map Lights - One-piece Panoramic Windshield - Single-motor Intermittent Windshield Wipers - Automatic LED Headlights - Side-view Cameras ¹ - Color Back-up Camera 7" High Definition LED Multichannel Monitor for Side-view and Back-up Cameras - Stereo with AM & FM Radio, CD Player, and Satellite Radio ² - Ceiling Mounted Speakers - Overhead Cabinetry with Wooden Panel Doors - Auxiliary Start Switch - Concealed Air Horn - Manual Opening Driver Side Window - Solid, Non-opening Passenger Side Window - Powered Solar and Privacy Windshield Shade - Manual Solar and Privacy Shades on Side Windows				
DRIVER'S COMPARTMENT OPTIONS		33 AA	37 BA	38 KA
In-dash Navigation System		O	O	O
Front Overhead TV		O	O	O
Electric Front Overhead Drop-Down Bunk ³		O	O	O

¹ Integrated within side-view mirrors and activated by turn signals.

² Subscription required for satellite radio.

³ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

Allegro Red Specifications, Features, and Options

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | - : Not Available

DINETTE AND LIVING AREA OPTIONS		SLEEPS	SEATS	SEATBELTS	33 AA	37 BA	38 KA
Drivers Side Dinette	75" Booth Dinette-Sleeper ¹	1	4	2	-	S	-
	75" Dinette with Chairs ²	-	2	-	-	O	-
	75" U-shaped Dinette	-	4	2	-	O	-
	72" Booth Dinette-Sleeper ³	1	4	2	-	-	S
	72" Dinette with Chairs ²	-	2	-	-	-	O
	72" U-shaped Dinette	-	4	2	-	-	O
Drivers Side Furniture	85" Air Coil Sofa Bed with Recliner ⁴	2	4	3	O	-	-
	111" Super Sofa ⁵	2	3	3	O	-	-
	74" Air Coil Sofa Bed ⁶	1	3	3	-	S	-
	74" Theater Seating	-	2	2	-	O	-
	85" Air Coil Sofa Bed ⁴	2	3	3	-	-	O
	83" Theater Seating	-	2	2	S	-	S
Passenger Side Dinette	72" Booth Dinette-Sleeper ³	1	4	2	S	-	-
	72" Dinette with Chairs ²	-	2	-	O	-	-
Passenger Side Furniture	64" DE Sofa Bed with Lift TV ⁸	1	2	2	-	S	-
	Fireplace Credenza Cabinets	-	-	-	-	O	-
	Power Bunk Beds (28" x 70") ⁹	2	-	-	-	-	S
	Telescoping Ladder for Bunk Beds	-	-	-	-	-	S

¹ Piece of furniture converts to 72" x 45" sleeping area.

² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.

³ Piece of furniture converts to 69" x 45" sleeping area.

⁴ Mattress measures 72" x 59" and includes internal pump.

⁵ Consists of a flip and fold sofa bed, a 37" single theater seat, and a center console. Flip and fold sofa bed converts to 70" x 59" sleeping area.

⁶ Mattress measures 72" x 52" and includes internal pump.

⁷ Includes (2) freestanding accent chairs.

⁸ Piece of furniture converts to 57" x 49" sleeping area.

⁹ Now includes tablet holders in bunk areas.

KITCHEN				
• 17-Cubic Foot Smart Convection Microwave with Air Fry		• Galley Overhead Cabinets		• Full Tile Backsplash
• Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer		• Panoramic Galley Window		• Solid Surface Galley Countertop, Sink, and Cooktop Cover
		• Task Lighting		
KITCHEN OPTIONS		33 AA	37 BA	38 KA
Refrigerator	20-Cubic Foot Stainless Steel Residential Refrigerator with Top Freezer ¹	S	S	-
	23-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	-	-	S
Cooking Appliances	Three-Burner Liquid Propane Cooktop ²	D (S)	D (S)	D (S)
	Oven Range with Liquid Propane Cooktop ³	D (O)	D (O)	D (O)
	Two-Burner Induction Cooktop ⁴	D	D	D
Drawer-style Dishwasher ⁵		O	O	O
Extendable Countertops	Flip and Fold Countertop Extension	S	-	-
	Pull-Out Solid Surface Work Surface	-	S	S

¹ Refrigerator volume is approximated.

² Standard with LP coach option. Not available with hydronic heating & electronic appliance equipped coach option.

³ Option with LP coach option. Replaces three-burner liquid propane cooktop when selected. Not available with hydronic heating & electronic appliance equipped coach option. Cannot option dishwasher and oven with cooktop together.

⁴ Replaces three-burner liquid propane cooktop when hydronic heating & electronic appliance equipped coach option is selected.

⁵ Cannot option dishwasher and oven with cooktop together.

BEDROOM				
• Under Bed Storage		• Handcrafted Privacy Door		• Centralized Entertainment Center ¹
• Bedside Windows		• LED Reading Lights		• Ceiling Fan
• Overhead Cabinets with Headboard		• Nightstand with Solid Surface Tops		• Laundry Hamper
• Bed Comforter with Throw Pillows		• Mounted Bedroom TV		
BEDROOM OPTIONS		33 AA	37 BA	38 KA
Mattress	King Mattress (72" x 80")	S	S	S
	Queen Mattress (60" x 80")	-	O	O
Bedroom Storage	Floor-to-ceiling Closet Space	S	-	-
	Wardrobe with Drawers Underneath	-	S	S
Bedroom Egress Door		O	O	O

¹ Houses satellite receiver and cable TV hook-up.

BATHROOM				
• (1) Porcelain Master Bathroom Sink		• Shower Skylight		• Mirrored Medicine Cabinet
• Solid Surface Lavatory Top		• Shower LED Light with Sliding Cover		• Roof Vent Fan
• Handheld Shower Head with Slide Bar		• Towel and Toilet Paper Holders		• Base Cabinet
BATHROOM OPTIONS		33 AA	37 BA	38 KA
Number of Bathrooms	(1) Bathroom	S	-	-
	(1) Bathroom and (1) Half-bath ¹	-	S	S
Shower	One-Piece Molded Fiberglass Shower (34.5" x 34.5")	S	-	-
	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	-	S	S
Toilet	(1) Gravity Flush Toilet	S	-	-
	(1) Gravity Flush Toilet and (1) Macerator Toilet	-	S	S

¹ All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.

Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation. For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.