

Allegro Bus Specifications, Features, and Options

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

| WEIGHTS AND MEASURES                         | 36 AP      | 40 IP      | 45 BP      |            | 45 OPP     |            |
|----------------------------------------------|------------|------------|------------|------------|------------|------------|
| HORSEPOWER                                   | 450 HP (S) | 450 HP (S) | 450 HP (S) | 605 HP (O) | 450 HP (S) | 605 HP (O) |
| DIMENSIONS                                   |            |            |            |            |            |            |
| Overall Length (approx.) <sup>1</sup>        | 38' 2"     | 41'        | 45'        | 45'        | 45'        | 45'        |
| Wheel Base <sup>2</sup>                      | 242"       | 276"       | 323"       | 323"       | 323"       | 323"       |
| Overall Width <sup>1</sup>                   | 101"       | 101"       | 101"       | 101"       | 101"       | 101"       |
| Overall Height                               | 13' 4"     | 13' 4"     | 13' 4"     | 13' 4"     | 13' 4"     | 13' 4"     |
| Minimum Garage Height                        | 14'        | 14'        | 14'        | 14'        | 14'        | 14'        |
| Interior Height                              | 83"        | 83"        | 83"        | 83"        | 83"        | 83"        |
| Interior Width                               | 96"        | 96"        | 96"        | 96"        | 96"        | 96"        |
| Basement Storage (cubic feet, approx.)       | 154        | 229        | 257        | 257        | 257        | 257        |
| Square Footage (approx.) <sup>3</sup>        | 365        | 405        | 440        | 440        | 440        | 440        |
| WEIGHT LIMITS                                |            |            |            |            |            |            |
| GAWR-Front (pounds)                          | 18,000     | 18,000     | 18,000     | 20,000     | 18,000     | 20,000     |
| GAWR-Rear (pounds)                           | 24,000     | 24,000     | 20,000     | 20,000     | 20,000     | 20,000     |
| GAWR- Tag (pounds)                           | -          | -          | 14,000     | 14,000     | 14,000     | 14,000     |
| GVWR (pounds)                                | 42,000     | 42,000     | 52,000     | 52,000     | 52,000     | 52,000     |
| Maximum Trailer Weight (pounds) <sup>4</sup> | 10,000     | 10,000     | 20,000     | 20,000     | 15,000     | 20,000     |
| Hitch Rating (pounds)                        | 10,000     | 10,000     | 20,000     | 20,000     | 15,000     | 20,000     |
| GCWR (pounds)                                | 52,000     | 52,000     | 67,000     | 67,000     | 67,000     | 67,000     |
| CAPACITIES                                   |            |            |            |            |            |            |
| Fuel Tank (gallons)                          | 150        | 150        | 150        | 150        | 150        | 150        |
| DEF Tank (gallons) <sup>5</sup>              | 13         | 13         | 15         | 15         | 15         | 15         |
| Fresh Water (gallons)                        | 96         | 96         | 96         | 96         | 96         | 96         |
| Grey Water (gallons)                         | 91         | 91         | 91         | 91         | 91         | 91         |
| Black Water (gallons)                        | 53         | 53         | 53         | 53         | 53         | 53         |
| QUANTITIES                                   |            |            |            |            |            |            |
| Number of Slideouts                          | 4          | 4          | 4          | 4          | 4          | 4          |
| Sleeping Capacity <sup>6</sup>               | 2 to 3     | 2 to 4     | 4 to 8     | 4 to 8     | 2 to 5     | 2 to 5     |
| Sleeping Areas <sup>6</sup>                  | 1 to 2     | 1 to 3     | 2 to 4     | 2 to 4     | 1 to 3     | 1 to 3     |
| Seat Belts <sup>6</sup>                      | 4 to 7     | 4 to 8     | 4 to 9     | 4 to 9     | 4 to 9     | 4 to 9     |
| Seating Capacity <sup>6</sup>                | 8 to 9     | 7 to 10    | 4 to 8     | 4 to 8     | 7 to 11    | 7 to 11    |

<sup>1</sup> The approximated coach width and length does not include side-view mirrors and rear ladders.

<sup>2</sup> On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.

<sup>3</sup> Square footage was calculated with the slide-outs fully extended.

<sup>4</sup> Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

<sup>5</sup> Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.

<sup>6</sup> Dependent on furniture and dinette options.

| CHASSIS AND DRIVETRAIN                                                                                                                                                                                                                  |                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                           |       |                                                                                                                                                                                            |        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| <ul style="list-style-type: none"><li>• PowerGlide® XC Raised Rail Rear Engine Diesel Chassis</li><li>• Two-wheel Drive</li><li>• Aluminum Wheels</li></ul> ★ Combination Valid™ Air Leveling System with Hydraulic Leveling Jacks      |                                                                               | <ul style="list-style-type: none"><li>• Front Sway Bar</li><li>• V-Ride Air Ride Rear Suspension</li><li>• Custom Tuned Koni Shock Absorbers</li><li>• Side-mounted Radiator</li><li>• Front Disc Brakes</li><li>• Full Air Brake System with Automatic Slack Adjusters</li><li>• Three-stage Compression Brake</li><li>• Manual Parking Brake</li><li>• Air Force One Tow Vehicle Brake System</li></ul> |       | <ul style="list-style-type: none"><li>• Driver and Passenger Side Fuel Fill</li><li>• Tire Pressure Monitoring</li></ul> ★ Adaptive Cruise Control                                         |        |
| <ul style="list-style-type: none"><li>• Integrated Leveling Controls Through Valid™ Instrument Cluster</li><li>• ZF Independent Front Suspension</li></ul> ★ Mobileye® Lane Departure Warning and Automatic High Beam Headlight Control |                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                           |       | <ul style="list-style-type: none"><li>• Automatic Traction Control</li><li>• Collision Mitigation with Forward Warning and Active Braking</li><li>• Electronic Stability Control</li></ul> |        |
| CHASSIS OPTIONS                                                                                                                                                                                                                         |                                                                               | 36 AP                                                                                                                                                                                                                                                                                                                                                                                                     | 40 IP | 45 BP                                                                                                                                                                                      | 45 OPP |
| Engine                                                                                                                                                                                                                                  | Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque <sup>1</sup>         | S                                                                                                                                                                                                                                                                                                                                                                                                         | S     | S                                                                                                                                                                                          | S      |
|                                                                                                                                                                                                                                         | Cummins® X15 605 HP Diesel Engine with 1,950 lb-ft Torque                     | —                                                                                                                                                                                                                                                                                                                                                                                                         | —     | O                                                                                                                                                                                          | O      |
| Alternator                                                                                                                                                                                                                              | 240-Amp Alternator                                                            | S                                                                                                                                                                                                                                                                                                                                                                                                         | S     | S                                                                                                                                                                                          | S      |
| Transmission                                                                                                                                                                                                                            | Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter | S                                                                                                                                                                                                                                                                                                                                                                                                         | S     | S                                                                                                                                                                                          | S      |
| Chassis Batteries                                                                                                                                                                                                                       | (2) 12-Volt Flooded Lead-Acid Chassis Batteries                               | S                                                                                                                                                                                                                                                                                                                                                                                                         | S     | S                                                                                                                                                                                          | S      |
| Steerable Tag Axle                                                                                                                                                                                                                      |                                                                               | —                                                                                                                                                                                                                                                                                                                                                                                                         | —     | S                                                                                                                                                                                          | S      |
| Service Brakes                                                                                                                                                                                                                          | Drive & Tag Axle Drum Brakes                                                  | —                                                                                                                                                                                                                                                                                                                                                                                                         | —     | S                                                                                                                                                                                          | S      |
| Tires                                                                                                                                                                                                                                   | Front and Rear 315/80R 22.5                                                   | S                                                                                                                                                                                                                                                                                                                                                                                                         | S     | S                                                                                                                                                                                          | S      |
|                                                                                                                                                                                                                                         | Front 365/70R 22.5 XZA w/ Rear 315/80R 22.5 <sup>2</sup>                      | —                                                                                                                                                                                                                                                                                                                                                                                                         | —     | D                                                                                                                                                                                          | D      |

<sup>1</sup> Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400 RPM.

<sup>2</sup> Front 365 front tires standard on 605hp option.

| CONSTRUCTION                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Seamless One-piece Gel-coat Fiberglass Molded Roof Cap</li><li>• 6 1/2" Formed Roof Insulation</li><li>• Tubular Aluminum Roof Skeleton Frames</li><li>• Extraordinaire™ Ducted Air Cooling System</li><li>• Two-piece Molded Gel-coat Fiberglass Front Cap <sup>1</sup></li></ul> | <ul style="list-style-type: none"><li>• One-piece Molded Gel-coat Fiberglass Rear Cap</li><li>• Steel Cockpit Overhead Support Frame</li><li>• VALTO® Engineered Materials® All-Composite Exterior Sidewalls</li><li>• Tubular Aluminum Wall Skeleton Frames</li><li>• High-performance Thermal Insulation in Sidewalls</li></ul> | <ul style="list-style-type: none"><li>• Engineered Wood Sub-flooring</li><li>• Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation</li><li>• Steel Basement Construction</li><li>• Rust Protective Undercoating</li><li>• Hydraulic Slide-out Mechanisms</li><li>• Extra Storage Chassis Construction <sup>2</sup></li></ul> |
| <sup>1</sup> Bottom section of front cap extends for easy generator access.                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                               |
| <sup>2</sup> Floor is constructed flush with top of rear engine. Allows for more basement storage and eliminates step in rear bedroom or bathroom walking area.                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                               |

All options may not be available in every model. Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation.

For a complete and up-to-date list of available options and specifications, visit [tiffinmotorhomes.com](https://www.tiffinmotorhomes.com).

Allegro Bus Specifications, Features, and Options

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

| ELECTRICAL                                              |                                                                       |                                                                                                           |                                                                                        |                                                                 |                                                                 |
|---------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|
| ★ Spyder Controls Multiplex System                      | • Hydronic Heating & Electronic Appliance Equipped Coach <sup>1</sup> | • Generator Slide Tray <sup>3</sup>                                                                       | • Prep for In-motion Satellite                                                         | • Pass-through Basement Storage                                 | • Exterior TV with Soundbar                                     |
|                                                         | • Firefly Integrations Eclipse Module <sup>2</sup>                    | • 3,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control <sup>4</sup> | • Prewiring for Winegard® Trav'ler™ Satellite                                          | • Charcoal Carpet Cargo Walls                                   | • Fast Charge USB ports within Exterior TV Compartment          |
|                                                         | • Centralized 10" Spyder System Main Monitor                          | • (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains                     | • Satellite Receiver <sup>7</sup>                                                      | • Fiberglass Reinforced Plastic Basement Floor                  | • Lightweight Entry Door with Integrated Screen                 |
|                                                         | • Passenger Console Spyder System Color Touchscreen                   | • Aqua-Hot® 450D Heat Exchanger <sup>5</sup>                                                              | • 12-Volt Breaker Panel                                                                | • Frameless, Dual-Pane Windows                                  | • Deadbolt Front Entrance Lock                                  |
|                                                         | • Interior Entryway Spyder System Color Touchscreen                   | • 50-Amp Shore Power with Powered Retract Reel                                                            | • 12-Volt Disconnect Switch                                                            | • Exterior Patio Light                                          | • Lighted Entry Door Grab Handle                                |
| • Exterior Spyder System Color Touchscreen              | • Prep for Solar Panels <sup>6</sup>                                  | • Auxiliary Solar Port                                                                                    | • Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter      | • Fog Lights                                                    | • Automatic Stainless Steel Double Entry Step                   |
| • Additional Spyder Color Touchscreens Throughout Coach | ★ Energy Management System                                            | • HD Over-the-air Antenna                                                                                 | • Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay | • Daytime Running Lights                                        | • Keyless Entry System for Front Entrance and Compartment Doors |
| • 10.0-Kilowatt Onan® Quiet Diesel Generator            | • Park Cable and Ground Satellite Hook-up                             | • USB Receptacles Throughout Coach                                                                        | • 110-Volt Exterior Receptacle                                                         | • Docking Lights                                                | • Mud Flaps                                                     |
|                                                         |                                                                       | • Surge Guard® Transfer Switch                                                                            | • 120-Volt and 12-Volt Outlets                                                         | • Exterior Ground Effects Lighting                              | ★ Hydraulic Front Cap & Generator Slide                         |
|                                                         |                                                                       | • Tiffin Connect w/Starlink® <sup>7</sup>                                                                 |                                                                                        | • Chrome Power Heated Side-View Mirrors with Integrated Cameras | • Custom Rock Guard                                             |

| ELECTRICAL OPTIONS           |                                                       | 36 AP | 40 IP | 45 BP | 45 OPP |
|------------------------------|-------------------------------------------------------|-------|-------|-------|--------|
| Solar Panels House Batteries | (6) 6-Volt, 300-Amp Hours Extended Cycle AGM          | S     | S     | S     | S      |
|                              | (3) 12-Volt, 270-Amp Hours Lithium                    | O     | O     | O     | O      |
|                              | Battery Slide-out Tray <sup>8</sup>                   | D     | D     | D     | D      |
| Solar Panels                 | (3) 200-Watt Solar Panels with (1) 30-Amp Controller  | S     | S     | S     | S      |
|                              | (6) 200-Watt Solar Panels with (2) 30-Amp Controllers | O     | O     | O     | O      |

<sup>1</sup> Space heating, water heating, and cooking appliances are electrically powered. Formerly known as "All-Electric Coach".

<sup>2</sup> Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.

<sup>3</sup> Generator slide tray integrated into bottom section of front cap.

<sup>4</sup> Automatic generator start capabilities controlled through Spyder Controls Multiplex System.

<sup>5</sup> Aqua-Hot® heat exchanger provides both heated air and water.

<sup>6</sup> Includes docking ports for aftermarket solar panels.

<sup>7</sup> Requires subscription.

<sup>8</sup> Standard with extended cycle AGM batteries. Not available with lithium batteries.

| PLUMBING                                                          |                                                                               |                                                    |                                         |                                                        |  |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------|--------------------------------------------------------|--|
| • Aqua-Hot® 450D Heat Exchanger <sup>1</sup>                      | • Grey Tank Flush System                                                      | • Sewer Bay Hand Sanitizer and Paper Towel Holders | • Soft Touch Vinyl Ceiling              | • Powered Solar and Privacy Shades                     |  |
| • Aqua View Showermiser™                                          | • Heated Fresh and Holding Tank Compartment via Aqua-Hot register             | • Fresh Water Hose with Power Retract Reel         | • Dimmable LED Lighting                 | • Soft-closing Drawers                                 |  |
| • Water Filter                                                    | • SeeLevel™ Tank Monitor                                                      | • Sewer Hose Storage                               | • Stacked Washer/Dryer                  | • Powered Roof Vents                                   |  |
| • Water Pump Switch Access from Spyder System and Sewer Bay Board | • Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports |                                                    | • Carbon Monoxide Detector              | • Central Vacuum System with VacPan® Automatic Dustpan |  |
| • Low-point Water Drain Lines                                     | • Exterior Rinse Hose with Shower Head                                        |                                                    | • LPG Leak Detector                     | • Interior Grab Handle at Entry Door                   |  |
| • Black Holding Tank Flush System                                 |                                                                               |                                                    | • Smoke Detector                        | • Egress Windows Throughout Coach                      |  |
|                                                                   |                                                                               |                                                    | • Fire Extinguisher                     |                                                        |  |
|                                                                   |                                                                               |                                                    | • Gold Heat Dual Zone Heated Tile Floor |                                                        |  |

<sup>1</sup> Aqua-Hot® heat exchanger provides both heated air and water.

| EXTERIOR                                                         |                                                                 |                                                                 |  |  |  |
|------------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|--|--|--|
| • Full-body Paint with (4) Layers of Clear Coat                  | Inside Cargo Bays                                               | • Exterior TV with Soundbar                                     |  |  |  |
| • Striped Slide-out Endwalls                                     | • Pass-through Basement Storage                                 | • Fast Charge USB ports within Exterior TV Compartment          |  |  |  |
| • High Performance Protective Film on Front Cap and Select Areas | • Charcoal Carpet Cargo Walls                                   | • Lightweight Entry Door with Integrated Screen                 |  |  |  |
| • Girard® Powered Door Awning with Integrated LED Lighting       | • Fiberglass Reinforced Plastic Basement Floor                  | • Deadbolt Front Entrance Lock                                  |  |  |  |
| • Girard® Slide-out Toppers                                      | • Frameless, Dual-Pane Windows                                  | • Lighted Entry Door Grab Handle                                |  |  |  |
| • Side-swinging Exterior Storage Doors with Gas Shocks           | • Exterior Patio Light                                          | • Automatic Stainless Steel Double Entry Step                   |  |  |  |
| • Lockable Handles on Compartment Doors                          | • Fog Lights                                                    | • Keyless Entry System for Front Entrance and Compartment Doors |  |  |  |
| • Motion-sensor Lights in Cargo Bay                              | • Daytime Running Lights                                        | • Mud Flaps                                                     |  |  |  |
| • 120-Volt and 12-Volt Outlets                                   | • Docking Lights                                                | ★ Hydraulic Front Cap & Generator Slide                         |  |  |  |
|                                                                  | • Exterior Ground Effects Lighting                              | • Custom Rock Guard                                             |  |  |  |
|                                                                  | • Chrome Power Heated Side-View Mirrors with Integrated Cameras |                                                                 |  |  |  |

| EXTERIOR OPTIONS                                    |                                                                                                    | 36 AP | 40 IP | 45 BP | 45 OPP |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------|-------|-------|-------|--------|
| Patio Awnings                                       | (2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature | S     | S     | S     | S      |
| Window Awnings                                      | Girard® Powered Window Awning Package                                                              | S     | S     | S     | S      |
| Cargo Door Stainless Steel Rocker Trim              |                                                                                                    | S     | S     | S     | S      |
| Slide Trays                                         | (1) Powered Storage Compartment Slide-out Tray                                                     | S     | -     | -     | -      |
|                                                     | (2) Powered Storage Compartment Slide-out Trays                                                    | -     | S     | S     | S      |
| Basement Freezer ★                                  |                                                                                                    | S     | S     | S     | S      |
| Exterior Lighting under Slide-out                   |                                                                                                    | S     | S     | S     | S      |
| Lippert™ On-The-Go™ Telescoping Ladder <sup>4</sup> |                                                                                                    | S     | S     | S     | S      |
| Gallery Window Package <sup>5</sup> ★               |                                                                                                    | O     | O     | O     | O      |

<sup>1</sup> Trays slide out on both sides of motorhome.

<sup>2</sup> Trays slide out on both sides of motorhome.

<sup>3</sup> Outdoor electric grill is installed on a manual slide-out tray. Not combinable with (2) powered storage compartment slide-out trays option.

<sup>4</sup> All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

<sup>5</sup> Fresco windows in front living area. Removes dinette and sofa overhead cabinets to allow for the largest windows possible.

| INTERIOR                                    |                                         |                                                        |  |  |  |
|---------------------------------------------|-----------------------------------------|--------------------------------------------------------|--|--|--|
| • Handcrafted Overhead Cabinetry            | • Soft Touch Vinyl Ceiling              | • Powered Solar and Privacy Shades                     |  |  |  |
| • Solid Surface Step Well with Tile Inserts | • Dimmable LED Lighting                 | • Soft-closing Drawers                                 |  |  |  |
| • Powered Step Well Cover                   | • Stacked Washer/Dryer                  | • Powered Roof Vents                                   |  |  |  |
| • Storage Compartment Within Entry Steps    | • Carbon Monoxide Detector              | • Central Vacuum System with VacPan® Automatic Dustpan |  |  |  |
| • Recessed Step Well Lighting               | • LPG Leak Detector                     | • Interior Grab Handle at Entry Door                   |  |  |  |
| • Living Area TV                            | • Smoke Detector                        | • Egress Windows Throughout Coach                      |  |  |  |
| • Solid Surface Galley Countertop           | • Fire Extinguisher                     |                                                        |  |  |  |
| • Handcrafted Slide-out Fascia              | • Gold Heat Dual Zone Heated Tile Floor |                                                        |  |  |  |

| INTERIOR OPTIONS         |                                          | 36 AP | 40 IP | 45 BP | 45 OPP |
|--------------------------|------------------------------------------|-------|-------|-------|--------|
| Interior Décor Packages  | Aurora                                   | O     | O     | O     | O      |
|                          | Polaris                                  | O     | O     | O     | O      |
|                          | Sundance                                 | O     | O     | O     | O      |
| Driver/Passenger Seats   | Bamboo Lifestyle Leather                 | D     | D     | D     | D      |
|                          | Rice Wine Lifestyle Leather              | D     | D     | D     | D      |
| Dinette/Living Furniture | Bamboo Lifestyle Leather <sup>1</sup>    | D     | D     | D     | D      |
|                          | Rice Wine Lifestyle Leather <sup>2</sup> | D     | D     | D     | D      |
| Cabinetry Color          | White Linen                              | O     | O     | O     | O      |
|                          | Platinum                                 | O     | O     | O     | O      |
|                          | Sandstone                                | O     | O     | O     | O      |
|                          | Black Truffle                            | O     | O     | O     | O      |
|                          | Glazed Canyon Cherry                     | O     | O     | O     | O      |
|                          | Glazed Honey Natural Cherry              | O     | O     | O     | O      |
|                          | White Linen Upper Cabinets               | O     | O     | O     | O      |
|                          | Platinum Upper Cabinets                  | O     | O     | O     | O      |
|                          | Diamond/Cream Accent Polished Floor Tile | O     | O     | O     | O      |
| Floor Tiles              | Diamond/Grey Accent Polished Floor Tile  | O     | O     | O     | O      |
|                          | Diamond/Beige Accent Polished Floor Tile | O     | O     | O     | O      |
| Slide-out Flooring       | Tile Slide-out Floors                    | S     | S     | S     | S      |

<sup>1</sup> Recommended with Sundance Interior Decor.

<sup>2</sup> Recommended with Aurora and Polaris Interior Decor.

Allegro Bus Specifications, Features, and Options

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

DRIVER'S COMPARTMENT

- Power Driver and Passenger Seats
  - Dual Driver And Passenger Seat Armrests
  - Swivel Bases for Driver and Passenger Seats
  - Powered Driver and Passenger Seat Footrest
  - Integrated Seat Belts on Driver and Passenger Seats
  - Lumbar Support on Driver and Passenger Seats
  - Tiffin PowerDrive Adaptive Steering Column with Integrated Controls
  - Adjustable Accelerator and Brake Pedals
  - Ergonomic Dash with Carbon Fiber Accents
  - Mounted Dash Fans
  - Cupholders on Driver and Passenger Side
  - Valid™ Liquid Crystal Display Instrument Cluster with Integrated Leveling Controls
- (2) Center Storage Drawers
  - Generator Start & Stop Switch
  - USB Dash Receptacles
  - 12-Volt Dash Receptacle
  - Backlit Dash Rocker Switches
  - Passenger Console Wireless Phone Charger
  - 7" Passenger Console Advanced Monitor System Touchscreen
  - Driver Console Stationary Mount Phone Charger
  - Driver and Passenger Map Lights
  - One-piece Panoramic Windshield
  - Single-motor Intermittent Windshield Wipers
  - Automatic LED Headlights
  - Side-view Cameras <sup>1</sup>
  - Color Back-up Camera
  - 10" Glass Panel Camera Monitor for Side-view, Back-view, and 360° View Cameras
- Blind Spot Monitoring System
  - Advanced Monitor System featuring Media Center, Bluetooth®, and AM, FM, and Satellite Radio <sup>2</sup>
  - Ceiling Mounted Speakers
  - ★ JBL® Sound System <sup>3</sup>
  - In-dash Navigation System via Advanced Monitor System's 10" Glass Panel Touchscreen
  - Overhead Cabinetry with Wooden Panel Doors
  - Auxiliary Start Switch
  - Concealed Air Horn
  - Powered Opening Driver Side Window
  - ★ Solid, Non-opening Passenger Side Window
  - Powered Solar and Privacy Windshield Shade
  - Powered Solar and Privacy Shades on Side Windows

| DRIVER'S COMPARTMENT OPTIONS           | 36 AP | 40 IP | 45 BP | 45 OPP |
|----------------------------------------|-------|-------|-------|--------|
| 360° View Camera                       | O     | O     | O     | O      |
| Front Overhead TV                      | O     | O     | O     | O      |
| Pet Perks Premium Package <sup>4</sup> | O     | O     | O     | O      |

<sup>1</sup> Integrated within side-view mirrors and activated by turn signals.

<sup>2</sup> Includes a 10" Touchscreen LCD monitor for navigation system and entertainment, a 10" camera monitor, and a 7" passenger monitor. Subscription required for satellite radio. Now standard for all floorplans.

<sup>3</sup> Includes amplifier and (2) subwoofers. Now standard for all floorplans.

<sup>4</sup> Includes pet dish holder, leash holder at entrance door, and remote pet monitoring system.

| DINETTE AND LIVING AREA     |                                                          |   |   | SLEEPS | SEATS | SEATBELTS | 36 AP | 40 IP | 45 BP | 45 OPP |
|-----------------------------|----------------------------------------------------------|---|---|--------|-------|-----------|-------|-------|-------|--------|
| Driver Side Furniture       | 74" Air Coil Sofa Bed                                    | 1 | 2 | 2      | -     | -         | -     | O     | O     | -      |
|                             | 74" Theater Seating                                      | - | 2 | 2      | -     | -         | -     | S     | S     | -      |
|                             | 83" Air Coil Sofa Bed <sup>1</sup>                       | 2 | 3 | 3      | -     | -         | -     | -     | -     | O      |
|                             | 83" Theater Seating                                      | - | 2 | 2      | S     | -         | -     | -     | -     | S      |
|                             | 111" Super Sofa                                          | 2 | 3 | 3      | O     | -         | -     | -     | -     | -      |
| Passenger Side Dinette      | Ottoman with Internal Storage <sup>2</sup>               | - | - | -      | D     | D         | D     | D     | D     | D      |
|                             | 72" Dinette with Chairs <sup>3</sup>                     | - | 2 | -      | S     | -         | -     | S     | -     | -      |
|                             | 75" Dinette with Chairs <sup>3</sup>                     | - | 2 | -      | -     | S         | -     | -     | -     | S      |
|                             | 72" Expandable Dinette                                   | - | 4 | 2      | O     | -         | -     | O     | -     | -      |
| Passenger Side Furniture    | 75" Expandable Dinette                                   | - | 4 | 2      | -     | O         | -     | O     | -     | O      |
|                             | 68" DE Sofa Bed with Lift TV <sup>4</sup>                | 1 | 2 | 2      | -     | S         | -     | -     | -     | -      |
|                             | 68" Air Coil Sofa Bed with Lift TV <sup>1</sup>          | 1 | 2 | 2      | -     | O         | -     | -     | -     | -      |
|                             | 70" DE Sofa Bed with Lift TV <sup>6</sup>                | 1 | 2 | 2      | -     | -         | -     | S     | S     | -      |
|                             | 70" Air Coil Sofa Bed with Lift TV <sup>1</sup>          | 1 | 2 | 2      | -     | -         | -     | O     | O     | O      |
| Passenger Side Bunk/ Office | Credenza Cabinet with Fireplace and Lift TV <sup>5</sup> | - | - | -      | -     | O         | -     | O     | O     | O      |
|                             | Power Drop Down Mid-Bunk (31" x71")                      | 1 | - | -      | -     | -         | -     | S     | -     | -      |
|                             | Storage Area with Desk                                   | - | - | -      | -     | -         | -     | O     | -     | -      |

<sup>1</sup> Mattress measures 72" x 59" and includes internal pump.

<sup>2</sup> Standard unless theater seating option is chosen. Only one ottoman per motorhome.

<sup>3</sup> Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.

<sup>4</sup> Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

<sup>5</sup> Removes fireplace in midbath wall if applicable.

KITCHEN

- 1.7-Cubic Foot Smart Convection Microwave with Air Fry
  - Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
  - Built-in Soap Dispenser
  - Galley Overhead Cabinets with Pull-out Drawers
  - Pull-Out Solid Surface Work
- Surface in Galley
  - Panoramic Galley Window
  - Task Lighting
  - Toe Kick Lighting
  - Under Counter LED Accent Lighting
  - Pantry Lighting
  - Full Tile Backsplash
- Solid Surface Galley Countertop, Sink, and Cooktop Cover
  - Pull-out Utility Box Located Under Sink
  - 25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer <sup>1</sup>
  - Drawer-style Dishwasher

| KITCHEN OPTIONS                          | 36 AP | 40 IP | 45 BP | 45 OPP |
|------------------------------------------|-------|-------|-------|--------|
| Decorative Wooden Refrigerator Panel     | O     | O     | O     | O      |
| Cooking Appliances                       |       |       |       |        |
| Two-Burner Induction Cooktop             | S     | S     | S     | S      |
| Wolf® Induction Cooktop                  | O     | O     | O     | O      |
| InSinkErator® Instant Hot Water Faucet ★ | O     | O     | O     | O      |
| 12" Beverage Center                      | -     | -     | O     | O      |

<sup>1</sup> Refrigerator volume is approximated.

BEDROOM

- Under Bed Storage
  - Opening Bedside Windows **UPDATED**
  - Bed Comforter with Throw Pillows
  - Handcrafted Privacy Door
- LED Reading Lights
  - Nightstand with Solid Surface Tops
  - Mounted Bedroom TV
  - Centralized Entertainment Center <sup>1</sup>
- Ceiling Fan
  - Decorative Handcrafted Wood Ceiling Ring
  - ★ Safe

| BEDROOM OPTIONS                                                    | 36 AP | 40 IP | 45BP  | 45 OPP |
|--------------------------------------------------------------------|-------|-------|-------|--------|
| Mattress                                                           |       |       |       |        |
| Memory Foam King Mattress (72" x 80") with Power Smart Lift        | S     | S     | S     | S      |
| Bed Slide                                                          |       |       |       |        |
| Overhead Cabinet with Headboard Window at Head of Bed <sup>2</sup> | S     | S     | S     | S      |
|                                                                    | O     | O     | O     | O      |
| Shoe Rack ★                                                        | -     | -     | S     | S      |
| Bedroom Storage                                                    |       |       |       |        |
| Floor-to-ceiling Closet Space                                      | S     | S     | -     | -      |
| Walk-in Closet                                                     | -     | -     | -     | S      |
| Solid Surface Countertops within Storage Spaces                    | -     | -     | S     | S      |
| Bedroom Fireplace                                                  | O     | O     | O     | O      |
| Bedroom Egress Door <sup>3</sup>                                   | D (O) | D (O) | D (O) | D (O)  |

<sup>1</sup> Houses satellite receiver and cable TV hook-up.

<sup>2</sup> Window option removes overhead cabinets.

<sup>3</sup> Available as an add-on option when combined with overhead cabinet with headboard. Not available with window at head of bed.

BATHROOM

- (2) Porcelain Master Bathroom Sinks
  - Solid Surface Lavatory Top
  - Teak Folding Shower Seat
  - Shower Head with Detachable Hand-held Shower Wand
- Shower Skylight
  - Shower LED Light with Sliding Cover
  - Towel and Toilet Paper Holders
  - Medicine Cabinet with Tri view Vanity Mirror
- Roof Vent Fan
  - Base Cabinet

| BATHROOM OPTIONS                                                                                    | 36 AP | 40 IP | 45 BP | 45 OPP |
|-----------------------------------------------------------------------------------------------------|-------|-------|-------|--------|
| Number of Bathrooms                                                                                 |       |       |       |        |
| (1) Bathroom and (1) Half-bath <sup>1</sup>                                                         | -     | S     | S     | S      |
| (1) Bathroom                                                                                        | S     | -     | -     | -      |
| Shower                                                                                              |       |       |       |        |
| Solid Surface Shower Walls with Inlaid Tile and Residential Glass Door (32" x 40")                  | S     | S     | -     | -      |
| Solid Surface Shower Walls with Inlaid Tile and Residential Glass Door (30" x 60") in Rear of Coach | -     | -     | O     | -      |
| Bathtub IPO Rear Shower (30" x 60") <sup>2</sup>                                                    | -     | -     | O     | -      |
| Solid Surface Shower Walls with Inlaid Tile and Residential Glass Door (32" x 48")                  | -     | -     | S     | S      |
| Toilet                                                                                              |       |       |       |        |
| (1) Electric Gravity Flush Toilet                                                                   | -     | S     | S     | S      |
| (1) Macerator Toilet                                                                                | S     | -     | -     | -      |

<sup>1</sup> All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.

<sup>2</sup> Bathtub takes place of rear shower.