

Open Road Allegro Specifications, Features, and Options

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

WEIGHTS AND MEASURES	29 NA	34 PA
DIMENSIONS		
Overall Length (approximately) ¹	32'	36' 1"
Wheel Base	208"	252"
Overall Width ¹	101"	101"
Overall Height	12' 10"	12' 10"
Minimum Garage Height	14'	14'
Interior Height	84"	84"
Interior Width	96"	96"
Square Footage (approx.) ²	217	355
Basement Storage (cubic feet, approx.)	84	203
WEIGHT LIMITS		
GAWR-Front (pounds)	8,000	9,000
GAWR-Rear (pounds)	15,000	17,500
GVWR (pounds)	22,000	26,000
Maximum Trailer Weight (pounds) ³	4,000	4,000
Hitch Rating (pounds)	5,000	5,000
GCWR (pounds)	26,000	30,000
CAPACITIES		
Fuel Tank (gallons)	80	80
Fresh Water (gallons)	70	70
Grey Water (gallons)	66	66
Black Water (gallons)	50	50
LPG Tank (gallons) ⁴	9.2	20.3
QUANTITIES		
Number of Slideouts	1	4
Sleeping Capacity ⁵	3 to 5	3 to 6
Sleeping Areas ⁵	2 to 4	2 to 4
Seat Belts ⁵	4 to 6	5 to 7
Seating Capacity ⁵	6 to 8	7 to 9

¹ The approximated coach width and length does not include side-view mirrors and rear ladders.

² Square footage was calculated with the slide-outs fully extended.

³ Maximum Trailer Weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.

⁴ LPG tank can only be filled to 80% capacity.

⁵ Dependent on furniture and dinette options.

CHASSIS AND DRIVETRAIN		
- Ford® F-53 Super Duty® Class A Motorhome Chassis - Ford® V8 7.3L 350 HP Gas Engine with 468 lb-ft Torque - Two-wheel Drive 210-Amp Alternator - TorqShift® 6-speed Automatic Overdrive with Tow/Haul Mode - Aluminum Wheels	- Rear Fuel Fill - Front and Rear 255/80R 22.5 Tires (1) 12-Volt Flooded Lead-Acid Chassis Battery - Hydraulic Leveling Jacks with Control Panel - Rear Sway Bar	- Front and Rear Tapered Multi-leaf Suspension - Custom Tuned Sachs® Shock Absorbers - Front Radiator - Front and Rear Disc Brakes - Manual Parking Brake - Automatic Traction Control - Cruise Control

¹ Peak horsepower achieved at 3,900 RPM. Peak torque achieved at 3,900 RPM.

CONSTRUCTION		
- Seamless One-piece Gel-coat Fiberglass Molded Roof Cap 5 1/4" Formed Roof Insulation - Tubular Aluminum Roof Skeleton Frames - Extraordinaire™ Ducted Air Cooling System	- One-piece Molded Gel-coat Fiberglass Front and Rear Caps - Crane® Composites Noble® Select All-Composite Exterior Sidewalls - Tubular Aluminum Wall Skeleton Frames - High-performance Thermal Insulation in Sidewalls	- Steel Floor Skeleton - Engineered Wood Sub-flooring 1 1/2" Thick Thermal Insulation in Floor - Steel Basement Construction - Rust Protective Undercoating - Hydraulic Slide-out Mechanisms
ELECTRICAL		
- Liquid Propane (LP) Coach ¹ - Spyder Controls Multiplex System - Firefly Integrations Mira Module ² - Centralized 7.5" Spyder System Main Monitor - Interior Entryway Spyder System Color Touchscreen - Conveniently Located Spyder Switch Panels Throughout Coach 2,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control ³	(4) 6-Volt, 230-Amp Hours Flooded Lead-Acid House Batteries 50-Amp Shore Power - Auxiliary Solar Port - HD Over-the-air Antenna - Park Cable and Ground Satellite Hook-up - Prep for In-motion Satellite - Blu-ray™ Player - Satellite Receiver ⁴ - Prep for Wi-Fi Booster	- Satellite Internet Prep in Sewer Compartment 12-Volt Breaker Panel 12-Volt Disconnect Switch - Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter - Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay 110-Volt Exterior Receptacle - Surge Guard® Transfer Switch - USB Receptacles Throughout Coach
ELECTRICAL OPTIONS		
Generators and Power Systems	5.5-Kilowatt Onan® Quiet Gas Generator	S
	7.0-Kilowatt Onan® Quiet Gas Generator	O
Battery Slide Out Tray ⁵		—
Air Conditioning	(2) 13,500-BTU Air Conditioners	S
	(1) 13,500-BTU Air Conditioner and (1) 15,000-BTU Air Conditioner with Heat Pump ⁶	D (O)
	(1) 35,000-BTU Ducted Furnace	S
Solar Panels	(1) 35,000-BTU and (1) 20,000-BTU Ducted Furnaces	-
	Prep for Solar Panels ⁹	O
	(1) 200-Watt Solar Panel with (1) 30-Amp Controller	O
In-motion Satellite Dish ⁷	(2) 200-Watt Solar Panels with (1) 30-Amp Controller	O
		O
Prewiring for Winegard® Trav'ler™ Satellite ⁸		O
Wi-Fi Booster		O

¹ Propane is used to power the ducted furnaces, the water heater, and liquid propane cooktops.

² Download the accompanying Vegatouch app to control your coach locally within Bluetooth range.

³ Automatic generator start capabilities controlled through Spyder Controls Multiplex System.

⁴ Requires subscription. (Only available with in-motion satellite option)

⁵ Due to 29 NAs batteries being located under the entry steps, they do not get a slide tray.

⁶ Option only available with 7.0-Kilowatt Onan® Quiet Gas Generator. 15,000-BTU air conditioner replaces the front 13,500-BTU air conditioner. Only the 15,000-BTU air conditioner has a heat pump.

⁷ In-motion Satellite Dish and Prewiring for Winegard® Trav'ler™ Satellite cannot be optioned together on 34 PA. High-definition programming is not available on a domed satellite antenna unless you subscribe to DISH Network®.

⁸ In-motion Satellite Dish and Prewiring for Winegard® Trav'ler™ Satellite cannot be optioned together on 34 PA.

⁹ Includes docking ports for aftermarket solar panels.

PLUMBING			
- Aqua View Showermiser™ - Water Filter - Water Pump Switch Access from Spyder System and Sewer Bay Board - Low-point Water Drain Lines - Black Holding Tank Flush System - Gravity Water Fill - Heated Fresh and Holding Tank Compartment via Heat Duct - Tank Level Monitor System - Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports - Exterior Rinse Hose with Shower Head - Sewer Bay Hand Sanitizer and Paper Towel Holders			
PLUMBING OPTIONS	29 NA	34 PA	
Truma AquaGo™ Comfort Instant Water Heater ¹	—	S	
Water Heater Bypass System	S	—	

¹ Controllable through the Truma control panel and the Spyder System control panels.

EXTERIOR			
- Full-body Paint with (3) Layers of Clear Coat - Single-colored Slide-out Endwalls - High Performance Protective Film on Front Cap and Select Areas (1) Girard® Side-mounted Powered Patio Awning with Integrated LED Lighting - Girard® Slide-out Toppers - Side-swinging Exterior Storage Doors with Gas Shocks - Lockable Handles on Compartment Doors - Motion-sensor Lights in Cargo Bay 120-Volt and 12-Volt Outlets Inside Cargo Bays - GatorHyde-lined Cargo Walls and Floor - Framed, Single-Pane Windows - Exterior Patio Light - Daytime Running Lights - Chrome Power Heated Side-View Mirrors with Integrated Cameras - Exterior TV with Soundbar - Fast Charge USB ports within Exterior TV Compartment - Lightweight Entry Door with Integrated Screen - Entry Door Grab Handle - Deadbolt Front Entrance Lock - Automatic Double Entry Step - Mud Flaps - Lippert™ On-The-Go Ladder ¹			
EXTERIOR OPTIONS	29 NA	34 PA	
Outdoor Kitchen Area	Exterior LP Hookup	S	S
	Outdoor Kitchen with Sink, Refrigerator, and Storage Cabinet ²	D (O)	—
	Expanded Outdoor Storage ³	D (O)	—

¹ All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.
² Optional IPO Expanded Outdoor Storage on 29NA. Includes sink, refrigerator, storage cabinet, and pull out work station.
³ Optional IPO Outdoor Kitchen on 29NA.

INTERIOR			
- Handcrafted Overhead Cabinetry - Carpeted Step Well with Composite Steps - Living Area TV - Solid Surface Galley Countertop - Handcrafted Slide-out Fascia - Soft Touch Vinyl Ceiling - Dimmable LED Lighting - Carbon Monoxide Detector - LPG Leak Detector - Smoke Detector - Fire Extinguisher - Solar and Privacy Shades - Soft-closing Drawers - Powered Roof Vents - Interior Grab Handle at Entry Door - Egress Windows Throughout Coach			
INTERIOR OPTIONS	29 NA	34 PA	
Interior Decor Packages	Walkabout	O	O
	Night Wanderer	O	O
Upholstery Fabrics	Etna Pebble Furniture Coverings and Driver/Passenger Seats ¹	D	D
	White Sands Furniture Coverings and White Sands Driver and Passenger Seats ²	D	D
Cabinetry Colors	Sandstone	O	O
	White Linen	O	O
Floor Tiles	Cashmere Luxury Vinyl Tile	O	O
Storage Compartment Within Entry Steps ³	—	—	S
Recessed Step Well Lighting	—	—	S
Standalone Living Area Fireplace	—	—	O
	Prep for Washer and Dryer	—	S
Washer & Dryer	—	—	O
	Stacked Washer and Dryer	—	O
Central Vacuum System	—	—	O

¹ Required with Walkabout Interior Decor.
² Required with Night Wanderer Interior Decor .
³ 29 NA's batteries are located under entry steps.

Open Road Allegro Specifications, Features, and Options

KEY : S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

DRIVER'S COMPARTMENT		
- Lifestyle Leather Power Driver and Passenger Seats - Dual Driver And Passenger Seat Armrests - Swivel Bases for Driver/Passenger Seats - Adjustable Seatbelt Brackets - Tilt and Telescoping Steering Wheel - Ergonomic Dash with Graphite Accents - Mounted Dash Fans - Cupholders on Driver and Passenger Side - Backlit Instrument Cluster - Center Storage Compartments - Generator Start & Stop Rocker Switch - Passenger Seat Footrest	- In-dash Navigation System via 10" Detachable Touchscreen - USB Dash Receptacles 12-Volt Dash Receptacle - Backlit Dash Rocker Switches - Passenger Console Controls for Map Light and Fan - Driver and Passenger Map Lights - One-piece Panoramic Windshield - Single-motor Intermittent Windshield Wipers - Automatic LED Headlights - Side-view Cameras ¹ - Color Back-up Camera	10" Detachable Touchscreen featuring Media Center, AM, FM, and Satellite Radio, Bluetooth®, and Camera Monitoring - Stereo with AM & FM Radio and Satellite Radio ² - Ceiling Mounted Speakers - Overhead Cabinetry with Honeycomb-patterned Glass - Auxiliary Start Switch - Concealed Electric Horn - Manual, Horizontal Opening Driver and Passenger Side Windows - Powered Solar/Privacy Windshield Shade

DRIVER'S COMPARTMENT OPTIONS	29 NA	34 PA
Front Overhead TV	O	O
Electric Front Overhead Drop-Down Bunk ³	O	O

¹ Integrated within side-view mirrors and activated by turn signals.

² Subscription required for satellite radio.

³ Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

DINETTE AND LIVING AREA		SLEEPS	SEATS	SEATBELTS	29 NA	34 PA
Driver Side Dinette	72" Booth Dinette-Sleeper ¹	1	4	2	S	—
	72" Dinette with Chairs ²	—	2	—	O	—
	95" Flip and Fold Sofa Bed ⁴	2	3	3	—	O
	95" Air Coil Sofa Bed ⁶	2	3	3	—	O
	95" Super Sofa ⁵	1	3	3	—	O
	95" Theatre Seating	—	2	2	—	S
Passenger Side Dinette	72" Dinette Bar with Lift TV ³	—	2	—	—	O
	72" Dinette with Chairs ²	—	2	—	—	O
	72" Booth Dinette-Sleeper ¹	1	4	2	—	S
Passenger Side Furniture	66" Flip and Fold Sofa Bed ⁷	1	2	2	O	—
	66" Theatre Seating	O	2	2	S	—

¹ Piece of furniture converts to 69" x 45" sleeping area.

² Formerly known as "Dinette Computer Workstation". The printer bump-out was removed for more leg room. The keyboard and printer trays have been converted to a drawer and a fixed shelf to maximize storage. Includes (2) freestanding accent chairs and (2) wooden folding chairs.

³ Includes (2) freestanding accent chairs.

⁴ Piece of furniture converts to 80" x 70" sleeping area.

⁵ Consists of a flip and fold sofa bed, a 27" single theater seat, and a center console. Flip and fold sofa bed converts to 70" X 51" sleeping area.

⁶ Mattress measures 72" x 59" and requires external pump.

⁷ Piece of furniture converts to 51" x 70" sleeping area.

KITCHEN		
- Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer - Galley Overhead Cabinets	- Panoramic Galley Window - Task Lighting	- Full Tile Backsplash - Solid Surface Galley Countertop, Sink, and Cooktop Cover
KITCHEN OPTIONS		
Convection Microwave	1.7-Cubic Foot Smart Convection Microwave with Air Fry	29 NA — 34 PA S
	1.5-Cubic Foot Convection Microwave	S —
	12-Cubic Foot Stainless Steel Residential Refrigerator with Top Freezer ¹	S —
Cooking Appliances	23-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer ¹	— S
	Three-Burner Liquid Propane Cooktop	S S
	Oven Range with Liquid Propane Cooktop	O O

¹ Refrigerator volume is approximated.

BEDROOM		
- Overhead Cabinets - Under Bed Storage ¹ - Bedside Windows - Bed Comforter with Throw Pillows	- Handcrafted Privacy Door - LED Reading Lights - Nightstand with Solid Surface Tops - Mounted Bedroom TV	- Centralized Entertainment Center ² - Wardrobe with Drawers Underneath - Laundry Hamper
BEDROOM OPTIONS		
Mattress	King Mattress (72" x 80")	29 NA S 34 PA O
	Queen Mattress (60" x 80")	O S
Bed Slide	Mounted Headboard	S S
Ceiling Fan		O O

¹ Under Bed Storage not available on 29 NA.

² Houses satellite receiver and cable TV hook-up.

BATHROOM		
(1) Porcelain Master Bathroom Sink - Solid Surface Lavatory Top - Handheld Shower Head with Slide Bar	- Shower Skylight - Shower LED Light with Sliding Cover - Towel and Toilet Paper Holders	- Mirrored Medicine Cabinet - Roof Vent Fan - Base Cabinet
BATHROOM OPTIONS		
Number of Bathrooms	(1) Bathroom	29 NA S 34 PA S
	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	S S
Toilet	(1) Gravity Flush Toilet	S S

Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation. For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.