Phaeton Specifications, Features, and Options

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

WEIGHTS AND MEASURES	40 RT	44 RTH
DIMENSIONS		
Overall Length (approx.) [1]	41' 4"	45"
Wheel Base [2]	266"	310"
Overall Width [1]	101"	101"
Overall Height	13' 3"	13' 3"
Minimum Garage Height	14'	14'
Interior Height	83"	83"
Interior Width	96"	96"
Square Footage (approx.) [3]	405	440
Basement Storage (cubic feet, approx.)	232	232
WEIGHT LIMITS		
GAWR—Front (pounds)	16,000	16,000
GAWR— Tag Axle (pounds)	-	10,000
GAWR—Rear (pounds)	24,000	20,000
GVWR (pounds)	40,000	46,000
Maximum Trailer Weight (pounds) [4]	10,000	10,000
Hitch Rating (pounds)	10,000	10,000
GCWR (pounds)	50,000	56,000
CAPACITIES		
Fuel Tank (gallons)	100	100
DEF Tank (gallons) - PowerGlide® Chassis [5]	10	10
DEF Tank (gallons) - Freightliner® Chassis [5]	13	13
Fresh Water (gallons)	100	100
Grey Water (gallons)	100	100
Black Water (gallons)	55	55
QUANTITIES		
Number of Slideouts	4	4
Sleeping Capacity [7]	2 to 6	2 to 8
Sleeping Areas [7]	1 to 5	1 to 5
Seat Belts [7]	4 to 8	4 to 10
Seating Capacity [7]	7 to 10	7 to 12

[1] The approximated coach width and length does not include side view mirrors and rear ladders.
[2] On tag axle coaches, measurement is taken from the center of the steer axle to the centerline between the drive and tag axle.
[3] Square footage was calculated with the slide-outs fully extended.
[4] Maximum trailer weight is dependent on the loading and towing variables which include the GVWR, GAWR, and GCWR, as well as adequate trailer brakes.
[5] Diesel Exhaust Fluid (DEF) is the active component used in Selective Catalytic Reduction (SCR) engines to reduce nitrogen oxide emissions by 90% to meet EPA standards.
[6] LPG tank can only be filled to 80% capacity.
[7] Dependent on furniture and dinette options.

CHASSIS AND DRIVETRAIN

- Cummins® L9 450 HP Diesel Engine with 1,250 lb-ft Torque [1]
- Two-wheel Drive
- Allison® 3000 MH 6-speed Automatic Transmission with Lock-up Torque Converter
- Front and Rear 295/80R 22.5 Tires
- (2) 12-Volt Flooded Lead-Acid Chassis Batteries
- Hydraulic Leveling Jacks with Control Panel
- ZF Independent Front Suspension
- Rear Radiator
- Front Disc Brakes and Rear Drum Brakes
- Full Air Brake System with Automatic Slack Adjusters
- Three-stage Compression Brake
- Manual Parking Brake
- Driver and Passenger Side Fuel Fill
- Tire Pressure Monitoring
- Adaptive Cruise Control
- Automatic Traction Control
- Collision Mitigation with Forward Warning and Active Braking
- Electronic Stability Control

CHASSIS AND DRIVETRAIN OPTIONS		40 RT	44 RTH
Chassis	Freightliner PowerGlide® XC Super Raised Rail Rear Engine Diesel Chassis	S	S
Alternator	240-Amp Alternator	S	S
Wheels	Aluminum Wheels [2]	D	D
	Black Aluminum Wheels	D	D
Rear Suspension	Freightliner® V-Series V-Ride Rear Suspension	S	S
Shocks	Custom Tuned Koni® Shock Absorbers	S	S
Steerable Tag Axle		—	S

[1] Peak horsepower achieved at 2,100 RPM. Peak torque achieved at 1,400 RPM. Now standard on all floorplans.
[2] Required with Black Out Exterior Trim Package.

CONSTRUCTION

- Seamless One-piece Gel-coat Fiberglass Molded Roof Cap
- 5 1/4" Formed Roof Insulation
- Tubular Aluminum Roof Skeleton Frames
- Extraordinaire™ Ducted Air Cooling System
- One-piece Molded Gel-coat Fiberglass Front and Rear Caps
- Steel Cockpit Overhead Support Frame
- Valto Engineered Materials® Select All-Composite Exterior Sidewalls
- Tubular Aluminum Wall Skeleton Frames
- High-performance Thermal Insulation in Sidewalls
- Engineered Wood Sub-flooring
- Laminated Elevated Sub-Flooring with 2 3/4" Thick Thermal Insulation
- Steel Basement Construction
- Rust Protective Undercoating
- Hydraulic Slide-out Mechanisms
- Extra Storage Chassis Construction

PLUMBING

- ★ Aqua View Showermiser
- Water Filter
- Water Pump Switch Access from Spyder System and Sewer Bay Board
- Low-point Water Drain Lines
- Black Holding Tank Flush System
- Gravity Water Fill
- Heated Fresh and Holding Tank Compartment via Heat Duct
- SeeLevel™ Tank Monitor
- Centralized Exterior Sewer Bay with Gravity Black and Grey Evacuation Ports
- Exterior Rinse Hose with Shower Head
- Sewer Bay Hand Sanitizer and Paper Towel Holders
- Aqua-Hot 450D Heat Exchanger UPDATED
- Fresh Water Hose with Power Retract Reel
- Grey Tank Flush System

Because of progressive improvements and specifications, standard and optional equipment are subject to change without notice or obligation. For a complete and up-to-date list of available options and specifications, visit tiffinmotorhomes.com.

ELECTRICAL

- Spyder Controls Multiplex System
- Firefly Integrations Mira Module [1]
- Centralized 10" Spyder System Main Monitor
- Passenger Console Spyder System Color Touchscreen
- Interior Entryway Spyder System Color Touchscreen
- Exterior Spyder System Color Touchscreen
- Additional Spyder Color Touchscreens Throughout Coach
- 10.0-Kilowatt Onan® Quiet Diesel Generator
- Generator Slide Tray
- 3,000-Watt Pure Sine Wave Inverter Charger with Auto-Gen Start and Interior Remote Control [2]
- (3) 15,000-BTU Low Profile Air Conditioners with Heat Pumps and Condensation Drains
- 50-Amp Shore Power with Powered Retract Reel
- Auxiliary Solar Port
- Energy Management System
- HD Over-the-air Antenna
- Park Cable and Ground Satellite Hook-up
- Prep for In-motion Satellite
- 12-Volt Breaker Panel
- 12-Volt Disconnect Switch
- (6) 6-Volt, 210-Amp Hours Extended Cycle AGM House Batteries
- Rotary Disconnect Switches for House Batteries, Chassis Batteries, and Inverter
- Ground Fault Circuit Interrupter (GFCI) Outlets at Galley, Lavatories, and Sewer Bay
- 110-Volt Exterior Receptacle
- Surge Guard® Transfer Switch
- USB Receptacles Throughout Coach
- Prewiring for Winegard® Trav'ler™ Satellite
- Starlink Roof Prep

ELECTRICAL OPTIONS		40 RT	44 RTH
Heating & Cooktop Power Source	Hydronic Heating & Electronic Appliance Equipped Coach	S	S
House Batteries	(3) 12-Volt, 270-Amp Hours Lithium House Batteries	O	O
	Battery Slide-out Tray [5]	D	D
Space Heating	Aqua-Hot® 450 D Heat Exchanger	S	S
Solar Panels	(3) 200-Watt Solar Panels with (1) 30-Amp Controller [9]	S	S
	(6) 200-Watt Solar Panels with (2) 30-Amp Controllers [10]	O	O
Internet & Phone	Tiffin Connect w/Starlink® [11]	O	O

[1] Download the accompanying Vegatouch app to control your coach locally offline using Bluetooth and remotely anywhere there's internet for the coach module (Local control only for slides and awning). Includes a free 90-day remote access trial.
[2] Automatic generator start capabilities controlled through Spyder Controls Multiplex System.
[3] Standard with extended cycle AGM batteries. Not available with lithium batteries.
[4] Not combinable with Starlink option on 44 RTH.
[5] Not combinable with Starlink option on 40 RT.
[6] Requires subscription.

EXTERIOR

- Full-body Paint with (4) Layers of Clear Coat
- Single-colored Slide-out Endwalls
- High Performance Protective Film on Front Cap and Select Areas
- Girard® Powered Door Awning with Integrated LED Lighting
- Girard® Manual Window Awning Package
- Girard® Slide-out Toppers
- Side-swinging Exterior Storage Doors with Gas Shocks
- Lockable Handles on Compartment Doors
- Motion-sensor Lights in Cargo Bay
- 120-Volt and 12-Volt Outlets Inside Cargo Bays
- ★Pass-through Basement Storage
- Charcoal Carpet Cargo Walls
- Fiberglass Reinforced Plastic Basement Floor
- Frameless, Dual-Pane Windows
- Exterior Patio Light
- Daytime Running Lights
- Docking Lights
- ★Chrome Power Heated Side-View Mirrors with Integrated Cameras
- Exterior TV with Soundbar
- Fast Charge USB ports within Exterior TV Compartment
- Lightweight Entry Door with Integrated Screen
- Deadbolt Front Entrance Lock
- Lighted Entry Door Grab Handle
- Automatic Stainless Steel Double Entry Step
- Keyless Entry System for Front Entrance and Compartment Doors
- Mud Flaps
- Custom Rock Guard
- Lippert™ On-The-Go™ Telescoping Ladder [3]

EXTERIOR OPTIONS		40 RT	44 RTH
Patio Awnings	(2) Girard® Roof-mounted Powered Patio Awnings with Integrated LED Lighting and Dual Pitch Feature	S	S
Slide Trays [1]	(1) Manual Storage Compartment Slide-out Tray	S	S
	(2) Manual Storage Compartment Slide-out Trays	O	O

[1] Trays slide out on both sides of motorhome.
[3] All units will ship with a Lippert™ On-The-Go™ Prepped Receiver installed.

INTERIOR

- Handcrafted Overhead Cabinetry
- Solid Surface Step Well
- Powered Step Well Cover
- Storage Compartment Within Entry Steps
- Recessed Step Well Lighting
- Living Area TV
- Solid Surface Galley Countertop
- Handcrafted Slide-out Fascia
- Soft Touch Vinyl Ceiling
- Dimmable LED Lighting
- Prep for Washer and Dryer
- Carbon Monoxide Detector
- LPG Leak Detector
- Smoke Detector
- Gold Heat® Dual Zones Heated Tile Floor
- Fire Extinguisher
- Solar and Privacy Shades
- Soft-closing Drawers
- Powered Roof Vents
- Central Vacuum System with VacPan® Automatic Dustpan
- Interior Grab Handle at Entry Door
- Egress Windows Throughout Coach

INTERIOR OPTIONS		40 RT	44 RTH
Interior Décor Packages	Great Smoky Mountains	S	S
	Rice Wine Lifestyle Leather	S	S
Cabinetry Color	Sandstone	O	O
	White Linen	O	O
	Platinum	O	O
	Black Truffle	O	O
	White Linen Upper Cabinets	O	O
	Platinum Upper Cabinets	O	O
Floor Tiles	Savoir Porcelain Floor Tile	S	S
Standalone Living Area Fireplace		O	O
Stacked Washer & Dryer		O	O

Phaeton Specifications, Features, and Options (Cont'd)

KEY : ★ Tiffin Top Feature | S : Standard Feature | O : Optional Feature; Additional costs may apply | D : Dependent; Availability is dependent on selection of another option | — : Not Available

DRIVER'S COMPARTMENT

- Lifestyle Leather Power Driver and Passenger Seats
- Dual Driver And Passenger Seat Armrests
- Swivel Bases for Driver and Passenger Seats
- Powered Passenger Seat Footrest
- Integrated Seat Belts on Driver and Passenger Seats
- Tilt and Telescoping Steering Wheel with Integrated Controls
- Adjustable Accelerator and Brake Pedals
- Wraparound Dash with Graphite Accents
- Mounted Dash Fans
- Cupholders on Driver and Passenger Side
- Digital Dash Cluster
- (1) Center Storage Drawer
- Generator Start & Stop Switch
- USB Dash Receptacles
- 12-Volt Dash Receptacle
- Backlit Dash Rocker Switches
- Passenger Console Wireless Phone Charger
- Driver and Passenger Map Lights
- One-piece Panoramic Windshield
- Single-motor Intermittent Windshield Wipers
- Automatic LED Headlights
- Side-view Cameras [1]
- Color Back-up Camera
- 10" High Definition LED Multichannel Camera Monitor
- Stereo with AM & FM Radio and Satellite Radio [2]
- Ceiling Mounted Speakers
- Overhead Cabinetry with Wooden Panel Doors
- Auxiliary Start Switch
- Concealed Air Horn
- Manual Opening Driver Side Window
- Solid, Non-opening Passenger Side Window
- Powered Solar and Privacy Windshield Shade
- In-dash Navigation System UPDATED
- Manual Solar and Privacy Shades on Side Windows

DRIVER'S COMPARTMENT OPTIONS	40 RT	44 RTH
Blind Spot Monitoring System	O	O
Front Overhead TV	O	O
Pet Perks Package [3]	O	O
Electric Front Overhead Drop-Down Bunk [4]	O	O

[1] Integrated within side-view mirrors and activated by turn signals.

[2] Subscription required for satellite radio.

[3] Includes pet dish holder and leash holder at entrance door.

[4] Mattress measures 72" x 30". Decreases overhead storage capacity. Maximum weight limit of drop-down bunk is 250 pounds. Now includes telescoping ladder.

BEDROOM

- Under Bed Storage
- Opening Bedside Windows UPDATED
- Overhead Cabinets with Headboard
- Bed Comforter with Throw Pillows
- Handcrafted Privacy Door
- LED Reading Lights
- Nightstand with Solid Surface Tops
- Mounted Bedroom TV
- Centralized Entertainment Center [1]
- Ceiling Fan
- Laundry Hamper

BEDROOM OPTIONS		40 RT	44 RTH
	Memory Foam King Mattress (72" x 80")	S	S
	Memory Foam Queen Mattress (60" x 80")	O	O
Bedroom Storage	Floor-to-ceiling Closet Space	S	—
	Walk-in Closet	—	S
Safe		O	O
Bedroom Egress Door		O	O

[1] Houses satellite receiver and cable TV hook-up.

KITCHEN

- 1.7-Cubic Foot Smart Convection Microwave with Air Fry
- Double Bowl Kitchen Sink with Single Lever Faucet and Pull-down Sprayer
- Built-in Soap Dispenser
- Galley Overhead Cabinets with Pull-out Drawers
- Panoramic Galley Window
- Task Lighting
- Toe Kick Lighting
- Full Tile Backsplash
- Solid Surface Galley Countertop, Sink, and Cooktop Cover

KITCHEN OPTIONS		40 RT	44 RTH
	25-Cubic Foot Stainless Steel Residential Refrigerator with French Doors and Bottom Freezer [1]	S	S
Cooking Appliances	Two-Burner Induction Cooktop	S	S
Drawer-style Dishwasher		O	O
Pull-Out Peninsula with Solid Surface Countertop in Galley UPDATED		S	S

[1] Refrigerator volume is approximated.

BATHROOM

- Solid Surface Lavatory Top
- Handheld Shower Head with Slide Bar
- Shower Skylight
- Shower LED Light with Sliding Cover
- Towel and Toilet Paper Holders
- Roof Vent Fan
- Base Cabinet

BATHROOM OPTIONS		40 RT	44 RTH
	(1) Bathroom and (1) Half-bath [1]	S	S
	(2) Porcelain Master Bathroom Sinks	S	S
Shower	One-Piece Molded Fiberglass Shower (28.5" x 40.5")	S	S
	(1) Gravity Flush Toilet and (1) Macerator Toilet	S	S
Master Bathroom Medicine Cabinet	Medicine Cabinet with Tri-view Vanity Mirror	S	S

[1] All half-baths contain a toilet and a solid surface countertop with a single porcelain sink.

DINETTE AND LIVING AREA		SLEEPS	SEATS	SEATBELTS	40 RT	44 RTH
Driver Side Furniture	74" Air Coil Sofa Bed [1]	1	2	2	O	–
	74" Theater Seating	–	2	2	D	–
	89" Air Coil Sofa Bed [2]	1	3	3	–	O
	89" Theater Seating	–	2	2	–	S
	72" Booth Dinette-Sleeper [3]	1	4	2	S	–
	72" Dinette with Chairs [2]	–	2	–	O	–
	72" Expandable Booth	–	4	2	O	O
	75" Booth Dinette-Sleeper [4]	1	4	2	–	S
	75" Dinette with Chairs [2]	–	2	–	–	O
	68" DE Sofa Bed with Lift TV [5]	1	2	2	S	–
	68" Air Coil Sofa Bed with Lift TV [6]	1	2	2	O	–
	Credenza and Lift TV with Fireplace	–	–	–	O	O
	84" DE Sofa Bed with Lift TV [7]	1	3	3	–	S
	84" Air Coil Sofa Bed with Lift TV [8]	2	3	3	–	O

[1] Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.

[2] Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides.

[3] Piece of furniture converts to 69" x 45" sleeping area.

[4] Piece of furniture converts to 72" x 45" sleeping area.

[5] Piece of furniture converts to 61" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

[6] Mattress measures 72" x 52" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.

[7] Piece of furniture converts to 77" x 49" sleeping area. Lift TV deletes cabinetry over furniture.

[8] Mattress measures 72" x 59" and includes internal pump. Cannot option air coil sofa on both driver and passenger sides. Lift TV deletes cabinetry over furniture.